

Cboe Titanium U.S. Options FIX Specification

Version 2.8.7

April 6, 2026

This content is owned or licensed by Cboe Global Markets, Inc. or its affiliates ("Cboe") and protected by copyright under U.S. and international copyright laws. Other than for internal business purposes, you may not copy, reproduce, distribute, publish, display, perform, modify, create derivative works, transmit, or in any way exploit the content, sell or offer it for sale, use the content to construct any kind of database, or alter or remove any copyright or other notice from copies of the content.

Contents

Introduction ... 4
Certification Requirement ... 4
Document Format ... 5
Hours of Operation ... 6
Holiday Sessions (C1 only) ... 6
Data Types ... 8
Times ... 8
Prices ... 9
Protocol Features ... 10
Architecture and Message in Flight Settings ... 10
Done For Day Restatements ... 11
Carried Order Restatements ... 12
Cancellation of Carried Orders Between Trading Sessions ... 13
Display Indicator Features ... 14
Default Exchange Risk Protections ... 15
Market Order NBBO Width Protection for Simple Orders ... 15
Drill-Through Protection for Simple Orders ... 16
Wide Market Protection (C1 Only) ... 18
Market/Limit Order Drill-Through for Complex Orders ... 20
Exchange Default Fat Finger Limits ... 21
Maximum Open Order Limits ... 23
Risk Root ... 24
Cabinet and Sub-Cabinet Orders (C1 Only) ... 25
Flex Order Entry (C1 Only) ... 26
FLEX Delta Adjusted At Close (C1 Only) ... 28
Floor Routing (C1 Only) ... 29
Floor Representation Restatements (C1 Only) ... 30
Floor Clearing Edits ... 31
Market Maker Floor Trade Notifications (C1 Only) ... 32
Auction Orders ... 33
Protocol ... 34
Message Format ... 34
Sequence Numbers ... 35
Version Compatibility ... 36
Sessions ... 37
Connectivity ... 37
Logon Message Fields ... 38

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Logon and Carried Order Restatement ... 38
Heartbeat Message Fields ... 39
Test Request Message Fields ... 40
Resend Request Message Fields ... 41
Reject Message Fields ... 42
Sequence Reset Message Fields ... 43
Logout Message Fields ... 44
FIX Messages ... 45
Standard Message Header Message Fields ... 45
Standard Message Trailer ... 46
User Defined FIX Fields ... 47
Order Protocol - Member to Cboe ... 50
New Order Single Message Fields ... 50
New Order Cross Message Fields (C1 and EDGX Only) ... 58
New Order Cross Multileg Message Fields (C1 and EDGX Only) ... 65
New Order Multileg Message Fields ... 74
Security Definition Request Message Fields ... 84
Order Cancel Request Message Fields ... 86
Order Cancel/Replace Request ... 89
Floor Trade Confirmation Message Fields (C1 Only) ... 92
Add Floor Trade Message Fields (C1 Only) ... 93
Delete Floor Trade Message Fields (C1 Only) ... 96
Order Protocol - Cboe to Member ... 97
Execution Report Message Fields ... 97
State Change Tracking ... 107
Cancel Reject ... 108
Trade Cancel/Correct Message Fields ... 109
Trade Cancel/Correct FIX Drop Clearing Edit Message Fields ... 110
Security Definition Message Fields ... 114
Purge Port Protocol - Member to Cboe ... 115
Purge Request Message Fields ... 115
Purge Port Protocol - Cboe to Member ... 118
Purge Acknowledgement Message Fields ... 118
Purge Reject Message Fields ... 119
Purge Notification Message Fields ... 120
Implementation Issues ... 121
Automatic Cancel on Disconnect or Malfunction ... 121
Access Fees Returned on Execution Reports ... 122

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Service Bureau Configuration 123
Common Session Level Issues 124
FINANCIAL INFORMATION EXCHANGE PROTOCOL / FIX MESSAGE FORMAT AND DELIVERY / Ordered Message Processing 124
FINANCIAL INFORMATION EXCHANGE PROTOCOL / SESSION PROTOCOL / Logon 125
FINANCIAL INFORMATION EXCHANGE PROTOCOL / SESSION PROTOCOL / Message Recovery 126
FINANCIAL INFORMATION EXCHANGE PROTOCOL / ADMINISTRATIVE MESSAGES / Resend Request 127
FINANCIAL INFORMATION EXCHANGE PROTOCOL / ADMINISTRATIVE MESSAGES / Sequence Reset (Gap Fill) 128
FIX DROP 129
Standard FIX Drop 129
Order by Order FIX Drop 130
FIX Drop Port Attributes 131
FIX Port Attributes 133
Reason Codes 139
Order Reason Codes 139
Order Subreason Codes 140
References 141
Support 142
Revision History 143

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Introduction

Cboe members use a subset of the FIX 4.2 protocol for order entry and drop copies.

It is assumed that the reader is familiar with the FIX 4.2 protocol as described at http://www.fixprotocol.org. This document describes the differences between the Cboe implementation and the FIX 4.2 standard.

Please refer to https://www.cboe.com for updates and further information on policies and procedures.

Certification Requirement

All customers must complete a formal certification in the appropriate Cboe Certification test environment before production orders or quotes will be accepted by Cboe. Formal certification scripts can be found in the Cboe Customer Web Portal. Customers may complete the formal certification using the Certification Tool app and selecting the applicable certification script. Customers are advised to test all functionality they plan to use in production in the Cboe Certification test environment.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Document Format

Blue highlights highlight key differences between the Cboe US Options Exchanges (BZX Options Exchange BZX only, Cboe Options Exchange C1 only, C2 Options Exchange C2 only, and EDGX Options Exchange EDGX only).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Hours of Operation

Refer to Holidays & Hours for Cboe trading hours and holiday schedules. All times are listed in the Eastern Time zone (ET).

All orders are live upon acceptance by the Cboe Options Exchanges. Orders are rejected if they are received outside the sessions as defined in the Hours Of Operation table.

The Cboe Options Exchanges support a Pre-Market Queuing Session that allows orders to be entered and queued prior to the start of the Global Trading Hours (GTH) session and the Regular Trading Hours (RTH) session. The GTH Queuing session will allow GTH-eligible Product orders marked as both GTH and RTH only order to be entered and queued. C1 also supports a Curb session in addition to GTH and RTH sessions.

For more information on the Cboe Opening Process, please refer to the Cboe Titanium U.S. Options Opening Process.

The Cboe Options Exchanges do not support a closing auction, but do support Extended Trading for select ETF and index products. All orders remaining after the Regular Trading Session that are not eligible for Extended Trading will be cancelled automatically. All orders remaining after the Extended session will be cancelled automatically and execution reports will be delivered.

Table 1. Hours of Operation


	C1	C2	BZX	EDGX
Order Acceptance	8:00 p.m. - 8:15 p.m. ET (GTH-eligible Products)	7:30 a.m. - 9:30 a.m. ET (All Products)	7:30 a.m. - 9:30 a.m. ET (All Products)	7:30 a.m. - 9:30 a.m. ET (All Products)
	7:30 a.m. - 9:30 a.m. ET (All Products)			
GTH	8:15 p.m. - 9:25 a.m. ET (GTH-eligible Products)	N/A	N/A	N/A
RTH	9:30 a.m. - 4:00 p.m. ET (All Products)	9:30 a.m. - 4:00 p.m. ET (All Products)	9:30 a.m. - 4:00 p.m. ET (All Products)	9:30 a.m. - 4:00 p.m. ET (All Products)
	9:30 a.m. - 4:15 p.m. ET (Select ETFs/ETNs and Index Products)	9:30 a.m. - 4:15 p.m. ET (Select ETFs/ETNs and Index Products)	9:30 a.m. - 4:15 p.m. ET (Select ETFs/ETNs and Index Products)	9:30 a.m. - 4:15 p.m. ET (Select ETFs/ETNs and Index Products)
Curb	4:15 p.m. - 5:00 p.m. ET (GTH-eligible Products)	N/A	N/A	N/A

Holiday Sessions (C1 Only)

On certain US-centric holidays, where European and/or Asian markets are open, trading is suspended for RTH and Curb but continues for GTH, resulting in two sets of non-contiguous GTH sessions before RTH.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Figure 1. US Holiday Trading Hours



On days where the market closes early, RTH will conclude at 1:15 p.m. ET and there will not be a subsequent Curb session. The market will remain closed until the next GTH session.

On certain International Holidays (i.e., New Year's Day) there is no GTH or RTH trading and the C1 Options market is closed. Notice will be sent prior to any holiday communicating the specific hours and sessions that will be available.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Data Types

Times

All FIX timestamps are listed in Greenwich Mean Time (GMT) per FIX standard. Users are expected to synchronize their clocks with an external time source.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Prices

Users should program their systems to allow execution prices to be returned with up to four decimals.

Table 2. Prices Example:

EXAMPLES	DESCRIPTION
1.0010, 1.0001, 12.3456	Accepted - Flex, Sub-Cabinet, Complex with Equity Legs otherwise rejected.
1.0000, 1.00, 12.3400, 12.34, etc.	Accepted - round penny (extra trailing zeroes are fine).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Protocol Features

The exchange does not guarantee messages sent by Members/TPHs to the exchange, including through protocols such as TCP. Members/TPHs are responsible to monitor the status of the messages they send to the exchange.

Architecture and Message in Flight Settings

Each FIX order handler process will allow a single TCP connection from a member. Connection attempts from unknown source IP ranges will be blocked to prevent unauthorized access to FIX ports. The Cboe NOC should be contacted in the event that a Member desires to connect from a new source IP range.

Each FIX order handler will connect, using a proprietary UDP protocol, to all matching units. Connections from order handlers to matching engines are latency equalized. The connections between order handlers and matching units are governed by an internal flow control mechanism to control burst rates.

The number of messages in flight between an order handler and a matching engine is 128. In addition, when the total number of unacknowledged messages exceeds 1,024, the FIX order handler will stop reading from the member-facing TCP socket. This will cause the order handler to stop removing bytes from the TCP receive buffer and will prevent the member from sending more TCP data once the member's send buffer is full.

When the total number of unacknowledged messages falls below 960, then the reading of the member facing TCP socket will be resumed.

For message in flight counting purposes the following logic will be used:

- A new order message will count as one message;
- A new complex order with up to 100 legs will count as one message;
- A new order cross or new complex order cross auction message with one agency side and up to 10 contra parties will count as one message;
- A quote update with up to 20 individual quote sides will count as one message.
- In contrast, a single TCP segment sent by a member containing two quote update messages, each with five quote sides, will count as two messages

Cboe may either update the message in flight or the total number of unacknowledged messages settings with notice. Changes to reduce either limit will be made only with two weeks' notice. Cboe reserves the ability to increase either limit immediately with notice.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Done For Day Restatements

Good 'Til Cancel (GTC) and Good 'Til Day (GTD) orders can result in orders persisting between sessions. The Cboe FIX protocol provides a mechanism for clients to request an end-of-day restatement of GTC/GTD orders to be persisted to the next trading session (see FIX Port Attributes on page 133 for information on available port attributes, including *Done For Day Restatements*).

When enabled, *Done For Day Restatement* messages are sent to connected clients after the trading session ends, for each order that will persist to the next trading session. Customers may send *Order Cancel Request* messages for any open GTC and GTD orders any time prior to the cutoff.

Execution Report messages representing done for day orders will have *ExecTransType* = 3 (status), *ExecType* = 3 (DoneForDay), *ExecRestatementReason* = 1 (Good 'Til Restatement), and *OrdStatus* = 3 (DoneForDay).

To enable Done For Day Restatements via port attribute setting, customers should contact the Cboe Trade Desk.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Carried Order Restatements

GTC, GTD, and DAY orders entered during partial holiday sessions can also result in orders persisting between multiple trading sessions. The Cboe FIX protocol provides a mechanism for clients to request restatement of orders that have been carried forward from the previous business day trading session (see FIX Port Attributes on page 133 for information on available port attributes, including ***Carried Order Restatements***).

When enabled, Carried Order Restatements are sent to connected clients for each product on the Options Exchange for which orders have been carried forward from the previous session. Persisted orders are added back into the order book starting at approximately 15 minutes prior to the scheduled queuing time for each underlying symbol, after connection establishment and before regular trading activity messages on a per-symbol basis.

Execution Report messages representing carried orders will have ***ExecTransType*** = 3 (status), ***ExecType*** = D (Restated) and ***ExecRestatementReason*** = 1 (Good 'Til Restatement).

To enable Carried Order Restatements via port attribute setting, customers should contact the Cboe Trade Desk.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Cancellation of Carried Orders Between Trading Sessions

GTC and GTD orders persist within the Cboe Options Exchanges between business days. On BZX, EDGX, and C2 the latest time when GTC/GTD orders may be cancelled is 4:45 p.m. ET.

On C1 Options the latest time when GTC/GTD orders may be cancelled will be updated to 5:15 p.m. ET (15 minutes following the close of the Curb Session).

GTC, GTD, and Day orders also persist between multiple GTH trading sessions on the same business day in connection with a holiday. On US holidays, **`Order Cancel Request`** messages for GTC orders may be issued until 11:45 a.m. ET, which is 15 minutes after the first GTH session ends at 11:30 a.m. ET. After the cancellation period, cancellation requests will be rejected with reason `O: Order known, but cannot be canceled at this time` until after the system restart completes. The Multi-Segment Holiday Day Order Handling port attribute will enable Members to designate if Day orders are cancelled or preserved across holiday trading segments comprising a single business date (see FIX Port Attributes on page 133 for information on available port attributes).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Display Indicator Features

Display-Price Sliding (BZX Only)

If the original limit price of the unexecuted remainder of a day order does not lock or cross the NBBO, Cboe works the order at the original limit price while displaying it at the nearest permissible quoting increment. If the original limit price does lock or cross the NBBO, Cboe makes available Display-Price Sliding.

Display-Price Sliding adjusts the original limit price on entry to the locking price of the NBBO. It will be ranked and worked at a price locking the NBBO but will temporarily adjust the displayed price to the nearest permissible quoting increment. When the NBBO widens, the display price will be readjusted to the adjusted limit price. The display price may be temporarily less aggressive than the adjusted limit price or working price.

Multiple Display-Price Sliding does not permanently adjust the original limit price on entry, but allows for Display-Price slid orders to continue to have their display **and** working prices adjusted towards their original limit price based on changes to the prevailing NBBO.

Contra-side Post Only orders received when a Display-Price Slid order is working at a locking price with the NBBO will not result in a reject of a contra-side Post Only order but will instead result in the working price of the Display-Price Slid order to be repriced to one penny away from the locking price.

Price Adjust

If the limit price of an order does not lock or cross the NBBO, the order will be ranked and displayed at the nearest permissible quoting increment.

If the limit price of a Price Adjust eligible order locks or crosses the NBBO, the limit price will be adjusted on entry to the locking price of the NBBO, while the displayed price and ranked price will be temporarily adjusted to the nearest permissible quoting increment. Price Adjust orders will never be ranked at the locking price or at a non-displayable price increment. If the NBBO widens, the displayed price and ranked price will be readjusted to the adjusted limit price.

The limit price of a Multiple Price Adjust order will not be permanently adjusted on entry if the limit price crosses the NBBO. The displayed price and ranked price will be the nearest permissible quoting increment and will be adjusted towards the original limit price based on changes in the prevailing NBBO.

NoRescrapeAtLimit (BZX Only)

Applicable only to fully routable IOC orders (9303 = R **and** 59 = 3). After walking the price down to the limit, there will be no final scrape at Cboe, and the cancel code will state X: Expired rather than N: No Liquidity.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Default Exchange Risk Protections

Market Order NBBO Width Protection for Simple Orders

Market Orders are rejected if the NBBO width is greater than 100% of the midpoint (with a minimum value of $5.00 and maximum value of $10.00).

Example

1. NBBO = $1.00 x $4.00
2. Midpoint = $2.50 x 100% = $2.50 (min of 5.00 is used instead)
3. NBBO Width = $4.00 - $1.00 = $3.00

Even though the width is greater than 100% of the midpoint, Market Orders entered are accepted since the $5.00 minimum applies in this example.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Drill-Through Protection for Simple Orders

Each simple limit order will be assigned a drill-through price that allows simple orders to be executed up to an initial capped price through the contra side NBBO at time of order entry. For information on how this drill-through behavior is leveraged within a separate protection feature, see Wide Market Protection (C1 Only) on page 18.

The drill-through mechanism will then repeatedly post the order at a more aggressive price. If the order reaches its limit price at any time during the iterative drill-through process, the order will remain at its limit price and the drill-through protection mechanism will not continue. The preset duration is one second.

Adjustments that would lock or invert an away displayed market will initiate a SUM auction.

Market orders submitted with a *TimeInForce* (FIX Tag 59) of Day along with elected stop orders are eligible for iterative drill-through price protection.

- Sell market orders will drill-through down to the minimum tick for the class where they will rest until cancelled or executed in full.
- Buy market orders will drill-through to the maximum allowable price for the class where they will rest until cancelled or executed in full.
- Market orders submitted with a *TimeInForce* of IOC will trade on arrival, capped at the first drill-through price level.

Separate stop and stop limit orders elected as a result of the same election trigger (NBBO update or last sale) will all use the same drill-through reference price. This may include orders with multiple stop prices if the election trigger covers multiple price levels. When multiple stop orders are elected as a result of the same election trigger, they are sequenced in time priority based on their order entry time.

- If an iterative drill-through protection is in progress, newly-elected stop and stop limit orders will join the current drill-through price. The newly-elected stop and stop limit orders will be prioritized behind orders already in drill-through.
- If no iterative drill-through is in progress, the initial drill-through reference price for stop and stop limit orders elected by the same market data event will be set to the contra side NBBO.

Triggered Market-On-Close and Limit-On-Close orders are handled the same as elected stop and stop limit orders with respect to drill-through reference price and priority.

- Existing market-width checks prevent market orders from executing if the bid/ask width is wider than a specified amount. This protection will be bypassed for triggered Market-On-Close orders and triggered stop orders.
- Existing Fat Finger limit price reasonability checks reject limit orders priced at an overly-aggressive level. Such protections will be bypassed for triggered Limit-On-Close orders and triggered stop limit orders.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

The Drill-Through Price is calculated by taking the NBB or NBO and subtracting or adding, respectively, the Drill-Through Amount from the Drill-Through Price table. Calculated drill-through prices at an invalid pick increment for the class will be widened to the next valid tick.

Table 3. Drill-Through Price

NBBO PRICE	DRILL-THROUGH AMOUNT (ALL SYMBOLS)
$0.00 - $5.00	$0.10
$5.01 - $20.00	$0.20
$20.01 - $50.00	$0.30
$50.01 - $100.00	$0.40
$100.01 & Above	$0.50

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Wide Market Protection (C1 only)

Wide market protection (WMP) initiates a pause on inbound orders and elected stop/stop limit orders when the NBBO is deemed "wide" based on pre-established parameters. Specifically, the NBBO is considered wide if there is no NBO or if the bid/ask spread is wider than the WMP Determinant based on the NBB (Bid Price) in the table below. Inbound limit orders and triggered stop limit orders are subject to WMP if the NBBO is deemed to be wide and their price is marketable.

Others subject to WMP will begin a drill-through process per Drill-Through Protection (above) using an initial drill-through display price as determined by WMP benchmark pricing. If a drill-through is in progress, the orders will join that process. WMP will not be initiated within 30 seconds prior to the close of the RTH or Curb trading sessions; however, any current drill-through processing will continue.

WMP is applied to all proprietary index products.

WMP Benchmark Price Determinations

The Benchmark Price at which protected orders will be initially displayed will be the least aggressive of:

1. Last trade price, if more aggressive than or equal to the same-side NBBO
2. NBBO midpoint
3. Same-side NBB/NBO +/- the NBBO Adjustment Amount (NAA), as follows:
    a. Buy orders: NBB + NAA
    b. Sell orders: NBO - NAA
    c. If there is no NBO, sell orders use NBB + WMP Determinant

Table 4. Wide Market Protection Determinants

NBB PRICE	WMP DETERMINANT	NBBO ADJUSTMENT AMOUNT (NAA)
≤ $3.00	≥ $1.50	$0.75
$3.01-$5.00	≥ $2.00	$1.00
$5.01-$10.00	≥ $2.50	$1.30
$10.01-$20.00	≥ $4.00	$2.00
$20.01-$50.00	≥ $5.00	$2.50
$50.01-$100.00	≥ $10.00	$4.50
$100.01 - $200.00	≥ $23.00	$6.00
$200.01+	≥ $36.00	$6.00

Subsequent Drill-through Pricing

If the market is wide and the order has been paused at the benchmark price, the order will be handled by iterative drill-through logic. The order paused at its benchmark price will be considered the initial drill-through iteration, and subsequent iterations will use existing drill-through logic. Note that drill-through amounts and timers may be modified.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Following the current drill through logic, new incoming market and limit orders will join the protected order(s) at the current drill-through price. All existing drill-through logic for handling the priority of orders in a bundle will be applied. Market-Maker quotes, Immediate or Cancel (IOC) orders, and Intermarket Sweep Orders (ISO) will bypass drill-through protection and can book or trade ahead of the drill-through bundle. If an away market or Market-Maker quote (but not an order) is displayed more aggressively than the drill-through price, the drill-through bundle will move to that price.

To mitigate risk of orders being un-executed towards the end of a trading day, WMP will be bypassed starting at a configurable amount of time prior to the close of the RTH and Curb sessions for the series. Note this timer does not apply to Global Trading Hours (GTH).

During the end of session timeframe:

1. **WMP will be disabled**. If no drill-through is in-progress, new non-marketable limit orders will simply book, and marketable limits and market orders will execute and be eligible to initiate drill-through after their initial execution.
2. **Post-execution drill-through will continue to remain active and enabled. Any drill-through in progress will continue as normal. This includes drill-through which was previously initiated by WMP.** At the end of the timer and the RTH session, any RTH-only orders will be cancelled, and any drill-through that is in progress will continue for orders eligible for the Curb session. This follows existing drill-through functionality. WMP will be reactivated at the start of the Curb session and will function the same as it does in RTH.
3. **Inbound orders and newly elected stop and stop limit orders will continue to join drill-through in progress.**

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Market/Limit Order Drill-Through for Complex Orders

Default Drill-Through Protections will be applied to all complex limit and market orders that will cap the price of the order relative to the SNBBO at the time of order entry. Exchange defaults are 5% through the contra-side of the SNBBO. For orders other than SPX/SPXW, the price cap level will be no larger than $0.25 through the contra-side SNBBO. For SPX/SPXW, the price cap level will be no larger than $2.00 through the contra-side SNBBO. The price cap level will be no smaller than $0.02 through the contra-side SNBBO for all orders.

For complex orders not specifying a drill-through override with *DrillThruProtection* (FIX 6253), the drill-through mechanism will repeatedly post the order at a more aggressive price. If an order reaches its limit price at any time during the iterative drill-through process, the order will remain at its limit price and the drill-through protection mechanism will not continue. The preset duration is one second.

Sell market orders will drill through to the minimum tick for the class, where they will rest until cancelled or executed in full. Buy market orders will drill through to the maximum allowable price for the class, where they will rest until cancelled or executed in full. Market orders submitted with a *TimeInForce* of IOC will trade on arrival, capped at the first drill-through price level.

Customers can optionally set more or less restrictive Drill-Through Protections on individual orders using *DrillThruProtection* on the **`New Order Multileg`** message. Eligible complex orders may also initiate a COA throughout the iterative process.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Exchange Default Fat Finger Limits

Fat Finger Checks are mandatory for both Pre-Market and Regular Sessions and applied to both simple and complex orders. The following Exchange defaults are applied if not specified by the user. Fat Finger checks will not be applicable for any Multi-Class Spread instruments that trade on the floor only. Fat Finger checks will remain applicable for Multi-Class complex instruments containing only SPX or SPXW legs as they are eligible for trading on the electronic book.

Table 5. Pre-Open Curb/GTH Session (Eligible GTH Products, Excluding SPX)

LIMIT PRICE RANGE	FAT FINGER % DEFAULT	FAT FINGER DOLLAR-BASED LIMIT DEFAULT
$0.00 - $1.99	No Value	$1.00
$2.00 - $5.00	No Value	$1.50
$5.01 - $10.00	No Value	$2.00
$10.01 - $20.00	No Value	$3.00
$20.01 - $50.00	No Value	$4.00
$50.01 - $100.00	No Value	$6.00
$100.01 & Above	8%	Not Valid

Table 6. Regular Session

LIMIT PRICE RANGE	FAT FINGER % DEFAULT	FAT FINGER DOLLAR-BASED LIMIT DEFAULT
$0.00 - $1.99	No Value	$0.50
$2.00 - $5.00	No Value	$0.75
$5.01 - $10.00	No Value	$1.00
$10.01 - $20.00	No Value	$1.50
$20.01 - $50.00	No Value	$2.00
$50.01 - $100.00	No Value	$3.00
$100.01 & Above	4%	Not Valid

SPX and SPXW are considered Exception Classes and have unique Fat Finger default values for the Pre-Open and Regular sessions.

Table 7. Exception Class Pre-Open Curb/GTH Session (SPX)

LIMIT PRICE RANGE	FAT FINGER % DEFAULT	FAT FINGER DOLLAR-BASED LIMIT DEFAULT
$0.00 - $1.99	No Value	$15.00
$2.00 - $5.00	No Value	$15.00
$5.01 - $10.00	No Value	$15.00
$10.01 - $20.00	No Value	$15.00
$20.01 - $50.00	No Value	$20.00
$50.01 - $100.00	No Value	$20.00
$100.01 & Above	No Value	$25.00

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Table 8. Exception Class Regular Session

LIMIT PRICE RANGE	FAT FINGER % DEFAULT	FAT FINGER DOLLAR-BASED LIMIT DEFAULT
$0.00 - $1.99	No Value	$1.00
$2.00 - $5.00	No Value	$1.50
$5.01 - $10.00	No Value	$2.00
$10.01 - $20.00	No Value	$3.00
$20.01 - $50.00	No Value	$4.00
$50.01 - $100.00	No Value	$6.00
$100.01 & Above	16%	Not Valid

See the Cboe Titanium U.S. Equities/Options Web Portal Port Controls Specification for additional details on how fat finger settings can be managed intraday by Members.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Maximum Open Order Limits

The exchange limits the Maximum number of open orders allowed on a FIX port to 200,000 per port. New orders will be rejected once this limit is breached until the number of open orders drops back below 200,000.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Risk Root

This document uses the term "Risk Root" to denote the underlying symbol in the context of Cboe Options Risk Management functionality. This informs what value must be sent in the defined *RiskRoot* fields when performing a mass cancel or resetting a risk trip.

See the Cboe Titanium U.S. Options Risk Management Specification for more details.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Cabinet and Sub-Cabinet Orders (C1 Only)

Cabinet orders are identified via *PriceType* (423) = 0 and must have a valid *TimeInForce* (59) of Day or GTC. Cabinet orders can support a position status of Open or Close, identified via *OpenClose* (77). Cabinet orders will only trade with other cabinet orders on the floor and therefore **require direct or default floor routing instructions** as described in Floor Routing (C1 Only) on page 29.

Orders in non-penny classes must have a limit price **less than or equal to** $0.01, and orders in penny classes must have a limit price **less than** $0.01. Limit prices may be up to 4 decimal places.

Orders in penny or non-penny classes priced **greater than** $0.01 and orders in penny classes priced **equal to** $0.01 will be rejected.

Cabinet orders or executions are not disseminated on OPRA but will be available on the Cboe Titanium U.S. Equities/Options Multicast Depth of Book (PITCH) Specification and Cboe Titanium U.S. Options Multicast TOP Specification.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Flex Order Entry (C1 Only)

Orders for FLEX options may be entered using the **`New Order Single`**, **`New Order Multileg`**, **`New Order Cross`**, or **`New Order Cross Multileg`** message types. The OSI symbol specified in *Symbol* (55) will determine the type of FLEX product being traded.

Existing FLEX symbols can be traded during GTH sessions but new symbol creation is not permitted during GTH sessions. Additionally, during GTH or Curb sessions, trading of percentage FLEX or FLEX DAC orders will not be permitted. FLEX symbol creation is enabled during the Curb trading session.

Table 9. FLEX Option Products

UNDERLYING SECURITY	LEAD CHAR	SETTLEMENT TYPE	EXERCISE STYLE
Index	1	AM	American
Index	2	AM	European
Index	3	PM	American
Index	4	PM	European
Index	5	Asian	European
Index	6	Cliquet	European
Equity/ETF	1	PM	American
Equity/ETF	2	PM	European

For example, an OSI of `3SPX` would be used to enter a FLEX order or cross for an SPX option that is PM settled and that has an American exercise style.

Asian settlement types further encode in the fifth character an observation day of month for index value observations.

Table 10. FLEX Asian Settlement OSI Format

LEAD CHAR	SYMBOL ABBR.	OBSERVATION DAY OF MONTH
5	SPX=SPX RUT=RUT XSP=XSP DJX=DJX	1=1 2=2 … 9=9 0=10 A=11 B=12 … U=31

For example, OSI `5RUTC` reads as "Asian RUT option having capped observation day of month 13."

Cliquet settlement types encode the underlying index in the second character, a cap return percentage in the third and fourth characters, an observation in the fifth character, and a creation day of month in the sixth.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Table 11. FLEX Cliquet Settlement OSI Format

LEAD CHAR	SYMBOL ABBR.	CAP % (WHOLE)	CAP % (FRAC)	OBS. DAY	CREATION DAY
6	S=SPX R=RUT X=XSP D=DJX	A=0 B=1 ... Z=25	A=00 B=05 ... T=95	1=1 2=2 ... 9=9 0=10 A=11 B=12 ... U=31	1=1 2=2 ... 9=9 0=10 A=11 B=12 ... U=31

For example, OSI 6DCH8T reads as "Cliquet DJX option having capped return percentage of 2.35%, observation day of month 8 and creation day of month of 30."

Table 12. FLEX Micro OSI Format

TYPE	SPX	RUT	DJX
AM Amer	1SPX9	1RUT9	1DJX9
AM Euro	2SPX9	2RUT9	2DJX9
PM Amer	3SPX9	3RUT9	3DJX9
PM Euro	4SPX9	4RUT9	4DJX9

If tag *Symbol* (55) is as FLEX OSI symbol, then expiration date, strike price, and call/put indicator are also required.

Alternatively, the Cboe Identifier for an existing FLEX symbol can be specified in *Symbol* (55).

FLEX can be traded as a percentage of the closing price of the underlying for the day by indicating *PriceType* (423) = 1. *Price* (44) and *LegPrice* (566) must be in percentage terms if and only if the strike price of the FLEX option is also in percentage terms. When a percentage Cboe symbol is specified for *Symbol* (55), but no *PriceType* (423) value is provided, the order will be rejected. FIX users may opt-in to receive restatement messages at the end of the day once the percentage price has been converted into dollars. Complex FLEX orders containing at least one option leg which is not a FLEX option may not be submitted using percentage terms.

FLEX orders initiating an auction are required to specify *FLEXAuctionDuration* (21010). The minimum valid value for *FLEXAuctionDuration* is 3,000 milliseconds. The maximum valid value is 300,000 milliseconds.

FLEX orders require *Price* (44) be provided. All complex FLEX orders must specify *LegPrice* (566) per leg, unless routed directly to the floor. When specifying *FloorRoutingInst* (22303) = D to route complex FLEX orders directly to the floor, leg prices are optional and can be provided for all legs, a subset of legs, or left blank. *LegPrice* (566) must be left blank for any Option Leg of a Complex FLEX Order that is not a FLEX Option. Complex FLEX orders responding to an auction should not specify any *LegPrice* (566).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FLEX Delta Adjusted At Close (C1 Only)

FLEX Delta Adjusted At Close (DAC) are limit orders for FLEX options that execute intraday and receive a delta-adjusted price based on that day's official closing price of the underlying security or index value. FLEX DAC orders can be traded by indicating *PriceType* (423) = D. FLEX DAC orders are only supported for ETF/ETN/ETP and index products and are only executed via AIM, SAM, and single-sided auctions. The maximum number of legs on a FLEX DAC order is 99. Equity legs are allowed on FLEX orders. FLEX DAC orders allow up to 98 options legs and one equity leg. Complex FLEX DAC Orders may not contain option legs which are not for FLEX options.

FLEX DAC supports trading in all equity, ETF, and index options. Equity single leg options are only permitted to trade within the last 45 minutes of RTH. Equity option, single-leg DAC orders will be prevented from being submitted/executed/closed out on the day of their expiration date. These restrictions do not apply to complex DAC orders in equity options products, or to single-leg or complex DAC orders in ETF or index products.

For FLEX DAC orders, the execution price will be re-calculated at the close based on the following formula:

Initial execution price + (designated delta) x (actual change in underlying reference price versus official closing price)

A = I + (D * (C - R)), where:

- A = Adjusted price
- I = Initial execution price
- D = Delta (positive number for calls; negative number for puts)
- R = Underlying reference price
- C = Closing price for the underlying security or index

After the close, a **`Trade Cancel/Correct`** message (UCC message) is sent for each FLEX DAC execution. The message is marked as Correct (*ExecTransType* = 2) with the *CorrectedPrice* (9620). The **`Trade Cancel/Correct`** message (UCC message) will also include the *Delta* (22023), *ReferencePrice* (22025), *ClosingPrice* (22004), *ClearingOptionalData* (9324), and *FeeCode* (9882) fields.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Floor Routing (C1 Only)

All orders routed to the floor must include explicit routing instructions that includes two features:

1. floor routing instruction indicating Direct or Default routing behavior and
2. floor destination information

Floor routing behavior is specified in *FloorRoutingInst* (22303). Direct routing sends the order to the indicated PAR workstation, while default routing indicates that electronic execution is preferred, but the order may be routed to the indicated PAR if it cannot be processed electronically.

Examples of conditions which cause default routing to the Floor include:

- A complex order having an AON contingency
- A complex order with multiple underlying components
- Any FLEX order not participating in an auction
- Not held orders

Floor destination instructions are specified in *FloorDestination* (22100), indicating a PAR workstation (ex. W001) to route to on the floor (or PARO to route to the Floor PAR Official of the underlying symbol) if not specified on the inbound message (see FIX Port Attributes on page 133 for information on available port attributes, including *Default FloorRoutingInst* and *Default FloorDestination*).

Table 13. Floor Destination Routing Instructions

ORDER TAGS/PORT SETTINGS				HANDLING OF THE ORDER	
ORDER FLOOR DESTINATION	ORDER FLOORROUTINGINST	PORT DEFAULT FLOOR DESTINATION	PORT DEFAULT FLOORROUTINGINST	ORDERS ONLY EXECUTED ON FLOOR (I.E. COMPLEX AON)	ALL OTHER ORDER TYPES
			E (default)	Reject: ineligible for electronic book	Process electronically
			D	Reject: requires a floor destination	Reject: requires a floor destination
			X	Reject: requires a floor destination	Reject: requires a floor destination
		W001	E (default)	Reject: ineligible for electronic book	Process electronically
		W001	D	Route to floor: W001	Route to floor: W001
		W001	X	Route to floor: W001	Process electronically
W009			E (default)	Reject: ineligible for electronic book	Process electronically
W009		W001	D	Route to floor: W009	Route to floor: W009
W009			X	Route to floor: W009	Process electronically

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

ORDER TAGS/PORT SETTINGS				HANDLING OF THE ORDER	
ORDER FLOOR DESTINATION	ORDER FLOORROUTINGINST	PORT DEFAULT FLOOR DESTINATION	PORT DEFAULT FLOORROUTINGINST	ORDERS ONLY EXECUTED ON FLOOR (I.E. COMPLEX AON)	ALL OTHER ORDER TYPES
W009	E			Reject: ineligible for electronic book	Process electronically
W009	D			Route to floor: W009	Route to floor: W009
W009	X			Route to floor: W009	Process electronically
	E			Reject: ineligible for electronic book	Process electronically
	D			Reject: requires a floor destination	Reject: requires a floor destination
	X			Reject: requires a floor destination	Process electronically

E = Electronic only, **D** = Direct, and **X** = Route to floor if unable to process electronically

Floor Representation Restatements (C1 Only)

Orders routed to the trading floor will be represented to the open outcry crowd before being traded in the crowd. The Cboe FIX protocol provides a mechanism for clients to request restatement of orders at the time of representation. See FIX Port Attributes on page 133 and FIX Drop Port Attributes on page 131 for information on available port attributes, including Floor Representation Restatements.

When enabled, Floor Representation Restatements are sent to connected clients for each order when the floor broker reports representation of the order to the crowd. Floor Representation Restatements sent to the FIX and BOE ports will also be sent to connected Order by Order Drop clients having the *Floor Representation Restatements* port attribute enabled.

Execution Report messages for floor representation will have *ExecTransType* (20) = 3 (Status), *ExecType* (150) = D (Restated) and *ExecRestatementReason* (378) = 7 (Represented in Crowd). The *TransactTime* (60) will be the recorded time of the representation.

To enable *Floor Representation Restatements* via port attribute setting, customers should complete a modification request using the Logical Port Request form within the Cboe Customer Web Portal.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Floor Clearing Edits

Orders executed on the Cboe Options trading floor may be edited after the trade has occurred using the Clearing Editor tool to correct trade entry errors. If a clearing edit is made to either side of a floor trade to adjust non-clearing related trade fields such as Price, Size, Symbol, etc, then this will result in a cancellation of the original trade (UCC message) and new orders/trades being created in the system for **both sides of the trade**. The new orders will have a system-generated *ClOrdID* (11) that begins with a tilde (~). The *InitialClientOrderId* (22020) field will contain the original *ClOrdID* (11) from the order that was routed to the Exchange and can be used to associate the trade cancel or new trade message with the original order.

Firms can use a FIX DROP port with the Allow Executions and Send Trade Breaks attributes enabled in order to receive a real-time notification when these cancellation and new trade events occur that result from a post trade clearing edit. **Cancellation and new trade events resulting from floor clearing edits will not be sent to the originating FIX or BOE port where the order originated and are only available over FIX DROP**. Firms are also encouraged to use the Clearing Editor tool to monitor for unmatched trades.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Market Maker Floor Trade Notifications (C1 Only)

Market Maker Trade Notifications (MMTN) will be sent to Market Makers if they are identified as the contra party on a floor trade. MMTN messages will be sent to the Market Makers as **`Execution Reports`** messages with *ExecType* (150) = T over a designated FIX Drop port or a FIX or BOE order entry port. See FIX Port Attributes on page 133 and FIX Drop Port Attributes on page 131 for information on available port attributes related to the receipt of MMTN messages.

Market Makers that receive a notification of a trade are required to use **`Floor Trade Confirmation`** messages or **`Add Floor Trade`** messages to respond to MMTN messages if they agree with the terms of the trade in the **`Execution Report`**.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Auction Orders

For more information on the following Auction Only Orders, please refer to the Cboe Titanium U.S. Options Opening Process.

Table 14. Auction Orders

ORDER TYPE	ORDER ENTRY DETAILS	
Market-On-Open (MOO)	*OrdType* (40) = 1 (Market)	*TimeInForce* (59) = 2 (At the open)
Limit-On-Open (LOO)	*OrdType* (40) = 2 (Limit) *Price* (44) = [price]	*TimeInForce* (59) = 2 (At the open)
Settlement Liquidity On Open (SLOO)		*TimeInForce* (59) = 2 (At the open) *ExecInst* (18) = r (Settlement Liquidity)

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Protocol

Message Format

FIX messages are ASCII formatted. The user will be provided with a *SenderCompId* and *SenderSubId* that must be sent on every message. The *TargetCompId* for all messages the user sends will be BATS, CBOE, CTWO, or EDGX. All messages the user receives will have the Sender and Target fields swapped.

Table 15. Message Format

DESTINATION EXCHANGE	TARGETCOMPID
BZX Options	BATS
Cboe Options (C1)	CBOE
C2 Options	CTWO
EDGX Options	EDGX

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Sequence Numbers

Sequence numbers, both inbound and outbound, will be reset to 1 each night during system down time.

Messages are processed in sequence order. Behind sequence messages (other than **`Sequence Reset`** - Reset) will cause an immediate logout. Ahead of sequence messages (other than a Resend Request) will trigger a message recovery via a **`Resend Request`**.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Version Compatibility

Cboe uses the FIX 4.2 session protocol.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Sessions

The following session messages are supported in both directions:

Table 16. Session Messages

MESSAGE	TYPE	COMMENT
Logon	A	Begin session (or resume a broken session).
Heartbeat	0	
Test Request	C	
Resend Request	2	
Reject	3	Malformed message or improper session level handling.
Sequence Reset	4	Both Gap Fill (*GapFillFlag* = Y) and Reset.
Logout	5	Used to gracefully close session.

Connectivity

Table 17. Connectivity Messages

ATTRIBUTE	DESCRIPTION	VALUE
IP Address	Address to connect to.	Supplied by Cboe.
TCP Port	Port to connect to.	Supplied by Cboe.
SenderCompID	Sent in every FIX message to Cboe.	Supplied by Cboe.
SenderSubID	Sent in every FIX message to Cboe.	Supplied by Cboe.
TargetCompID (BZX Options)	Sent in every FIX message to BZX Options.	"BATS"
TargetCompID (C1 Options)	Sent in every FIX message to C1 Options.	"CBOE"
TargetCompID (C2 Options)	Sent in every FIX message to C2 Options.	"CTWO"
TargetCompID (EDGX Options)	Sent in every FIX message to EDGX Options.	"EDGX"
TargetSubID	Sent in every FIX message to Cboe.	"TEST" for test system. "PROD" for production.

For information on connectivity options to Cboe, refer to the Cboe Titanium U.S. Equities/Options Connectivity Manual.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Logon Message Fields

Table 18. Logon Message Fields

TAG	FIELD NAME	REQUIRED	DESCRIPTION
35	*MsgType*	Y	A
108	*HeartbeatInterval*	Y	Client Heartbeat Interval (in seconds).

The **`Logon`** message must be the first message sent by the user after the TCP connection is established. EncryptMethod is ignored (FIX level encryption is not supported).

Cboe will wait one second after a **`Logon`** message is received to ensure that no **`Resend Request`** messages are in flight from the Member. A **`Heartbeat`** message will be sent to indicate that the one second wait period has ended. **Members should not send any orders prior to receiving this first Heartbeat from Cboe.**

The IP Address of the user, the *SenderCompId*, *SenderSubId* and *TargetCompId* (defined in the Logon Message Fields table) and *TargetSubId* (TEST/ PROD) will be validated. If validation fails the connection will be dropped without a reject (to avoid corrupting the users sequence in the case that the user merely mistakenly connected to the wrong port).

If connection is unexpectedly broken, upon reconnection the user may receive a login reply with a sequence number greater than expected. This means that in-flight messages were missed (likely important execution reports). The user should issue a **`Resend Request`** message to retrieve the missed messages.

Similarly Cboe will issue a **`Resend Request`** message to the user for messages that it missed. The user may wish to send gap fill messages in place of new orders to avoid re-submission of potentially stale orders.

HeartbeatInterval must be specified by the user in the **`Logon`** message. This value will be clamped between 5 and 300 seconds and returned in the logon reply message. We recommend using as low a value as the reliability and latency of your telecommunications channel will allow.

Logon and Carried Order Restatement

If the *Carried Order Restatements* port attribute is set, unsolicited **`Execution Report`** messages representing carried orders loaded by the system at startup will be sent after the Logon response. Carried orders are orders that persist across trading days. Good 'Til Cancel (GTC) and Good 'Til Day (GTD) orders and Day orders persisting across holiday trading segments comprising a single business date are the only order types that will appear in Carried Order Restatements (see Carried Order Restatements on page 12).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Heartbeat Message Fields

Table 19. Heartbeat Message Fields

TAG	FIELD NAME	REQUIRED	DESCRIPTION
35	*MsgType*	Y	0
112	*TestReqID*	N	Required in response to a **`Test Request`** message.

A **`Heartbeat`** message should be sent if the agreed upon *HeartbeatInterval* has elapsed since the last message sent. If any message has been sent during the preceding *HeartbeatInterval* a **`Heartbeat`** message need not be sent.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Test Request Message Fields

Table 20. Test Request Message Fields

TAG	FIELD NAME	REQUIRED	DESCRIPTION
35	*MsgType*	Y	1
112	*TestReqID*	Y	Auto-generated request ID.

If a ***HearbeatInterval*** + 1 seconds have elapsed since the last message received, a Test Request should be issued. If another ***HearbeatInterval*** + 1 seconds go by without receiving a message, the TCP connection should be dropped. This ensures a broken TCP connection will be detected even if the TCP stack doesn't notice (this has been observed to happen in WAN environments, particularly when a VPN is involved).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Resend Request Message Fields

Table 21. Resend Request Message Fields

TAG	FIELD NAME	REQUIRED	DESCRIPTION
35	*MsgType*	Y	2
7	*BeginSeqNo*	Y	Sequence number of first message in range to be resent.
16	*EndSeqNo*	Y	0 means + infinity

A **`Resend Request`** message should be processed even if it is received ahead of sequence. Only after resending the requested range (all marked *PossDupFlag* = Y, including any gap fills) should **`Resend Request`** message be issued in the opposite direction.

Cboe will reject all orders received during FIX replay containing *PossDupFlag* = Y.

As discussed in the FIX 4.2 specification, it is possible to send an open or closed sequence range in a **`Resend Request`** message (an open range uses sequence zero as the *EndSeqNo*). Cboe will honor either type of request, but will always issue **`Resend Request`** messages with a closed sequence range.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Reject Message Fields

Table 22. Reject Message Fields

TAG	FIELD NAME	REQUIRED	DESCRIPTION
35	*MsgType*	Y	3
45	*RefSeqNum*	Y	*MsgSeqNum* of rejected message.
371	*RefTagID*	N	
372	*RefMsgType*	N	
373	*SessionRejectReason*	N	
58	*Text*	N	

Session level rejects are used to indicate violations of the session protocol or missing/bogus fields. These are to be expected during development and certification while the user adapts for Cboe, but should be extremely rare in production. Application layer rejects (like Order Reject and Cancel Reject) are normal.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Sequence Reset Message Fields

Table 23. Sequence Reset Message Fields

TAG	FIELD NAME	REQUIRED	DESCRIPTION
35	*MsgType*	Y	4
36	*NewSeqNo*	Y	*Next expected sequence number.*
123	*GapFillFlag*	N	**`Sequence Reset`** - Gap Fill messages (*GapFillFlag* = Y) must be received in sequence. Any messages (including any Gap Fills) sent in response to a **`Resend Request`** should have *PossDup* = Y. Sequence Reset - Reset (*GapFillFlag* not 'Y') is used only as a last resort, and always by human intervention, to allow an otherwise hopelessly confused session to be resumed. In these cases all chance at automatic message recovery are lost.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Logout Message Fields

Table 24. Logout Message Fields

TAG	FIELD NAME	REQUIRED	DESCRIPTION
35	*MsgType*	Y	5
58	*Text*	N	*Indicates reason for Logout.*

Either side may issue a **`Logout`** message to gracefully close the session. The side that issues the logout should process messages normally until it sees the logout reply, and then break the TCP connection. Cboe will typically only request logout after the scheduled end of FIX session.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FIX Messages

Standard Message Header Message Fields

Table 25. Standard Message Header Message Fields

TAG	FIELD NAME	REQ'D	DESCRIPTION
8	*BeginString*	Y	FIX.4.2 Must be first field in message.
9	*BodyLength*	Y	Length of message following *BodyLength* field up to and including the delimiter preceding the *CheckSum* field. Must be second field in message.
35	*MsgType*	Y	Must be third field in message.
49	*SenderCompID*	Y	ID of sender: Assigned by Cboe for messages sent to Cboe. (*TargetCompID* for messages from Cboe)
50	*SenderSubID*	Y	Sub ID of sender: Assigned by Cboe for messages sent to Cboe. (*TargetSubID* for messages from Cboe)
56	*TargetCompID*	Y	ID of destination: "BATS" for messages sent to (BZX Options only) "CBOE" for messages sent to (C1 Options only) "CTWO" for messages sent to (C2 Options only) "EDGX" for messages sent to (EDGX Options only) (*SenderCompID* for messages from Cboe)
57	*TargetSubID*	Y	Sub ID of destination: "TEST" for messages sent to Cboe test system. "PROD" for messages sent to Cboe production system. (*SenderSubID* for messages from Cboe)
34	*MsgSeqNum*	Y	Sequential sequence number for session.
43	*PossDupFlag*	N	N = (Default) Y = Indicates a message resend and should be used during FIX Replay. All inbound orders with 'Y' will be rejected by Cboe.
52	*SendingTime*	Y	GMT date-time that message was sent. If *SendingTime* Acknowlegement is different by 1 second or greater, the order will be rejected.
122	*OrigSendingTime*	N	For messages with *PossDupFlag* = Y, indicates time that message was first sent.
115	*OnBehalfOfCompId*	N	Identifies end-client EFID on messages to the exchange. Used to specify clearing information.
116	*OnBehalfOfSubID*	N	End-client sub identifier. 4 Characters alphanumeric, otherwise not validated. Recorded and returned in *DeliverToSubID*. Available via Drop.
128	*DeliverToCompId*	N	Identifies end-client on messages from Cboe. Used to specify clearing information.
129	*DeliverToSubID*	N	Returns *OnBehalfOfSubID* optionally sent by client.
142	*SenderLocationID* (C1 Only)	Y	Identifies messages sent from Cboe to Members. F = Floor Not present = For electronic execution

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Standard Message Trailer

Table 26. Standard Message Trailer

TAG	FIELD NAME	REQ'D	DESCRIPTION
10	*CheckSum*	Y	Modulo 256 checksum of all characters in message up to and including the delimiter preceding the *CheckSum* field. Three digits with leading zeroes if necessary.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

User Defined FIX Fields

The following FIX fields are used by Cboe:

Table 27. User Defined FIX Fields

TAG	FIELD NAME	DESCRIPTION
423	*PriceType* (C1 only)	Refer to definition in **New Order Single**, **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.
5937	*MarketingFeeCode* (C1 and EDGX only)	Refer to definition in **Execution Report**.
6253	*DrillThruProtection*	Refer to definition in **New Order Cross Multileg** and **New Order Multileg**.
6655	*CorrectedSize*	Refer to definition in **Trade Cancel/Correct**.
7692	*RiskReset*	Refer to definition in **New Order Single**, **New Order Multileg**, **Order Cancel Request** and **Purge Request**.
7694	*ContraCapacity*	Refer to definition in **Execution Report**.
7695	*MassCancelID*	Refer to definition in **Order Cancel Request**, **Execution Report**, **Cancel Reject**, **Purge Request**, **Purge Acknowledgement** and **Purge Reject**.
7698	*CustomGroupIDCnt*	Refer to definition in **Purge Request**.
7699	*CustomGroupID*	Refer to definition in **New Order Single**, **New Order Multileg**, **Order Cancel Request**, and **Purge Request**.
7700	*MassCancelInst*	Refer to definition in **Order Cancel Request** and **Purge Request**.
7928	*PreventMatch*	Refer to definition in **New Order Single**, **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.
7933	*RoutingFirmID*	Refer to definition in **New Order Single**, **New Order Cross**, **New Order Cross Multileg**, **New Order Multileg**, **Order Cancel Request**, **Order Cancel/Replace Request**, and **Purge Request**.
8020	*DisplayRange*	Refer to definition in **New Order Single**, **New Order Multileg**, and **Execution Report**.
8641	*NoOfSecurities*	Refer to definition in **Security Definition**.
9040	*AutoMatch* (C1 and EDGX only)	Refer to definition in **New Order Cross** and **New Order Cross Multileg**.
9044	*AutoMatchPrice* (C1 and EDGX only)	Refer to definition in **New Order Cross Multileg** and **New Order Cross**.
9303	*RoutingInst*	Refer to definition in **New Order Single** and **New Order Multileg**.
9324	*ClearingOptionalData*	Refer to definition in **New Order Single**, **New Order Cross**, **New Order Cross Multileg**, **New Order Multileg**, **Add Floor Trade**, **Cancel Reject**, and **Execution Report**.
9350	*RoutDeliveryMethod*	Refer to definition in **New Order Single**.
9370	*AuctionID*	Refer to definition in **New Order Single**, **New Order Multileg**, and **Execution Report**.
9400	*RoutStrategy*	Refer to definition in **New Order Single**.
9465	*OrderOrigin* (C1 only)	Refer to definition in **New Order Single**, **New Order Multileg**, and **Execution Report**.
9479	*DisplayIndicator*	Refer to definition in **New Order Single**.
9617	*ModifySequence*	Refer to definition in **Execution Report**.
9619	*CancelOrigOnReject*	Refer to definition in **Order Cancel/Replace Request Cancel Reject**.
9620	*CorrectedPrice*	Refer to definition in **Trade Cancel/Correct**.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
9688	*OrigCompID*	Refer to definition in **Execution Report**.
9689	*OrigSubID*	Refer to definition in **Execution Report**.
9690	*WorkingPrice*	Refer to definition in **Execution Report**.
9691	*InitialDisplayPrice*	Refer to definition in **Execution Report**.
9730	*TradeLiquidityIndicator*	Refer to definitions in **Execution Report** and **Trade Cancel/Correct**.
9732	*AttributedQuote*	Refer to definition in **New Order Single**, **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.
9849	*LastPriority* (C1 and EDGX only)	Refer to definition in **New Order Cross Multileg** and **New Order Cross**.
9882	*FeeCode*	Refer to definition in **Execution Report**.
9946	*GiveUpFirmID* (C1 and EDGX only)	Refer to definition in **New Order Cross Multileg** and **New Order Cross**.
20012	*Held* (C1 only)	Refer to definition in **New Order Single** and **New Order Multileg**, and **Execution Report**.
21005	*FLEXHedgeExecInst* (C1 only)	Refer to definition in **New Order Cross** and **New Order Cross Multileg**.
21008	*FLEXPreFacilPrice* (C1 only)	Refer to definition in **New Order Cross** and **New Order Cross Multileg**.
21010	*FLEXAuctionDuration* (C1 only)	Refer to definition in **New Order Single**, **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.
21097	*FrequentTraderID* (C1 only)	Refer to definition in **New Order Single** and **Order Cancel/Replace**.
21098	*TradeThroughAlertType* (C1 only)	Refer to definition in **Execution Report**.
22002	*StrategyID* (C1 only)	Refer to definition in **New Order Multileg** and **Execution Report**.
22003	*ORS* (C1 only)	Refer to definition in **New Order Single**, **New Order Cross**, **New Order Cross Multileg**, **New Order Multileg**, **Floor Trade Confirmation**, and **Execution Report**.
22004	*ClosingPrice* (C1 only)	Refer to definition in **Trade Cancel/Correct**.
22005	*ComboOrder* (C1 only)	Refer to definition in **New Order Multileg**, **Add Floor Trade**, and **Execution Report**.
22006	*Compression* (C1 only)	Refer to definition in **New Order Single**, **New Order Cross**, **New Order Cross Multileg**, **New Order Multileg**, and **Execution Report**.
22008	*EquityPartyID* (C1 and EDGX only)	Refer to definition in **New Order Cross Multileg** and **New Order Multileg**.
22011	*EquityTradePrice* (C1 and EDGX only)	Refer to definition in **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.
22012	*EquityTradeSize* (C1 and EDGX only)	Refer to definition in **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.
22013	*EquityTradeVenue* (C1 and EDGX only)	Refer to definition in **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.
22014	*EquityBuyClearingFirm* (C1 and EDGX only)	Refer to definition in the **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.
22015	*EquitySellClearingFirm* (C1 and EDGX only)	Refer to definition in **New Order Cross**, **New Order Cross Multileg**, and **New Order Multileg**.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
22016	*EquityExDestination* (C1 and EDGX only)	Refer to definition in **`New Order Cross Multileg`** and **`New Order Multileg`**.
22017	*SessionEligibility* (C1 only)	Refer to definition in **`New Order Single`** and **`New Order Multileg`**.
22018	*TiedHedge* (C1 only)	Refer to definition in **`New Order Multileg`**.
22019	*LegPositionEffects* (C1 only)	Refer to definition in **`New Order Cross Multileg`**.
22020	*InitialClientOrderId* (C1 only)	Refer to definition in **`Execution Report`** and **`Trade Cancel/Correct`**.
22023	*Delta* (C1 only)	Refer to definition in **`New Order Single`**, **`New Order Cross`**, and **`Execution Report`**.
22024	*LegDelta* (C1 only)	Refer to definition in **`New Order Cross Multileg`**, **`New Order Multileg`**, and **`Execution Report`**.
22025	*ReferencePrice* (C1 only)	Refer to definition in **`New Order Single`**, **`New Order Cross`**, **`New Order Cross Multileg`**, **`New Order Multileg`**, and **`Execution Report`**.
22026	*CrossInitiator* (C1 and EDGX only)	Refer to definition in **`New Order Cross Multileg`** and **`New Order Multileg`**.
22028	*CrossOnBehalfOfID* (C1 and EDGX only)	Refer to definition in **`New Order Cross Multileg`** and **`New Order Multileg`**.
22049	*FloorTraderAcr* (C1 only)	Refer to definition in **`Add Floor Trade`** and **`Execution Report`**.
22058	*SubreasonText*	Refer to definition in **`Execution Report`**.
22060	*EquityTransactTime* (C1 and EDGX only)	Refer to definition in **`New Order Cross`**, **`New Order Cross Multileg`**, and **`New Order Multileg`**.
22100	*FloorDestination* (C1 only)	Refer to definition in **`New Order Single`**, **`New Order Multileg`** and **`Execution Report`**.
22303	*FloorRoutingInst* (C1 only)	Refer to definition in **`New Order Single`** and **`New Order Multileg`**.
22624	*EquityLegShortSell* (C1 and EDGX only)	Refer to definition in **`New Order Cross Multileg`** and **`New Order Multileg`**.
25018	*CorrectedStrikePrice* (C1 only)	Refer to definition in **`Trade Cancel/Correct`**.
25019	*OccId*	Refer to definition in **`Execution Report`**.
25026	*StopPxType* (effective 05/18/26)	Refer to definition in **`New Order Multileg`** and **`Execution Report`**.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Order Protocol - Member to Cboe

FIX messages Members can send to Cboe.

New Order Single Message Fields

A **`New Order Single`** message is used to submit a single-leg order for both standard listed options and FLEX options. Complex orders must use the New Order Multileg Message Fields on page 74.

Table 28. New Order Single Message Fields

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	*Standard Message Header*	Y	*MsgType*= D
97	*PossResend*	N	N = (Default) indicates a new order. Y = Indicates an application level resend and is NOT SUPPORTED. For reasons of economy, Cboe does not track in primary storage the *ClOrdID* values of orders that are no longer live. For reasons of performance, Cboe does not access secondary storage to enforce unique *ClOrdID* values against orders that are no longer live. Without full duplicate *ClOrdID* value enforcement, it is not possible to safely implement the full behavior specified in the FIX 4.2 Protocol for *PossResend* = Y. To remain economical, fast and safe, all messages with *PossResend* = Y will be simply ignored.
1	*Account*	N	*Account* (1) will only be mapped to the OCC via the Customer ID field (max 10 characters) and the new *ClearingOptionalData* (9324) field will be mapped to the OCC via the Optional Data field (16 characters). Characters in ASCII range 33-126 are allowed.
11	*ClOrdId*	Y	ID chosen by client. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, pipe, 'at' symbol (@) and double quotes. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*. If the *ClOrdId* matches a live order it will be rejected as duplicate (unless PossResend= Y, see above). Note: Cboe only enforces the uniqueness of ClOrdID values among currently live orders, **which includes long-lived, persisting GTC/GTD orders**. However it is strongly recommend Users maintain unique *ClOrdID* values.
60	*TransactTime*	Y	Time the order was initiated/released. Required by FIX 4.2.
77	*OpenClose*	Y*	Indicates status of client position in the option. O = Open C = Close N = None* *Orders with *OrderCapacity* (47) = M or N will not be required to specify *OpenClose* on their orders or may optionally specify a value of 'N', unless the series is limited to closing only. If the series is limited to closing only transactions, only *OrderCapacity* (47) = M will be permitted to submit *OpenClose* = O if the order has *TimeInForce* (59) = 3 (IOC) and *RoutingInst (9303)* = B, or the order has a *RoutingInst* = P.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			An Open position cannot trade with an Open position for series limited to Closing Only transactions, even if the inbound IOC from the aggressing market maker is sent with that combination of tags.
167	*SecurityType*	Y	Indicates the type of security OPT= Options
200	*MaturityMonth*	N	Indicates Maturity Month (YYYYMM)
205	*MaturityDay*	N	Expiration date day of the month Format: DD
201	*PutOrCall*	N	0 = Put 1 = Call
202	*StrikePrice*	N	Strike Price for option, 0 - 999,999.999
55	*Symbol*	Y	OSI root symbol (upper case) or Cboe format symbol (case sensitive)
54	*Side*	Y	1 = Buy 2 = Sell
38	*OrderQty*	Y	Number of contracts for order, 1 to 999,999
111	*MaxFloor*	N	Portion of *OrderQty* to display. The balance is reserve. 0 = Display entire quantity (Default). The displayed quantity of each order at a price level is decremented first. When displayed quantity is fully decremented, it is reloaded up to MaxFloor from reserve. Ignored if order is IOC. An order with a *MaxFloor* greater than 0 will be rejected for Cboe proprietary classes (such as DJX, RUT, SPX, XSP, and VIX).
8020	*DisplayRange*	N	Used for random replenishment of reserve orders. This is the random replenishment amount in contracts. The value specified will create a *DisplayRange* around *MaxFloor*. Value must be less than the value specified for *MaxFloor*. **Example** If *MaxFloor* = 20 and *DisplayRange* = 2, the displayed quantity will be selected randomly from one of the following values: 18, 19, 20, 21, 22.
40	*OrdType*	Y	1 = Market 2 = Limit 3 = Stop 4 = Stop Limit Stop/Stop Limit orders must be set to *TimeInForce* (59) = 0 (DAY), 1 (GTC), or 6 (GTD). Note market and stop/stop limit orders are not supported during GTH or Curb sessions.
44	*Price*	N	If *PriceType* (423) = 0 Limit price of cabinet order $0.0001 - $0.01 If *PriceType* (423) = 1 Traded as percentage (FLEX Only) -999,999.99% to 999,999.99% If *PriceType* (423) = 2 or D Limit price for this order. Order rejected if priced finer than the minimum trading increment for the option. Numeric $0.01 - $999,999.99.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
99	*StopPx*	N	The trigger price for Stop and Stop Limit orders. Required if *OrdType* (40) = 3 or 4. Stop and Stop Limit orders will trigger off bids and offers in addition to executions. Complex executions outside of the NBBO will not trigger Stop and Stop Limit Orders. Stop/Stop Limit orders will only elect based off of RTH quotes and trades.
110	*MinQty*	N	**Optional** minimum* fill quantity for Book-Only IOC orders. **Ignored** unless order is Book-Only IOC. **Default** is zero. *When removing liquidity, limits the minimum **total** fill size, which may be made up of several **consecutive** smaller fills. Not compatible with Step-Up Mechanism (SUM).
47	*Rule80A (OrderCapacity)*	Y	The capacity for the order. C = Customer F = Firm M= Market Maker U = Professional Customer N = Away Market Maker B = Broker-Dealer J = Joint Back Office L = Non-TPH Affiliate(C1 and C2 only)
59	*TimeInForce*	N	0 = DAY (Default). Expires at end of market day. 1 = GTC. Remains in system until executed, cancelled or option expires. 2 = At The Open. Will remain queued and only interact in the Opening Process 3 = IOC. Portion not filled immediately is cancelled. Market orders are implicitly IOC. 4 = FOK. An IOC where the entire size must be filled, otherwise the order will be cancelled back. Not compatible with Step-Up Mechanism (SUM). 6 = GTD. Expires at specified *ExpireTime* for a specified day. 7 = At The Close. Orders held for execution until 180 seconds before series is scheduled to close.
22017	*SessionEligibility* *(*C1 only*)*	N	R = (Default) Order participates in Regular Trading Hours only. A = Order participates in both Global and Regular Trading Hours. Also allows for participation in Curb Trading Session. B = Order participates in both Regular Trading Hours and Curb Session.
126	*ExpireTime*	N	Required for *TimeInForce* (59) = 6 (GTD) orders, specifies the date-time (in GMT) that the order expires. Values may be specified at a millisecond level.
18	*ExecInst*	N	Single value only (with no trailing space) 1 = Not held. Must be routed to the floor.(C1 only)[2] f = Intermarket Sweep (Directed or Book Only)[2] r = Settlement Liquidity[1,2](C1 only) G = All or None (AON)(C1 and EDGX only) [1]requires *TimeInForce* (59) = 2 and *Price* (44) [2]Not compatible with Step-Up Mechanism (SUM)
7692	*RiskReset*	N	For use by Users using Cboe's Risk Management tools to reset or release EFID Group, EFID, Risk Root, or Custom Group ID-level lockout conditions resulting from risk profile trips or self-imposed lockouts issued via **`Cancel Order`** or **`Purge Orders`** messages. **Single Character Values - with counter reset:**

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			S = Risk Root-level risk/lockout reset F = EFID risk/lockout reset C = CustomGroupID lockout reset G = EFID Group risk/lockout reset **Single Character Values - without counter reset :** T = Risk Root-level self-imposed lockout reset E = EFID self-imposed lockout reset Values may be combined together to allow for resets of multiple risk trips or self-imposed lockouts in a single message. For example, 'GS', 'SC', 'FC, and 'SFC' are all acceptable values. The **single character values with no counter reset will release a self-imposed lockout condition only** without resetting any counters related to active risk rules. This may be useful for time based risk rules where the lockout may be released without resetting any risk values being tracked back to zero. If a conflicting value is provided the lockout release with counter reset will take precedence. For example, 'ST' will release any lockout and reset any applicable root-level rule counters to zero. When a resting or inbound order is executed and a Risk Root-level risk profile limit is reached, resting orders on the associated Risk Root will be cancelled and inbound orders on the Risk Root will be rejected until this field is filled with the value 'S' on a subsequent **`New Order`** or **`New Complex Order`** message corresponding to a symbol on the same Risk Root. All active Risk Root level rules in the risk profile are reset at this time. Individual rules cannot be reset on their own. If an EFID-level rule is tripped, this tag can be filled with the value 'F' to reset all EFID-level rules. While this will reset EFID-level rules, it is possible that both EFID and Risk Root level rules are currently tripped. Setting this field to 'F' will not clear Risk Root-level rules and the order may still be rejected. To clear both Risk Root and EFID-level rules, set this field to "SF" to reset all associated Risk Root and EFID-level lockouts. If orders have been locked out at the Custom Group ID level, inbound orders for the locked Custom Group ID will be rejected until this field is filled with the value 'C' on a **`New Order`** or **`New Complex`** message order that uses the locked Custom Group ID. **EFID and EFID Group resets are not allowed by default**. Customers should contact the Cboe Trade Desk to reset these limits or request a change to the EFID Risk Reset port setting using the Logical Port Request form. If a risk limit is tripped or manually locked out at the end of the RTH session, the trip/lockout will persist into the Curb session (C1 only). For more information, see the Cboe Titanium U.S. Options Risk Management Specification.
7928	*PreventMatch*	N	Three characters: **1st character - MTP Modifier:** N = Cancel Newest O = Cancel Oldest B = Cancel Both S = Cancel Smallest D = Decrement Larger / Cancel Smaller

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			d = Same as D above, but only decrement *LeavesQty*. Do not restate *OrderQty*. **2nd character - Unique ID Level:** F = Prevent Match at Firm (Member) Level M= Prevent Match *at* EFID Level **3rd character - Trading Group ID (optional):** User specified alphanumeric value 0-9, A-Z, or a-z. The Unique ID level (2nd character) of both orders must match to prevent a trade. If specified on both orders, Trading Group ID (3rd character) must match to prevent a trade. The MTP Modifier (1st character) of the inbound order will be honored, except that if the inbound order specifies Decrement and the resting order does not, and the resting order is larger, then both orders will be cancelled. This exception is to protect the order entry software for the resting order from receiving an unexpected restatement message. If order entry software is prepared to handle unexpected restatement messages, this exception may be overridden at the port level by requesting Allow MTP Decrement Override functionality. Uses of MTP Modifier 'D' or 'd' and users of Allow MTP Decrement Override functionality must be prepared to receive an **`Order Restated`** message that decrements *LeavesQty* (and, for method 'D', *OrdQty* as well).
9303	*RoutingInst*	N	**1st character** B = Book Only (Not routable but will remove from local book) P = Post Only (Not routable)[1] R = (Default) Routable S = Super Aggressive - Cross or Lock (Order will be removed from book and routed to any quote that is crossing or locking the order) X = Aggressive - Cross only (Order will be removed from book and routed to any quote that is crossing) **2nd character** (C1 and EDGX only) L = Do not Expose order via Step-Up Mechanism (SUM) S = Expose order via Step-Up Mechanism (SUM)[2] [1]Post Only orders with *DisplayIndicator* (9479) = R will be cancelled back even if they would be immediately executable with price improvement (C1, C2, and EDGX Only). [2] Marketable, routable orders identified as *RoutingInst* (9303) = R, RS, S, SS, X or XS and *RoutStrategy* (9400) = ROUT and *AuctionID* (9370) not supplied **or** marketable non-routable orders identified as *RoutingInst* (9303) = BS and *ExecInst* (18) not 'f' and *TimeInForce* (59) not '4' and *MinQty* (110) not supplied will be eligible to initiate a Step-Up Mechanism (SUM) auction before routing, posting to book with Price Adjust or cancelling off book.
9350	*RoutDeliveryMethod*	N	RTI= (Default) Route to Improve RTF= Route to Fill Route to Improve: Ability to receive price improvement will take priority over speed of execution. Route to Fill: Speed of execution will take priority over potential price improvement. Only applicable to *RoutStrategy* = ROUT.
9400	*RoutStrategy*	N	ROUT= Book + Street

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			DIRC= Book + Directed IOC or Directed ISO if *ExecInst* = f[1] SWPA= Book + Sweep Street (Default) [1] Must be specified when sending a non-Book Only ISO 9303= R, 18= f, otherwise the order will be rejected.
100	*ExDestination*	N	Used to specify the designated away venue for *RoutStrategy* (9400) = DIRC. A = NYSE Arca E = Nasdaq ISE F = MIAX Options Exchange P = MIAX PEARL D = MIAX Emerald G = EDGX Options H = C2 K = BOX M= MEMX N = Nasdaq S = Nasdaq Texas U = NYSE American W= CBOE X = Nasdaq PHLX Z = BZX Options g = Nasdaq GEMX m= Nasdaq MRX w= MIAX Sapphire
9479	*DisplayIndicator*	N	V = (Default) As determined by port level setting (defaults to "S" for BZX only and to "P" for C1, C2, and EDGX). S = Display-Price Sliding (this is to override an opt-out of Display-Price Sliding at the port level).(BZX only) L = Display-Price Sliding, but reject if order *crosses* NBBO on entry.(BZX only) M= Multiple Display-Price Sliding(BZX only) P = Price Adjust m= Multiple Price Adjust R = Reject the order if it cannot be booked and displayed without adjustment. N = NoRescrapeAtLimit(BZX only) See Display Indicator Features on page 14 for more details on sliding options.
439	*ClearingFirm*	N	CMTA Number of the firm that will clear the trade. Must be supplied for CMTA orders and left unspecified for non-CMTA orders.
440	*ClearingAccount*	N	Supplemental identifier (optional) When *OrderCapacity* (47) is set to a value of 'M' or 'N' this field should be filled with desired market maker ID. When *OrderCapacity* (47) is set to a value of "M' any unregistered Market-Maker Accounts in this field will cause the quote or order to be rejected with a reason code of 'A' and sub-reason code 'L' . When using CMTA, this value is the market maker ID for the CMTA member instead of the Cboe member executing the trade. This field will be passed

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			through to the OCC Sub Account ID field and may be up to four alphanumeric characters. If *OrderCapacity* (47) is not set to 'M' or 'N' and *ClearingAccount* is populated, the order will be rejected by default on C1 and C2 and will be accepted by default for BZX and EDGX Only. This field is recorded and returned in execution reports. Available via FIX Drop.
9732	*AttributedQuote*	N	Allow for order to be attributed to firm's EFID in Cboe market data feeds. The order may also be included within attributed summary information displays related to quote/trade information on the Cboe web site. Must opt-in to support through the Cboe Trade Desk. N = (Default) Do not attribute firm Executing Firm ID to this order. Y = Attribute firm Executing Firm ID to this order. C = Attribute *ClientID (109)* only. Z = Attribute both *EFID* (115) and *ClientID* (109).
109	*ClientID*	N	User defined identifier for quote attribution. Four alpha characters or less.
9324	*ClearingOptionalData*	N	This field will be reflected back on execution reports and FIX DROP ports, and will be passed through to the OCC in the Optional Data field. 16 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
1462	*TargetPartyID* (C1 and EDGX only)	N	A valid *ParentID* of the Directed Market Maker (EDGX only) or Preferred Market Maker (C1 only) is required for Directed Orders.
9370	*AuctionID* (C1, C2 and EDGX only)	N	Auction order identifier supplied by Cboe. This identifier corresponds to the identifiers used in Cboe market data products.
7933	*RoutingFirmID*	N	Used to optionally convey the routing firm of the order. If supplied, value must be a valid EFID .
7699	*CustomGroupID*	N	Optional User-specified ID for the order. Cancellation by *CustomGroupID* available using Purge Port Protocol - Member to Cboe on page 115 only. Integer 1-65535
21097	*FrequentTraderID* (C1 only)	N	Identifies the frequent trader program in which the order is participating. Six alphanumeric characters or less (0-9, A-Z, or a-z).
22003	*ORS* (C1 only)	N	Order router subsidy eligible (used for billing purposes). N = No (Default) Y = Yes
22006	*Compression* (C1 only)	N	Order is a compression trade. N = No (Default) Y = Yes
22303	*FloorRoutingInst* (C1 only)	N	D = Direct. Do not attempt to process electronically[1] E = Electronic only (default) X = Route to floor if unable to process electronically[1] <blank> = Port level default The default value for any given port can be changed by requesting an update to the Default FloorRoutingInst port attribute. [1] When *FloorRoutingInst* is D or X, *RoutingInst* (9303) must be set to B or R for simple orders; or B for FLEX instruments.
22100	*FloorDestination* (C1 only)	N	Floor route destination. Specifies a PAR workstation (ex. W001), or "PARO" to route to the Floor PAR Official of the underlying symbol. 4 characters or less (ASCII 33-126).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
423	*PriceType* (C1 only)	N	0 = Fixed cabinet trade price 1 = Percentage (when trading FLEX percentage instruments) 2 = (default) Price per unit (contract) D = FLEX DAC
9465	*OrderOrigin* (C1 only)	N	Floor acronym of Market Maker on whose behalf this order is being entered by a floor broker.
20012	*Held* (C1 only)	N	Y = Mark order as Held N = Mark order as Not Held Default value is 'N' if the order is direct routed to a Non-PAR Official on the floor.
21010	*FLEXAuctionDuration* (C1 only)	N	Duration of the FLEX Auction in milliseconds. The minimum valid value is 3,000 milliseconds. The maximum valid value is 300,000 milliseconds. Applicable only to FLEX instruments.
21005	*FLEXHedgeExecInst* (C1 only)	N	Hedge execution instruction to carry the hedge information for the order. Applicable only the FLEX instruments.
21008	*FLEXPreFacilPrice* (C1 only)	N	The pre-facilitation price for the hedge instruction. Applicable only to FLEX instruments.
22021	*TerminalOperatorId* (C1 only)	N	The ID associated with the operator logged into the terminal when an order is entered. 20 characters or less (ASCII 32-126). This field is recorded and returned in execution reports. Available via FIX Drop and Odrop.
22022	*AdditionalClientInfo* (C1 only)	N	Client information populated by the Member during order entry via terminal. 16 characters or less (ASCII 32-126). This field is recorded and returned in execution reports. Available via FIX Drop and Odrop.
22023	*Delta* (C1 only)	N	Designated delta of a FLEX DAC order. Valid values for call options are 0.0001 to 1.0000. Valid values for put options are -1.0000 to -0.0001.
22025	*ReferencePrice* (C1 only)	N	Reference price for underlying security or index of a FLEX DAC order. If a reference price is not specified, the system applies the current value of the underlying at the time of order entry.
	Standard Message Trailer	Y	

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

New Order Cross Message Fields (C1 and EDGX Only)

A **`New Order Cross`** message contains the details for both the agency (initiating) and contra side(s) of a cross order (such as a AIM, QCC or SAM order). The two-sided order consists of a number of required fields including symbol, price, quantity, and relevant clearing information for both the agency and contra sides, as well as a number of optional fields. A maximum of ten (10) contra-parties will be accepted per order.

Table 29. New Order Cross Message Fields (C1 and EDGX Only)

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	*Standard Message Header*	Y	*MsgType* = s
97	*PossResend*	N	N = (Default) indicates a new order. Y = Indicates an application level resend and is NOT SUPPORTED. For reasons of economy, Cboe does not track in primary storage the *ClOrdID* values of orders that are no longer live. For reasons of performance, Cboe does not access secondary storage to enforce unique *ClOrdID* values against orders that are no longer live. Without full duplicate *ClOrdID* value enforcement, it is not possible to safely implement the full behavior specified in the FIX 4.2 Protocol for *PossResend* = Y. To remain economical, fast *and* safe, all messages with *PossResend* = Y will be simply ignored.
548	*CrossID*	Y	Identifier for the cross order. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, pipe, 'at' symbol (@) and double quotes.
549	*CrossType*	Y	Type of auction order being submitted. This indicates the type of auction that will be initiated upon order entry. 1 = Automated Improvement Mechanism (AIM) 2 = Qualified Contingent Cross (QCC) 3 = Solicitation Cross (SAM) 4 = Position Compression Cross (PCC) (C1 Only)
550	*CrossPrioritization*	Y	Indicates which side of the cross order will be prioritized for execution. This identifies the Agency side. 1 = Buy 2 = Sell
552 *Repeating Group*	*NoSides*	Y	Indicates the number of sides for the cross order. This value must be set to '2'. The first side is the Agency side, the second side is the Contra side.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG		FIELD NAME	REQ'D	DESCRIPTION
➔	54	*Side*	Y	Required tag to start each repeated group. 1 = Buy 2 = Sell
➔	9732	*AttributedQuote*	N	Allow for order to be attributed to order's EFID in Cboe market data feeds. The order may also be included within attributed summary information displays related to quote/trade information on the Cboe web site. **Valid for Agency Side only.** Ignored on Contra Side. N = (Default) Do not attribute *EFID* (115) to this order. Y = Attribute *EFID* (115) to this order. C = Attribute *ClientID* (109) only. Z = Attribute both *EFID* (115) and *ClientID* (109).
➔	109	*ClientID*	N	User-defined identifier for quote attribution if *AttributedQuote* (9732) = C or Z Four alpha characters or less.
➔	1462	*TargetPartyID* (C1 and EDGX only)	N	A valid ParentID of the Directed Market Maker (EDGX only) or Preferred Market Maker (C1 only) is required for Directed Orders. Valid for Agency Side only. Ignored on Contra Side.
➔	7928	*PreventMatch*	N	Cboe Match Trade Prevention: 3 characters (not space separated): **1st character - MTP Modifier:** N = Cancel Newest O = Cancel Oldest **2nd character - Unique ID Level:** F = Prevent Match at Cboe Exchange Member level M = Prevent Match at MPID Level **3rd character - Trading Group ID (optional):** Member specified alphanumeric value 0-9, A-Z, or a-z. The Unique ID Level (character 2) of both orders must match to prevent a trade. If specified on both orders, Trading Group ID (character 3) must match to prevent a trade. MTP instructions on the AIM order will be used to prevent executions against AIM responses only; executions against resting or unrelated orders will still be permitted. Responses may only employ "Cancel Newest", in which case the response will be cancelled and the auction order will continue. Valid for Agency Side only. Ignored on Contra Side.
➔	78 *Repeating Group*	*NoAllocs*	Y	Number of Repeating Groups for contra-party responses. Should be set to '1' for Agency side.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG		FIELD NAME		REQ'D	DESCRIPTION
➔	➔	80	*AllocQty*	Y	*Required tag to start each repeated group.* Number of contracts for this party.
➔	➔	11	*ClOrdId*	Y	Day-unique ID chosen by client. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*.
➔	➔	1	*Account*	N	*Account* (1) will only be mapped to the OCC via the Customer ID field (max 10 characters), and the new *ClearingOptionalData* (9324) field will be mapped to the OCC via the Optional Data field (16 characters). Characters in ASCII range 33-126 are allowed.
➔	➔	9324	*ClearingOptionalData*	N	This field will be reflected back on execution reports and FIX DROP ports, and will be passed through to the OCC in their Optional Data field. 16 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
➔	➔	47	*Rule80A (aka OrderCapacity)*	Y	The capacity for the order. C = Customer F = Firm M = Market Maker U = Professional Customer N = Away Market Maker B = Broker-Dealer J = Joint Back Office L = Non-TPH Affiliate (C1 and C2 only)
➔	➔	77	*OpenClose*	Y	Indicates status of client position in the option. O = Open C = Close N = None* *Orders with *OrderCapacity* (47) = M or N will not be required to specify *OpenClose* on their orders or may optionally specify a value of 'N', unless the series is limited to closing only. If the series is limited to closing only transactions, only *OrderCapacity* (47) = M will be permitted to submit *OpenClose* = O if the order has *TimeInForce* (59) = 3 (IOC) and *RoutingInst (9303)* = B, or the order has a *RoutingInst* = P. An Open position cannot trade with an Open position for series limited to Closing Only transactions, even if the inbound IOC from the aggressing market maker is sent with that combination of tags.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG		FIELD NAME		REQ'D	DESCRIPTION
➔	➔	439	*ClearingFirm*	N	CMTA Number of the firm that will clear the trade. Must be supplied for CMTA orders and left unspecified for non-CMTA orders.
➔	➔	440	*ClearingAccount*	N	When *OrderCapacity* (47) is set to a value of "M" or "N" this field should be filled with desired market maker ID. When *OrderCapacity* (47) is set to a value of "M" any unregistered Market-Maker Accounts in this field will cause the quote or order to be rejected with a reason code of 'A' and sub-reason code 'L'. When using CMTA, this value is the market maker ID for the CMTA member instead of the Cboe member executing the trade. This field will be passed through to the OCC Sub Account ID field and may be up to four alphanumeric characters. If *OrderCapacity* (47) is not set to 'M' or 'N' and *ClearingAccount* is populated the order will be rejected by default on C1 and C2 and will be accepted by default for BZX and EDGX Only. This field is recorded and returned in execution reports. Available via FIX Drop.
➔	➔	9946	*GiveUpFirmID*	Y	For the Agency Side, this field must equal the value of *OnBehalfOfCompId* (EFID). Each Contra allocation will use this field instead of *OnBehalfOfCompId* for clearing information.
➔	➔	21097	*FrequentTraderID* (C1 only)	N	Identifies the frequent trader program in which the order is participating. Six alphanumeric characters or less (0-9, A-Z, or a-z).
➔	➔	22027	*AllocAdditionalClientInfo* (C1 only)	N	Client information populated by the Member during order entry for two sided auction orders. Should not be populated if *AdditionalClientInfo* (22022) is populated, 16 characters or less (ASCII 32-126). This field value is recorded and returned in execution reports through *AdditionalClientInfo* (22022). Available via FIX Drop and Odrop.
7933		*RoutingFirmID*		N	Used to optionally convey the routing firm of the order. If supplied, value must be a valid EFID.
18		*ExecInst*		N	Single value only (with no trailing space) f = Intermarket Sweep (Directed or Book Only) s = Sweep[1] [1] Requires *CrossType* (549) = 1 (AIM)
167		*SecurityType*		Y	Indicates the type of security OPT = Options
200		*MaturityMonth*		N	Indicates Maturity Month

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			(YYYYMM)
205	*MaturityDay*	N	Expiration date day of the month Format: DD
201	*PutOrCall*	N	0 = Put 1 = Call
202	*StrikePrice*	N	Strike Price for option, 0 - 99999.999
55	*Symbol*	Y	OSI root symbol (upper case) or Cboe format symbol (case sensitive)
38	*OrderQty*	Y	Number of contracts for order, 1 to 999,999
40	*OrdType*	N	2 = Limit
44	*Price*	Y	Auction Price
9040	*AutoMatch*	N	0 = Disabled 1 = Market 2 = Limit 3 = Market. No starting price adjustments. 4 = Limit. No starting price adjustments. Better-priced responses will be automatically matched by the Contra side. Indicates the type of Auto Match the Contra Order will use. Mutually exclusive with *LastPriority* (9849).
9044	*AutoMatchPrice*	N	Required if *AutoMatch* (9040) is set to '2' or '4' , ignored otherwise. Sets the limit price at which the Contra Order will Auto Match. Format is the same as *Price* (44).
9849	*LastPriority*	N	0 = Disabled 1 = Enabled When enabled, allocation will go to other participants' responses before requiring the Contra Order to satisfy remaining contracts of the Agency Order. Mutually exclusive with *AutoMatch* (9040).
423	*PriceType* (C1 only)	N	1 = Percentage, when trading FLEX percentage instruments 2 = (Default) Price per unit (contract) D = FLEX DAC
21010	*FLEXAuctionDuration* (C1 only)	N	Duration of the FLEX Auction in milliseconds. The minimum valid value is 3,000 milliseconds. The maximum valid value is 300,000 milliseconds. Applicable only to FLEX instruments.
21005	*FLEXHedgeExecInst* (C1 only)	N	Hedge execution instruction to carry the hedge information for the order. Applicable only the FLEX instruments.
22003	*ORS* (C1 only)	N	Order router subsidy eligible (used for billing purposes). N = No (Default) Y = Yes
22006	*Compression*	N	Order is a compression trade.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
	(C1 only)		N = No (Default) Y = Yes When *CrossType* (549) = 4 this field should not be specified.
22011	*EquityTradePrice*	N	Price at which the equity associated with a QCC trade. Valid when *CrossType* (549) = 2.
22012	*EquityTradeSize*	N	Number of shares executed in the equity associated with a QCC trade. Valid when *CrossType* (549) = 2.
22013	*EquityTradeVenue*	N	Exchange venue where equity associated with a QCC traded. Valid when *CrossType* (549) = 2. A = NYSE American B = Nasdaq Texas C = NYSE National I = Investors Exchange J = Cboe EDGA Exchange K = Cboe EDGX Exchange M = CHX N = NYSE P = NYSE Arca Q = Nasdaq X = Nasdaq PSX Y = Cboe BYX Exchange Z = Cboe BZX Exchange
22014	*EquityBuyClearingFirm*	N	Clearing firm on buy side of the equity trade associated with a QCC trade. Valid when *CrossType* (549) = 2.
22015	*EquitySellClearingFirm*	N	Clearing firm on sell side of the equity trade associated with a QCC trade. Valid when *CrossType* (549) = 2.
22060	*EquityTransactTime*	N	GMT date-time of equity trade associated with a QCC trade. Valid when *CrossType* (549) = 2. YYYYMMDD-HH:MM:SS.000
22021	*TerminalOperatorId* (C1 only)	N	The ID associated with the operator logged into the terminal when an order is entered. 20 characters or less (ASCII 32-126). This field is recorded and returned in execution reports. Available via FIX Drop and Odrop.
22022	*AdditionalClientInfo* (C1 only)	N	Client information populated by the Member during order entry via terminal. Should not be populated if *AllocAdditionalClientInfo* (22027) is populated. 16 characters or less (ASCII 32-126). This field is recorded and returned in execution reports. Available via FIX Drop and Odrop.
22023	*Delta* (C1 only)	N	Designated delta of a FLEX DAC order.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Valid values for call options are 0.0001 to 1.0000. Valid values for put options are -1.0000 to -0.0001.
22025	*ReferencePrice* (C1 only)	N	Reference price for underlying security or index of a FLEX DAC order. If a reference price is not specified, the system applies the current value of the underlying at the time of order entry.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

New Order Cross Multileg Message Fields (C1 and EDGX Only)

A **`New Order Cross Multileg`** message contains the details for both the agency (initiating) and contra side(s) of a cross order (such as an AIM order). The two-sided order consists of a number of required fields including symbol, price, quantity, and relevant clearing information for both the agency and contra sides, as well as a number of optional fields. A maximum of ten (10) contra-parties will be accepted per order.

Short Form

If the complex symbol is known at the time of entry, a short form of the **`New Order Cross Multileg`** message can be utilized. Note that Complex Symbol ID's may be different between all Cboe Exchanges.

- *Symbol* (55) and *Side* (54) are required.
- *NoLegs* (555) and *LegRefID* (654) is required if specifying *LegPrice* (566) for FLEX. The order of the legs must match the Security Definition response, as legs can be re-ordered during security definition.
- The order of position effects in *LegPositionEffects* (22019) must match the Security Definition response, as legs can be re-ordered during security definition.
- Sending any additional fields in the legs repeating group (*LegSymbol*, *LegCFICode*, *LegMaturityDate*, *LegStrikePrice*, *LegRatioQty*, or *LegSide*) will result in the order being rejected to avoid confusion with an invalid long form request.

Long Form

If the complex symbol is not known, a long form of the request exists to enter the symbol legs at the same time as the order. The legs will be used to find an appropriate complex symbol in the Cboe Complex Order Book; the resulting symbol (if accepted by the system) will be returned on the **`Execution Report`** message in ***Symbol*** (55). A minimum of two (2) legs must be specified and a maximum of 16 legs will be allowed on complex orders. For non-FLEX Floor-Routed orders, a minimum of two (2), maximum of 100 total legs, including one (1) equity leg (C1 only) will be supported.

- If *Symbol* (55) or *Side* (54) are present and non-blank, the order will be rejected to avoid confusion with an invalid short form request.
- The order of position effects in *LegPositionEffects* (22019) must match the order of the symbol legs in the message.
- Each leg must be fully entered as described below.

Table 30. New Order Cross Multileg Message Fields (C1 and EDGX Only)

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	Standard Message Header	Y	*MsgType* = As
97	*PossResend*	N	N = (Default) indicates a new order.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Y = Indicates an application level resend and is NOT SUPPORTED. For reasons of economy, Cboe does not track in primary storage the *ClOrdID* values of orders that are no longer live. For reasons of performance, Cboe does not access secondary storage to enforce unique *ClOrdID* values against orders that are no longer live. Without full duplicate *ClOrdID* value enforcement, it is not possible to safely implement the full behavior specified in the FIX 4.2 Protocol for *PossResend* = Y. To remain economical, fast *and* safe, all messages with *PossResend* = Y will be simply ignored.
548	*CrossID*	Y	Identifier for the cross order. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
549	*CrossType*	Y	Type of auction order being submitted, corresponding to the type of auction that will be initiated upon order entry. 1 = Automated Improvement Mechanism (AIM) 2 = Qualified Contingent Cross (QCC) 3 = Solicitation Cross (SAM) 4 = Position Compression Cross (PCC)[1] (C1 Only) 5 = Related Futures Cross (RFC) (C1 Only) [1]Entry of SPX versus SPXW as a complex spread is not supported for PCC.
54	*Side*	Y	**Required for Short format only** Represents Side of Agency Order. 1 = Buy 2 = Sell
55	*Symbol*	Y	**Required for Short Format Only** Cboe Complex Instrument ID
38	*OrderQty*	Y	Number of contracts for order, 1 to 999,999
40	*OrdType*	N	2 = Limit
44	*Price*	Y	***Price is from the perspective of the Agency Side.*** Accepted values will be -$999,999,999.90 to $999,999,999.90. **Short form request** Net Auction Price of the Strategy. **Buy Orders:** Positive Value, Debit Negative Value, Credit Even Order - 0 (Zero) **Sell Orders:** Positive Value, Credit Negative Value, Debit Even Order - 0 (Zero) **Long form request** Net Auction Price of the Strategy. Positive Value, Debit

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Negative Value, Credit Even Order - 0 (Zero) Price must be in whole pennies for option-only spreads. Can be up to 4 decimal places for spreads with stock legs and FLEX instruments.
552 *Repeating Group*	*NoSides*	Y	Indicates the number of sides for the cross order. This value must be set to '2'. The first side is the Agency side, the second side is the Contra side.
➔ 78 *Repeating Group*	*NoAllocs*	Y	Number of Repeating Groups for contra-party responses. Max of 10 contra parties. Should be set to '1' for Agency side.
➔ ➔ 80	*AllocQty*	Y	*Required tag to 'start each repeated group.* Number of contracts for this party.
➔ ➔ 11	*ClOrdId*	Y	Day-unique ID chosen by client. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*.
➔ ➔ 1	*Account*	N	*Account* (1) will only be mapped to the OCC via the Customer ID field (max 10 characters) and the new *ClearingOptionalData* (9324) field will be mapped to the OCC via the Optional Data field (16 characters). Characters in ASCII range 33-126 are allowed.
➔ ➔ 9324	*ClearingOptionalData*	N	This field will be reflected back on execution reports and FIX DROP ports, and will be passed through to the OCC in their Optional Data field. 16 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
➔ ➔ 47	*Rule80A (aka OrderCapacity)*	Y	The capacity for the order C = Customer F = Firm M = Market Maker U = Professional Customer N = Away Market Maker B = Broker-Dealer J = Joint Back Office L = Non-TPH Affiliate (C1 only)
➔ ➔ 439	*ClearingFirm*	N	CMTA Number of the firm that will clear the trade. Must be supplied for CMTA orders and left unspecified for non-CMTA orders.
➔ ➔ 440	*ClearingAccount*	N	When *OrderCapacity* (47) is set to a value of 'M' or 'N' this field should be filled with desired market maker ID. When *OrderCapacity* (47) is set to a value of 'M' any unregistered Market-Maker Accounts in this field will cause the quote or order to be rejected with a reason code of 'A' and sub-reason code 'L'.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG			FIELD NAME	REQ'D	DESCRIPTION
					When using CMTA, this value is the market maker ID for the CMTA member instead of the Cboe member executing the trade. This field will be passed through to the OCC Sub Account ID field and may be up to four alphanumeric characters. If *OrderCapacity* (47) is not set to 'M' or 'N' and *ClearingAccount* is populated the order will be rejected by default on C1 and C2 and will be accepted by default for BZX and EDGX Only. This field is recorded and returned in execution reports. Available via FIX Drop.
➔	➔	9946	*GiveUpFirmID*	Y	For the Agency Side, this field must equal the value of *OnBehalfOfCompId* (EFID). Each Contra allocation will use this field instead of *OnBehalfOfCompId* for clearing information.
➔	➔	22008	*EquityPartyID*	N	MPID used to clear the equity leg being cleared via the Exchange. Required if the complex order includes a stock leg.
➔	➔	22624	*EquityLegShortSell*	N	5 = Sell Short (stock leg only) 6 = Sell Short Exempt (stock leg only)
➔	➔	21097	*FrequentTraderID* (C1 only)	N	Identifies the frequent trader program in which the order is participating. Six alphanumeric characters or less (0-9, A-Z, or a-z).
➔	➔	22019	*LegPositionEffects*	Y	A string of position effects with one value per leg. For example, if five legs, then this field must have five position effects specified. Ordering of position effects matches the order specified in *LegRefID* (654) repeating group (below), or the instrument definition if using a short form request. O = Open C = Close N = None* *Orders with an *OrderCapacity* (47) = M or N will not be required to specify *OpenClose* on their orders or may optionally specify a value of 'N', unless the series is limited to closing only. If the series is limited to closing only transactions, only *OrderCapacity* (47) = M will be permitted to submit *OpenClose* = O if the order has a *TimeInForce (59)* = 3 (IOC) and *RoutingInst (9303)* = B.
➔	➔	22027	*AllocAdditionalClientInfo* (C1 only)	N	Client information populated by the Member during order entry for two sided auction orders. Should not be populated if *AdditionalClientInfo* (22022) is populated, 16 characters or less (ASCII 32-126). This field value is recorded and returned in execution reports through *AdditionalClientInfo* (22022). Available via FIX Drop and Odrop.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG		FIELD NAME	REQ'D	DESCRIPTION
555 *Repeating Group*		*NoLegs*	Y	Indicates the number of legs in this complex order. Minimum of 2, maximum of 16 total legs, including 1 equity leg. A minimum of 2, maximum of 100 total legs, including 1 equity leg are allowed on non-FLEX Floor-Routed orders (C1 only).
➔	654	*LegRefID*	Y	***Required tag to start each repeated group.*** Leg ID chosen by client. Five alphanumeric or space characters or less.
➔	600	*LegSymbol*	Y	OSI root symbol (upper case), underlying symbol, or Cboe format symbol (case sensitive). **Not required for short form requests**
➔	608	*LegCFICode*	N	CFI Code for leg. Required if tag 600 is an OSI root. OP = Option Put OC = Option Call E = Equity. Required for equity legs of complex orders **Not required for short form requests**
➔	611	*LegMaturityDate*	N	Indicates maturity date (YYYYMMDD) for the option contract in leg. Required if tag 600 is an OSI root. **Not required for short form requests**
➔	612	*LegStrikePrice*	N	Indicates strike price for option contract in leg. Required if tag 600 is an OSI root. 0 - 999999.999 **Not required for short form requests**
➔	623	*LegRatioQty*	Y	Ratio of number of contracts in this leg per order quantity. All legs must be reduced (i.e., 2:2 must be sent as 1:1) in order to be accepted by the system when using this message type. Accepted values will be 1 - 999,999. **Not required for short form requests**
➔	624	*LegSide*	Y	Side is from the Agency side's perspective: 1 = Buy 2 = Sell **Not required for short form requests**
➔	566	*LegPrice*	N	Only applies for FLEX orders. If *PriceType* (423) = 1 Traded as percentage (FLEX Only) -999,999.99% to 999,999.99% If *PriceType* (423) = 2 or D Limit price for this order. Order rejected if priced finer than the minimum trading increment for the option. Numeric $0.01 - $999,999.99.
➔	22024	*LegDelta (C1 only)*	N	Only applies for FLEX DAC orders. Indicates the specific delta value applied to each leg. For calls, the delta value for a call leg must be ≤ delta of the call leg with the next largest strike price. As the strike price increases, the delta should decrease. Valid values are 0.0001 to 1.0000.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			For Puts, the delta value for a put leg must be ≥ delta of the put leg with the next smallest strike price. As the strike price increases, the delta should increase. Valid values are -1.0000 to -0.0001. The maximum number of legs on a FLEX DAC order is 99. Equity legs are allowed on FLEX orders. FLEX DAC orders allow up to 98 options legs and one equity leg.
7933	*RoutingFirmID*	N	Used to optionally convey the routing firm of the order. If supplied, value must be a valid EFID.
6253	*DrillThruProtection*	N	Amount sender is willing to trade through SNBBO at time of order entry. A zero value provides full SNBBO protection. The amount should be entered as a non-negative dollar value. Exchange default values are 5% of the opposite of the SNBBO, with a minimum value of $0.02, a maximum value of $2.00 for SPX/SPXW, and a maximum value of $0.25 for non-SPX/SPXW. Values provided on the **`New Order Cross Multileg`** message do not have a minimum or maximum.
423	*PriceType*	N	`1` = Percentage, when trading FLEX percentage instruments `2` = (Default) Price per unit (contract) `D` = FLEX DAC
9040	*AutoMatch*	N	`0` = Disabled `1` = Market `2` = Limit `3` = Market. No starting price adjustments. `4` = Limit. No starting price adjustments. Better-priced responses will be automatically matched by the Contra side. Indicates the type of Auto Match the Contra Order will use. Mutually exclusive with *LastPriority* (9849).
9044	*AutoMatchPrice*	N	Required if *AutoMatch* is set to '2' or '4', ignored otherwise. Sets the limit price at which the Contra Order will Auto Match. Format is the same as *Price* (44). ***AutoMatchPrice is from the perspective of the Contra Side.*** **Short form request** Net Auction Price of the Strategy. **Buy Orders:** Positive Value, Debit Negative Value, Credit Even Order - 0 (Zero) **Sell Orders:** Positive Value, Credit Negative Value, Debit Even Order - 0 (Zero) **Long form request** Net Auction Price of the Strategy. Positive Value, Debit

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Negative Value, Credit Even Order - 0 (Zero)
9732	*AttributedQuote*	N	Allow for order to be attributed to order's EFID in Cboe market data feeds. The order may also be included within attributed summary information displays related to quote/trade information on the Cboe web site. **Applies to Agency Side only.** N = (Default) Do not attribute EFID to this order. Y = Attribute EFID to this order. C = Atrribute *ClientID* (109) Only Z = Attribute both EFID (115) and *ClientID* (109)
109	*ClientID*	N	User defined identifier for quote attribution if *AttributedQuote* (9732) = C or Z. **Applies to Agency Side only.**
1462	*TargetPartyID*	N	Preferred Market Maker is required for Directed Orders. **Applies to Agency Side only.**
7928	*PreventMatch*	N	Cboe Match Trade Prevention: 3 characters (not space separated): **1st character - MTP Modifier:** N = Cancel Newest O = Cancel Oldest **2nd character - Unique ID Level:** F = Prevent Match at Cboe Exchange Member level M = Prevent Match at MPID Level **3rd character - Trading Group ID (optional):** Member specified alphanumeric value 0-9, A-Z, or a-z. The Unique ID Level (character 2) of both orders must match to prevent a trade. If specified on both orders, Trading Group ID (character 3) must match to prevent a trade. MTP instructions on the cross order will be used to prevent executions against responses only; executions against resting or unrelated orders will be permitted. Responses may only employ "Cancel Newest", in which case the response will be cancelled and the auction order will continue. **Applies to Agency Side only.**
9849	*LastPriority*	N	0 = Disabled 1 = Enabled When enabled, allocation will go to other participants' responses before requiring the Contra Order to satisfy remaining contracts of the Agency Order. Mutually exclusive with *AutoMatch* (9040).
21010	*FLEXAuctionDuration*	N	Duration of the FLEX Auction in milliseconds. The minimum valid value is 3,000 milliseconds. The maximum valid value is 300,000 milliseconds. Applicable only to FLEX instruments.
21005	*FLEXHedgeExecInst* (C1 only)	N	Hedge execution instruction to carry the hedge information for the order.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Applicable only the FLEX instruments.
22003	*ORS* (C1 only)	N	Order router subsidy eligible (used for billing purposes). N = No (Default) Y = Yes
22006	*Compression* (C1 only)	N	Order is a compression trade. N = No (Default) Y = Yes When *CrossType* (549) = 4 this field should not be specified.
22011	*EquityTradePrice*	N	Price at which the equity associated with a QCC traded. Valid when *CrossType* (549) = 2.
22012	*EquityTradeSize*	N	Number of shares executed in the equity associated with a QCC trade. Valid when *CrossType* (549) = 2.
22013	*EquityTradeVenue*	N	Exchange venue where equity associated with a QCC traded. Valid when *CrossType* (549) = 2. A = NYSE American B = Nasdaq Texas C = NYSE National I = Investors Exchange J = Cboe EDGA Exchange K = Cboe EDGX Exchange M = CHX N = NYSE P = NYSE Arca Q = Nasdaq X = Nasdaq PSX Y = Cboe BYX Exchange Z = Cboe BZX Exchange
22014	*EquityBuyClearingFirm*	N	Clearing firm on buy side of the equity associated trade associated with a QCC. Valid when *CrossType* (549) = 2.
22015	*EquitySellClearingFirm*	N	Clearing firm on sell side of the equity associated trade associated with a QCC. Valid when *CrossType* (549) = 2.
22016	*EquityExDestination* (C1 and EDGX only)	N	Valid when *LegSymbol* (600) = Equity symbol. Exchange venue to which equity leg matching will be submitted. Supported values are: C = TD Securities (USA) LLC (default) P = Penserra via NYSE Chicago F = FOG Equities via NYSE Chicago L = Libucki & Co. via NYSE Chicago S = SRT Securities via NYSE Chicago If buyer and seller do not provide matching venues, then the equity match will be reported to TD Securities (USA) LLC (C).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
22026	*CrossInitiator* (C1 and EDGX only)	Y	MPID field required on orders routed to destinations via NYSE Chicago using *EquityExDestination* (22016). Should be populated with the originator or routing broker MPID. May or may not be the same as the agency/contra MPID. Note that Broker Choice is allowed on any stock/option order including FLEX or Non-FLEX orders of any ratio.
22028	*CrossOnBehalfOfID* (C1 and EDGX only)	N	Optional identifier of the initiating customer on orders routed to destinations via NYSE Chicago using *EquityExDestination* (22016). Populate with the order initiator's MPID or any other identifier of choice. Should be populated if not the same broker specified in *CrossInitiator* (22026). Note that Broker Choice is allowed on any stock/option order including FLEX or Non-FLEX orders of any ratio.
22060	*EquityTransactTime*	N	GMT date-time of equity trade associated with a QCC trade. Valid when *CrossType* (549) = 2. YYYYMMDD-HH:MM:SS.000
22021	*TerminalOperatorId* (C1 only)	N	The ID associated with the operator logged into the terminal when an order is entered. 20 characters or less (ASCII 32-126). This field is recorded and returned in execution reports. Available via FIX Drop and Odrop.
22022	*AdditionalClientInfo* (C1 only)	N	Client information populated by the Member during order entry via terminal. Should not be populated if *AllocAdditionalClientInfo* (22027) is populated. 16 characters or less (ASCII 32-126). This field is recorded and returned in execution reports. Available via FIX Drop and Odrop.
22025	*ReferencePrice* (C1 only)	N	Reference price for underlying security or index of a FLEX DAC order. If a reference price is not specified, the system applies the current value of the underlying at the time of order entry.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

New Order Multileg Message Fields

A **`New Order Multileg`** message is used to submit a complex order. The message consists of all order details including a number of required fields such as *Price* (44), *OrdQty* (38), and relevant clearing information, as well as a number of optional fields. Complex orders in cross product spreads (i.e., SPX/SPXW, IWM/RUT, DIA/DJX, VIX/VXX) where the products do not operate on the same matching unit cannot leg into the simple book.

The **`New Order Multileg`** message supports two distinct styles of request:

Short Form

If the complex symbol is known at the time of entry, a short form of the **`New Order Multileg`** message can be utilized. Note that Complex Symbol ID's may be different between all Cboe Options Exchanges.

- *Symbol* (55) and *Side* (54) are required.
- *LegRefID* (654) and *LegPositionEffect* (564) are required for each of the legs. The order of the legs (and *LegPositionEffect*) must match the Security Definition response, as legs can be re-ordered during security definition.
- Sending any additional fields in the legs repeating group (*LegSymbol*, *LegCFICode*, *LegMaturityDate*, *LegStrikePrice*, *LegRatioQty*, or *LegSide*) will result in the order being rejected to avoid confusion with an invalid long form request.

Long Form

If the complex symbol is not known, a long form of the request exists to enter the symbol legs at the same time as the order. The legs will be used to find an appropriate complex symbol in the Cboe Complex Order Book; the resulting symbol (if accepted by the system) will be returned on the **`Execution Report`** message in *Symbol* (55). A minimum of two (2) legs must be specified and a maximum of 16 legs will be accepted. For non-FLEX Floor-Routed orders, a minimum of two (2), maximum of 100 total legs, including one (1) equity leg (C1 only) will be supported.

- If *Symbol* (55) or *Side* (54) are present and non-blank, the order will be rejected to avoid confusion with an invalid short form request.
- Each leg must be fully entered as described below.

Please see the Cboe Titanium U.S. Options Complex Book Process for more information on complex orders.

Table 31. New Order Multileg Message Fields

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	*Standard Message Header*	Y	*MsgType*= AB
97	*PossResend*	N	N = (Default) Indicates a new order. Y = Indicates an application level resend and is NOT SUPPORTED.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			For reasons of economy, Cboe does not track in primary storage the *ClOrdID* values of orders that are no longer live. For reasons of performance, Cboe does not access secondary storage to enforce unique *ClOrdID* values against orders that are no longer live. Without full duplicate *ClOrdID* value enforcement, it is not possible to safely implement the full behavior specified in the FIX 4.2 Protocol for *PossResend* = Y. To remain economical, fast *and* safe, all messages with *PossResend* = Y will be simply ignored.
1	*Account*	N	This field will be reflected back on execution reports and on FIX DROP ports on an opt-in basis. It will also be passed through to the OCC in the Optional Data field (16 characters) and Customer ID field (max 10 characters). 16 characters or less (ASCII 33-126). A maximum of 10 characters will be passed through to the OCC Customer ID Field but up to 16 characters will be maintain internally. *Account* (1) will only be mapped to the OCC via the Customer ID field (max 10 characters) and the new *ClearingOptionalData* (9324) field will be mapped to the OCC via the Optional Data field (16 characters).
9324	*ClearingOptionalData*	N	This field will be reflected back on execution reports and FIX DROP ports, and will be passed through to the OCC in their Optional Data field. 16 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
11	*ClOrdId*	Y	ID chosen by client. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*. If the *ClOrdId* matches a live order it will be rejected as duplicate (unless PossResend= Y, see above). Note: Cboe only enforces the uniqueness of ClOrdID values among currently live orders, **which includes long-lived, persisting GTC/GTD orders**. However it is strongly recommend users maintain unique *ClOrdID* values.
60	*TransactTime*	Y	Time order initiated/released. Required by FIX 4.2.
167	*SecurityType*	Y	Indicates the type of security MLEG= Multileg
54	*Side*	Y	***Required only for short form request*** 1 = Buy 2 = Sell
55	*Symbol*	Y	***Required only for short form request*** Cboe Complex Order Book symbol (case sensitive)
555 *Repeating Group*	*NoLegs*	Y	Indicates the number of legs in this complex order. Minimum of 2, maximum of 16 total legs, including 1 equity leg.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG		FIELD NAME	REQ'D	DESCRIPTION
				A minimum of 2, maximum of 100 total legs, including 1 equity leg will be allowed on non-FLEX 'Floor-Routed' orders (C1 only).
➔	654	*LegRefID*	Y	***Required tag to start each repeated group.*** Leg ID chosen by client. Five alphanumeric or space characters or less.
➔	600	*LegSymbol*	Y	OSI root symbol (upper case) or Cboe format symbol (case sensitive) **Not required for short form requests**
➔	608	*LegCFICode*	N	CFI Code for leg. Required if tag 600 is an OSI root. OP= Option Put OC= Option Call E = Equity - Required for Equity legs of complex orders (C1 and EDGX Only)
➔	611	*LegMaturityDate*	N	Indicates maturity date (YYYYMMDD) for the option contract in leg. Required if tag 600 is an OSI root.
➔	612	*LegStrikePrice*	N	Indicates strike price for option contract in leg. Required if tag 600 is an OSI root. 0 - 999999.999
➔	623	*LegRatioQty*	Y	Ratio of number of contracts in this leg per order quantity. All legs must be reduced (i.e., 2:2 must be sent as 1:1) in order to be accepted by the system when using this message type. Accepted values will be 1 -999,999. C2 and EDGX Only In addition, when reduced, the ratio between the smallest and largest leg must be no more than 1:3. **Not required for short form requests**
➔	624	*LegSide*	Y	1 = Buy 2 = Sell 5 = Sell Short (stock leg only) 6 = Sell Short Exempt (stock leg only) **Not required for short form requests**
➔	566	*LegPrice* (C1 only)	N	Only applies for FLEX orders. This field is optional for complex FLEX orders that are routed directly to the floor using *FloorRoutingInst* (22303) = D. It can be included for all legs, a subset, or none.
➔	564	*LegPositionEffect*	Y*	Indicates status of client position in option for this leg. O = Open C = Close N = None* *Orders with an *OrderCapacity* (47) of 'M' or 'N' will not be required to specify *LegPositionEffect* on their orders or may specify a value of 'N'. A <blank> will be sent to OCC. If the series is limited to closing only transactions, only *OrderCapacity* (47) = M will be permitted to submit *OpenClose* = O if the order has a *TimeInForce (59)* = 3 (IOC) and *RoutingInst (9303)* = B.
➔	22024	*LegDelta* *(C1 only)*	N	Only applies for FLEX DAC orders. Indicates the specific delta value applied to each leg.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			For Calls, the delta value for a call leg must be ≤ delta of the call leg with the next largest strike price. As the strike price increases, the delta should decrease. Valid values are 0.0001 to 1.0000. For Puts, the delta value for a put leg must be ≥ delta of the put leg with the next smallest strike price. As the strike price increases, the delta should increase. Valid values are -1.0000 to -0.0001. The maximum number of legs on a FLEX DAC order is 99. Equity legs are allowed on FLEX orders. FLEX DAC orders allow up to 98 options legs and one equity leg.
7933	*RoutingFirmID*	N	Used to optionally convey the routing firm of the order. If supplied, value must be a valid EFID.
18	*ExecInst*	N	Single value only (with no trailing space) G = All or None (AON). Order must be DAY and COA eligible(C1 and EDGX only)
38	*OrderQty*	Y	Number of contracts for order, 1 to 999,999
111	*MaxFloor* (C2 Only)	N	Portion of *OrderQty* to display. The balance is reserve. 0 = Display entire quantity (Default). The displayed quantity of each order at a price level is decremented first. When displayed quantity is fully decremented, it is reloaded up to MaxFloor from reserve. Ignored if order is IOC. An order with a *MaxFloor* greater than 0 will be rejected for Cboe proprietary classes (such as DJX, RUT, SPX, XSP, and VIX).
8020	*DisplayRange*	N	Used for random replenishment of reserve orders. This is the random replenishment amount in contracts. The value specified will create a *DisplayRange* around *MaxFloor*. Value must be less than the value specified for *MaxFloor*. **Example** If *MaxFloor* = 20 and *DisplayRange* = 2, the displayed quantity will be selected randomly from one of the following values: 18, 19, 20, 21, 22.
40	*OrdType*	Y	1 = Market 2 = Limit 4 = Stop Limit (effective 05/18/26) Note market and stop/stop limit orders are not supported during GTH or Curb sessions.
44	*Price*	Y	Accepted values will be -$999,999,999.90 to $999,999,999.90. **Short form request** Net Price of the Strategy. **Buy Orders:** Positive Value, Debit Negative Value, Credit Even Order - 0 (Zero) **Sell Orders:** Positive Value, Credit

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Negative Value, Debit Even Order - 0 (Zero) **Long form request** Net Price of the Strategy. Positive Value, Debit Negative Value, Credit Even Order - 0 (Zero) Price must be in whole pennies for option-only spreads. Can be up to 4 decimal places for spreads with stock legs and FLEX instruments.
439	*ClearingFirm*	N	CMTA Number of the firm that will clear the trade. Must be supplied for CMTA orders and left unspecified for non-CMTA orders.
440	*ClearingAccount*	N	When *OrderCapacity* (47) is set to a value of 'M' or 'N' this field should be filled with desired market maker ID. When *OrderCapacity* (47) is set to a value of 'M' any unregistered Market-Maker Accounts in this field will cause the quote or order to be rejected with a reason code of 'A' and sub-reason code 'L'. When using CMTA, this value is the market maker ID for the CMTA member instead of the Cboe member executing the trade. This field will be passed through to the OCC Sub Account ID field and may be up to four alphanumeric characters. If *OrderCapacity* (47) is not set to 'M' or 'N' and *ClearingAccount* is populated the order will be rejected by default on C1 and C2 and will be accepted by default for BZX and EDGX Only. This field is recorded and returned in execution reports. Available via FIX Drop.
6253	*DrillThruProtection*	N	Amount sender is willing to trade through SNBBO at time of order entry. A zero value provides full SNBBO protection. The amount should be entered as a non-negative dollar value. Exchange default values are 5% of the opposite of the SNBBO, with a minimum value of $0.02, a maximum value of $2.00 for SPX/SPXW, and a maximum value of $0.25 for non-SPX/SPXW. Values provided on the **`New Order Multileg`** message do not have a minimum or maximum.
9303	*RoutingInst*	N	**1st character** B = Book Only (Default) Allowed to interact with single-leg orders and other complex orders P = Post Only[1] D = Complex Book Only. Allowed to interact with other complex orders only. Requires *TimeInForce* (59) = 0 (DAY) or 3 (IOC) AND *OrderCapacity* (47) = M. **2nd character** L = Do not Expose order via Complex Option Auction (COA) S = Expose order via Complex Option Auction (COA)[1] (Default)

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Non-IOC orders will default the 2nd character to 'S' and IOC orders will default the 2nd character to 'L' unless otherwise specified. [1]Post Only COA eligible orders *RoutingInst* (9303) = PS not supported.
9732	*AttributedQuote*	N	Allow for order to be attributed to firm's Executing Firm ID (EFID) in Cboe market data feeds. The order may also be included within attributed summary information displays related to quote/trade information on the Cboe web site. Must opt-in to support through the Cboe Trade Desk. N = (Default) Do not attribute *EFID* (115) to this order. Y = Attribute *EFID* (115) to this order. C = Attribute *ClientID* (109) only. Z = Attribute both *EFID* (115) and *ClientID* (109).
109	*ClientID*	N	User-defined identifier for quote attribution if *AttributedQuote* (9732) = C or Z.
1462	*TargetPartyID* (C1 and EDGX only)	N	A valid ParentID of the Directed Market Maker (EDGX only) or Preferred Market Maker (C1 only) is required for Directed Orders.
9370	*AuctionID*	N	Auction order identifier supplied by Cboe. This identifier corresponds to the identifiers used in Cboe market data products.
47	*Rule80A (aka OrderCapacity)*	Y	The capacity for the order. C = Customer F = Firm M= Market Maker U = Professional Customer N = Away Market Maker B = Broker-Dealer J = Joint Back Office L = Non-TPH Affiliate(C1 and C2 only) D = Non-TPH Broker-Dealer (FLEX only)(C1 only)
59	*TimeInForce*	N	0 = DAY (Default) Expires at end of market day. 1 = GTC. Remains in system until executed, canceled or option expires. 2 = At The Open. Will remain queued and only interact in the Opening Process. 3 = IOC. Portion not filled immediately is cancelled. 6 = GTD. Expires at specified *ExpireTime* for a specified day.
22017	*SessionEligibility* (C1 only)	N	R = (Default) Order participates in Regular Trading Hours only. A = Order participates in both Global and Regular Trading Hours. Also allows for participation in Curb Trading Session. B = Order participates in both Regular Trading Hours and Curb Session.
126	*ExpireTime*	N	Required for *TimeInForce* = 6 (GTD) orders. Specifies the date-time (in GMT) that the order expires. Values may be specified at a millisecond level.
7928	*PreventMatch*	N	Cboe Match Trade Prevention. 3 characters (not space separated):

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			1st character - MTP Modifier ***: N = Cancel Newest O = Cancel Oldest B = Cancel Both 2nd character - Unique ID Level: F = Prevent Match at Cboe Exchange Member level M= Prevent Match at MPID Level 3rd character - Trading Group ID (optional): Member specified alphanumeric value 0-9, A-Z, or a-z. The Unique ID Level (character 2) of both orders must match to prevent a trade. If specified on both orders, Trading Group ID (character 3) must match to prevent a trade. *** Note: These values only apply on complex vs. complex matches. When a complex order with Match Trade Prevention interacts with a single-leg order with Match Trade Prevention, the complex order will always be cancelled.
7692	*RiskReset*	N	For use by Users using Cboe's Risk Management tools to reset or release firm, symbol or Custom Group ID level lockout conditions resulting from risk profile trips or self-imposed lockouts issued via **`Cancel Order`** or **`Purge Orders`** messages. Single Character Values - with counter reset: S = Risk Root-level risk/lockout reset F = EFID level risk/lockout reset G = EFID Group level risk/lockout reset[1] C = CustomGroupID lockout reset Single Character Values - without counter reset: T = Risk Root-level risk/lockout reset E = EFID risk/lockout reset Values may be combined together to allow for resets of multiple risk trips or self-imposed lockouts in a single message. For example, 'FS', 'SC', 'FC', and 'SFC' are all acceptable value;. For more information, see the Cboe Titanium U.S. Options Risk Management Specification.
7699	*CustomGroupID*	N	Optional User-specified ID for the order. Cancellation by *CustomGroupID* available using Purge Port Protocol - Member to Cboe on page 115 only. Integer 1-65535
423	*PriceType* (C1 only)	N	1 = Percentage, when trading FLEX percentage instruments 2 = (Default) Price per unit (contract) 3 = Fixed amount (cash spread pricing) - only for complex orders routed to floor. D = FLEX DAC
9465	*OrderOrigin* (C1 only)	N	Floor acronym of Market Maker on whose behalf this order is being entered by a floor broker.
20012	*Held* (C1 only)	N	Y = Mark order as Held N = Mark order as Not Held

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Default value is 'N' if the order is direct routed to a Non-PAR Official on the floor
21010	*FLEXAuctionDuration* (C1 Only)	N	Duration of the FLEX Auction in milliseconds. The minimum valid value is 3,000 milliseconds. The maximum valid value is 300,000 milliseconds. Applicable only to FLEX instruments.
21005	*FLEXHedgeExecInst* (C1 only)	N	Hedge execution instruction to carry the hedge information for the order. Applicable only to FLEX instruments.
21008	*FLEXPreFacilPrice* (C1 only)	N	The pre-facilitation price for the hedge instruction. Applicable only to FLEX instruments.
21097	*FrequentTraderID* (C1 only)	N	Identifies the frequent trader program in which the order is participating. Six alphanumeric characters or less (0-9, A-Z, or a-z).
22303	*FloorRoutingInst* (C1 only)	N	D = Direct. Do not attempt to process electronically[1] E = Electronic only X = Route to floor if unable to process electronically[1] <blank> = Port level default The default value for any given port can be changed by requesting an update to the Default FloorRoutingInst port attribute. [1] When *FloorRoutingInst* is D or X, *RoutingInst* (9303) must be set to B for complex or FLEX instruments.
22002	*StrategyID* (C1 only)	N	Used to declare when a strategy is used. C = Conversion R = Reversal M= Merger S = Short stock interest J = Jelly roll F = CompressionForum B = BoxSpread A = BoxSwap
22003	*ORS* (C1 only)	N	Order router subsidy eligible (used for billing purposes). N = No (Default) Y = Yes
22005	*ComboOrder* (C1 only)	N	Used to declare the order as a Combo (for regulatory relief if trading SPX on the floor). N = (Default) No Y = Yes
22006	*Compression* (C1 only)	N	Order is a compression trade. N = No (Default) Y = Yes
22018	*TiedHedge* (C1 only)	N	Order is a tied hedge. N = No (Default) Y = Yes
22008	*EquityPartyID* (C1 and EDGX only)	N	MPID used to clear the equity leg being cleared via the Exchange.
22016	*EquityExDestination*	N	Valid when *LegSymbol* (600) = Equity symbol.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
	(C1 and EDGX only)		Exchange venue to which equity leg matching will be submitted. Supported values are: C = TD Securities (USA) LLC (default) P = Penserra via NYSE Chicago F = FOG Equities via NYSE Chicago L = Libucki & Co. via NYSE Chicago S = SRT Securities via NYSE Chicago If buyer and seller do not provide matching venues, then the equity match will be reported to TD Securities (USA) LLC (C).
22026	*CrossInitiator* (C1 and EDGX only)	Y	MPID field required on orders routed to destinations via NYSE Chicago using *EquityExDestination* (22016). Should be populated with the originator or routing broker MPID. May or may not be the same as the buyer/seller MPID. Note that Broker Choice is allowed on any stock/option order including FLEX or Non-FLEX orders of any ratio.
22028	*CrossOnBehalfOfID* (C1 and EDGX only)	N	Optional identifier of the initiating customer on orders routed to destinations via NYSE Chicago using *EquityExDestination* (22016). Populate with the order initiator's MPID or any other identifier of choice. Should be populated if not the same broker specified in *CrossInitiator* (22026). Note that Broker Choice is allowed on any stock/option order including FLEX or Non-FLEX orders of any ratio.
22624	*EquityLegShortSell* (C1 and EDGX only)	N	5 = Sell Short (stock leg only) 6 = Sell Short Exempt (stock leg only) **Valid for short form requests only.**
22100	*FloorDestination* (C1 only)	N	Specifies a default PAR workstation (ex. W001) to route to on the floor (or PARO to route to the Floor PAR Official of the underlying symbol) if not specified on inbound messages. 4 characters or less (ASCII 33-126).
22021	*TerminalOperatorId* (C1 only)	N	The ID associated with the operator logged into the terminal when an order is entered. 20 characters or less (ASCII 32-126). This field is recorded and returned in execution reports. Available via Odrop.
22022	*AdditionalClientInfo* (C1 only)	N	Client information populated by the Member during order entry via terminal. 16 characters or less (ASCII 32-126). This field is recorded and returned in execution reports. Available via Odrop.
22025	*ReferencePrice* (C1 only)	N	Reference price for underlying security or index of a FLEX DAC order. If a reference price is not specified, the system applies the current value of the underlying at the time of order entry.
99	*StopPx* (effective 05/18/26)	N	The trigger price for stop-limit complex orders. Required if *OrdType* (40) = 4. Only one trigger condition can be designated per order. The stop limit trigger conditions are as follows:

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Net price of the complex strategy: an order will trigger when either the same side Market-Maker SBBO equals or betters the designated threshold price, or a trade in the same complex instrument occurs via COB, COA, AIM, SAM, or PAR at or better than the designated threshold price. **Underlying price:** an order will trigger when a designated threshold price of the underlying security is either (i) at or above the underlying price or index level or (ii) at or below the underlying price or index level. For (i) the underlying price designated must be higher, and for (ii) the underlying price designated must be lower, than the current value of the equity same side NBBO or index level. If not, the order will be rejected. Equity: triggers when the underlying security bid (ask) is equal to or higher (lower) than the designated stop price, or a trade occurs at a price equal to or higher (lower) than the stop price. Index: triggers when the underlying index level is equal to or higher (lower) than the designated threshold price. This trigger does not include any bid/ask component.
25026	*StopPxType* (effective 05/18/26)	N	Indicates what kind of stop price is being sent. L = Fixed limit price B = Fixed underlying bid price or index level (complex orders only) A = Fixed underlying ask price or index level (complex orders only)
	Standard Message Trailer	Y	

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Security Definition Request Message Fields

A **`Security Definition Request`** message is used to request that the system create a complex strategy. The resulting symbol (if accepted by the system) will be returned in a Security Definition Message Fields on page 114 with the Cboe symbol in ***Symbol*** (55). A minimum of two legs must be specified and a maximum of sixteen option legs (16), one of which may be an equity leg (C1 and EDGX only), will be accepted. For non-FLEX Floor-Routed orders, a minimum of two (2), maximum of 100 total legs, including one (1) equity leg (C1 only) will be supported.

For non-FLEX instruments, a minimum of two legs must be specified and a maximum of sixteen option legs (16), one of which may be an equity leg (C1 and EDGX only), will be accepted. For FLEX instruments, a minimum of one leg must be specified and a maximum of 100 legs will be accepted. Equity legs are allowed on FLEX orders. FLEX instruments allow up to 99 options legs and one equity leg.

Simple and complex FLEX instruments may be created using the **`Security Definition Request`**.

Table 32. Security Definition Request Message Fields

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	*Standard Message Header*	Y	*MsgType*= c
97	*PossResend*	N	N = (Default) indicates a new order. Y = Indicates an application level resend and is NOT SUPPORTED. For reasons of economy, Cboe does not track in primary storage the *ClOrdID* values of orders that are no longer live. For reasons of performance, Cboe does not access secondary storage to enforce unique *ClOrdID* values against orders that are no longer live. Without full duplicate *ClOrdID* value enforcement, it is not possible to safely implement the full behavior specified in the FIX 4.2 Protocol for *PossResend* = Y. To remain economical, fast *and* safe, all messages with *PossResend* = Y will be simply ignored.
11	*ClOrdId*	Y	ID chosen by client. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*. If the *ClOrdId* matches a live order it will be rejected as duplicate (unless PossResend= Y, see above). Note: Cboe only enforces the uniqueness of ClOrdID values among currently live orders, **which includes long-lived, persisting GTC/GTD orders**. However it is strongly recommended users maintain unique ClOrdID values.
60	*TransactTime*	Y	Time request initiated/released. Required by FIX 4.2.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
167	*SecurityType*	Y	Indicates the type of security MLEG= Multileg
423	*PriceType*	N	Required for FLEX instruments only. 1 = Percentage (when trading FLEX percentage instruments) 2 = (Default) Price per unit (contract)
555 *Repeating Group*	*NoLegs*	Y	Indicates the number of legs in this complex order. For Non-FLEX instruments: a minimum of 2 legs, maximum of 16 legs. For FLEX instruments: a minimum of 1 leg, maximum of 100 legs. Equity legs are allowed on FLEX orders. FLEX instruments allow up to 99 options legs and one equity leg. For non-FLEX 'Floor-Routed' orders, a minimum of 2, maximum of 100 total legs, including 1 equity leg (C1 only).
➔ 654	*LegRefID*	Y	***Required tag to start each repeated group.*** Leg ID chosen by client. Five alphanumeric or space characters or less.
➔ 600	*LegSymbol*	Y	OSI root symbol (upper case) or Cboe format symbol (case sensitive). OSI root symbol (upper case) is required for FLEX instruments.
➔ 608	*LegCFICode*	N	CFI Code for leg. Required if Tag 600 is an OSI root. OP= Option Put OC= Option Call E = Equity. Required for equity legs of complex orders (C1 only) (Not applicable to FLEX instruments).
➔ 611	*LegMaturityDate*	N	Indicates maturity date (YYYYMMDD) for the option contract in leg. Required if tag 600 is an OSI root.
➔ 612	*LegStrikePrice*	N	Indicates strike price for option contract in leg. Required if tag 600 is an OSI root. 0 - 999999.999
➔ 623	*LegRatioQty*	Y	Ratio of number of contracts in this leg per order quantity. All legs must be reduced (i.e., 2:2 must be sent as 1:1) in order to be accepted by the system when using this message type. C2 and EDGX Only: In addition, when reduced, the ratio between the smallest and largest leg must be no more than 1:3. Accepted values are 1 - 999,999. For simple (one legged) FLEX Instruments, this field is ignored.
➔ 624	*LegSide*	Y	1 = Buy 2 = Sell For simple (one legged) FLEX Instruments, this field is ignored.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Order Cancel Request Message Fields

Request the cancellation of a single order or multiple orders on the FIX session. Note that **`Order Cancel Request`** messages do not apply to open orders across multiple sessions unless submitted on a Purge Port Protocol - Member to Cboe on page 115.

A single order cancellation uses the ***ClOrdID*** from a previous order using the ***OrigClOrdID*** (41) field.

`Order Cancel Request` messages for GTC and GTD orders may continue to be issued anytime after the trading session ends. All other order message types received after the market closes will be rejected. See Cancellation of Carried Orders Between Trading Sessions on page 13 for more details on when orders are allowed to be cancelled following the close of trading.

Mass cancellation of a group of orders can be implemented using the***MassCancelInst*** optional field.

- Specify the *MassCancelInst* (7700) field
- Specify the *OnBehalfOfCompId (115)* field, optionally specify Risk Root in *Symbol* (55) field, and optionally *MassCancelID* (7695) if the Acknowledgement Style is set to S or B.

When specifying the RiskRoot field, using the underlying symbol is strongly recommended. Mass cancellations are always performed at the risk root (underlying) level.

The system limits the rate at which identical Mass Cancel and Purge Orders requests can be submitted to the system. Requests are restricted to ten (10) messages per second per port.

An identical Mass Cancel message is defined as a message having all of the same ***CustomGroupID***, ***Symbol***, ***Clearing Firm***, ***Lockout Instruction***, ***Instrument Type Filter***, and ***GTC Order Filter*** field values as a previously received message.

Table 33. Order Cancel Request Message Fields

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	Standard Message Header	Y	*MsgType* = F
97	*PossResend*	N	Y = Indicates an application level unsolicited resend. If *ClOrdID* has not yet been seen, the cancel is treated as normal. If *ClOrdID* already exists, the resent cancel is ignored. N = (Default) Indicates a new cancel.
11	*ClOrdID*	Y	ID chosen by user. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*. Duplicate cancel order *ClOrdID*s will be rejected (or ignored if *PossResend* = Y).
41	*OrigClOrdID*	Y	*ClOrdID* of the order to cancel. Either *OrigClOrdID* or *OrderId* must be populated.
37	*OrderId*	N	*OrderID* supplied by Cboe on the order acknowledgement. Optional but recommended for performance. Either *OrigClOrdID* or *OrderId* must be populated.
60	*TransactTime*	Y	Time cancel initiated/released. Required by FIX 4.2.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
55	*Symbol*	N	Risk Root symbol for a mass cancel.
77	*OpenClose*	N	Open/Close position indicator O = Open C = Close N = None
200	*MaturityMonth*	N	Maturity Month
205	*MaturityDay*	N	Expiration date day of month Format: DD
201	*PutOrCall*	N	0 = Put 1 = Call
202	*StrikePrice*	N	Strike Price for option 0 - 999,999.99
54	*Side*	N	1 = Buy 2 = Sell
38	*OrderQty*	N	Number of contracts for order. Must match original order.
7700	*MassCancelInst*	N	Used to perform Mass Cancel operation as opposed to a single order cancel. If *MassCancelInst* is provided, tags 37, 41, 77, 200, 205, 201, 202, 54 and 38 will be ignored. At least one character must be provided (Clearing Firm Filter). Contiguous characters must be specified up to total length. Truncated (unspecified) characters will default to values indicated below. EFID values specified in *OnBehalfOfCompId* (115) that are not allowed to clear for the firm will be rejected. **1st Character : Clearing Firm Filter** A = No filtering by EFID is performed. F = All orders that were sent under the EFID specified in *OnBehalfOfCompId (115)* will be cancelled. If "F" specified and *OnBehalfOfCompId (115)* is not provided, the Mass Cancel or Purge Order messages will be rejected. **2nd Character : Acknowledgement Style** M= (Default) Individual Execution Reports are sent for each cancelled order. S = Single Execution Report sent once all cancels have been processed. Single Execution Report will contain *MassCancelId (7695)* and *CancelledOrderCount (7696)*. *MassCancelId* (7695) must be specified or the Order Cancel Request message will be rejected. B = Both Individual Execution Reports and summary Single Execution Report. Also requires *MassCancelId* (7695) to be specified, or the Order Cancel Request will be rejected. **3rd Character : Lockout Instruction** N = (Default) No lockout L = Lockout until corresponding Risk Reset received. Lockout can be used only with Clearing Firm Filter set to 'F', otherwise the `Order Cancel Request` will be rejected. Lockout will apply to all new orders and cancel/replace orders for the EFID (and *Symbol* (55), if specified), regardless of other filtering in the *MassCancelInst*. **4th Character : Instrument Type Filter** ***(C2 and EDGX only)*** B = (Default) Cancel both Simple and Complex orders

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			S = Cancel Simple orders only C = Cancel Complex orders only **5th Character : GTC/GTD Order Filter** C = (Default) Cancel GTC/GTD orders P = Don't cancel (preserve) GTC/GTD orders If *Symbol* (55) is specified, it must contain a valid Risk Root, not the Cboe symbol name. By specifying *Symbol* (55), cancels will be limited to a single Risk Root. A self-imposed lockout can be released using the *RiskReset* (7692) field of the **`New Order Single`** or **`New Order Multileg`** message. For more information, see the Cboe Titanium U.S. Options Risk Management Specification.
7695	*MassCancelID*	N	Mass Cancel ID chosen by user. If the populated value ends in a space the message will be rejected. This field will be echoed back in the resulting order execution report when a single execution report Acknowledgement Style is selected. Mass Cancel requests containing a currently outstanding *MassCancelID* will be rejected.
7933	*RoutingFirmID*	N	Required if *RoutingFirmID* is populated on original order message.
	Standard Message Trailer	Y	

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Order Cancel/Replace Request

Only *Price*, *OrderQty*, *OrdType*, *MaxFloor*, and *StopPx* may be adjusted. *OrdType* may be adjusted from Limit to Market (market and stop/stop limit orders are not supported during GTH or Curb sessions).

- Time priority is maintained on an order or quote modification if there is a decrease in *OrderQty* with no other changes.
- Time priority is maintained on an order modification in the following cases:
  - An update to *StopPx* on an unelected stop order with no other changes
  - An update to *MaxFloor* with no other changes
- An order combining two or more of the specific items above does not lose priority.
- Time priority is lost in the following cases:
  - An order involving one of the items above and changes to any other attribute.
  - A quote modification decreasing size and changes to any other attribute.
  - An order or quote modification with no change to any attribute.

Other fields (including *ExecInst*) **will be ignored**, and the value from the original order will be re-used. Note that when a Day ISO is modified, the ISO designation is applied to the new order.

Changes in *OrderQty* result in an adjustment of the current order's *OrderQty*. The new *OrderQty* does **not** directly replace the current order's *LeavesQty*. Rather, a delta is computed from the current *OrderQty* and the replacement *OrderQty*. This delta is then applied to the current *LeavesQty*. If the resulting *LeavesQty* is less than or equal to zero, the order is cancelled. This results in safer behavior when the replace request overlaps partial fills for the current order, leaving the user in total control of the share exposure of the order.

MaxFloor if not specified is preserved from the original order and applied to the new size and price. A change in *MaxFloor* takes effect on the next reserve reload.

A **`Cancel/Replace`** message should not be issued until the ack for the previous **`Cancel/Replace`** message (or the acknowledgement for the first **`Cancel/Replace`** message) for that order has been received. The FIX handler will reject a new **`Cancel/Replace`** message if it has not seen the prior **`Cancel/Replace`** message from the Matching Engine.

`Cancel/Replace` message requests that merely reduce *OrderQty* may be overlapped if the existing *ClOrdID* is re-used. This is the only case where re-use of the existing *ClOrdID* is allowed.

A maximum of 1,295 **`Cancel/Replace`** message requests may be made to a single order each trading day. Once the 1,295th modification is made, the next user-generated message on the order should be an **`Order Cancel`** message request.

Table 34. Order Cancel/Replace Request Message

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	Standard Message Header	Y	*MsgType*= G

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
97	*PossResend*	N	Y=Indicates an application level resend. If the *ClOrdID* does not indicate an already pending Cancel/Replace, the cancel is treated as normal. If *ClOrdID* does indicate an already pending Cancel/Replace then the resent Cancel/Replace is ignored. N=(Default) indicates a new cancel.
1	*Account*	N	**Ignored** - value preserved from original order
11	*ClOrdId*	Y	ID chosen by user. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*. Duplicate order *ClOrdId*s will be rejected (or ignored if *PossResend* = Y).
41	*OrigClOrdID*	Y*	ClOrdID of the order to replace. In the case of multiple changes to a single order, this will be the ClOrdID of the most recent accepted change. *Either *OrigClOrdID* or *OrderId* must be populated.
37	*OrderId*	N	OrderId supplied by Cboe on the order acknowledgement.
60	*TransactTime*	Y	Time Cancel/Replace initiated/released.
55	*Symbol*	N	Ignored - value preserved from original order
77	*OpenClose*	N	Ignored - value preserved from original order
200	*MaturityMonth*	N	Ignored - value preserved from original order
205	*MaturityDay*	N	Ignored - value preserved from original order
201	*PutOrCall*	N	Ignored - value preserved from original order
202	*StrikePrice*	N	Ignored - value preserved from original order
54	*Side*	N	Must match original order.
38	*OrderQty*	Y	Number of contracts for order. This will modify the *OrderQty* of the current order; it does not directly set the remaining quantity.
40	*OrdType*	N	Defaults to original order value if not sent. 1=Market 2=Limit 3=Stop 4=Stop Limit May replace Limit with Market or Stop with Stop Limit and vice versa, but otherwise must match original order, if sent. Note market and stop/stop limit orders are not supported during GTH or Curb sessions.
44	*Price*	Y	Limit Price. Order rejected if priced finer than the minimum trading increment for the option.
18	*ExecInst*	N	Ignored. Value preserved from original order
111	*MaxFloor*	N	If specified, the displayed quantity of a reserve order may be changed on the next reload.
99	*StopPx*	N	Optional. Defaults to original order if not sent. Stop/Stop Limit orders will only elect based off of RTH quotes and trades.
9619	*CancelOrigOnReject*	N	N=(Default) Leave original order alive. Y=Cancel original order if replacement fails (an unsolicited cancel report will be sent for original order in this case).
7933	*RoutingFirmID*	N	Used to optionally convey the routing firm of the order. Required if *RoutingFirmID* is populated on **`New Order Single`** or **`New Order Multileg`** message.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
	Standard Message Trailer	Y	

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Floor Trade Confirmation Message Fields (C1 Only)

TPHs having in-person Market Makers on the Cboe trading floor may optionally receive floor trade notifications as **`Execution Report`** messages with *ExecType* (150) = T. TPHs must enable and opt-in to the *Market Maker Floor Trade Notifications* port default to receive **`Execution Report`** messages with *ExecType* (150) = T.

TPHs are encouraged to use **`Floor Trade Confirmation`** messages to respond to floor broker allocations (**`Execution Report`** messages having *ExecType* (150) = T) if they agree with the terms of the trade in the **`Execution Report`** message. Alternatively, an **`Add Floor Trade`** message may be used to enter their version of the floor trade. If the floor trade notification is not known to the user (for example, if the TPH is misidentified as a contra party to a floor trade), the message can be disregarded; a response is not required. TPHs configured to be automatically endorsed on floor broker trades will not receive trade notifications and will therefore not be required to respond with a **`Floor Trade Confirmation`** message.

Floor Trade Confirmation reports submitted to acknowledge floor broker allocations for matching will reflect the Market Maker EFID configured in the Cboe Web Portal for floor transactions (senderIMID). The report will not reflect the *OnBehalfOfCompID* (115) sent on the **`Floor Trade Confirmation`** message.

The exchange will respond to a **`Floor Trade Confirmation`** message with an **`Execution Report`** message having either *OrdStatus* set to either 0 (new) or 8 (rejected).

Table 35. Floor Trade Confirmation Message Fields (C1 Only)

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	Standard Message Header	Y	*MsgType*=U03 (Confirm Floor Trade)
11	*ClOrdId*	Y	Client order id to be used to identify this floor trade report in execution reports. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*.
17	*ExecId*	Y	Execution ID identifying the floor trade report to be confirmed.
55	*Symbol*	Y	OSI root symbol (upper case) or Cboe format symbol (case sensitive)
200	*MaturityMonth*	N	Indicates Maturity Month Format: YYYYMM
205	*MaturityDay*	N	Expiration date day of the month Format: DD
201	*PutOrCall*	N	0 = Put 1 = Call
202	*StrikePrice*	N	Strike Price for option, 0 - 999,999.999
60	*TransactTime*	Y	GMT date-time. Report send time (for audit)
423	*PriceType*	N	Indicates FLEX trade pricing. Only needs to be sent for FLEX trades with percentage pricing. 1 = Traded as percentage 2 = (Default) Price per unit (contract)

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Add Floor Trade Message Fields (C1 Only)

TPHs having in-person Market Makers on the Cboe trading floor can enter their version of a floor trade via this FIX message type.

This message may be used to report any floor trades, but is primarily meant to be used to report floor trades between Market Makers. TPHs are encouraged to use **`Floor Trade Confirmation`** messages to respond to floor broker allocations (**`Execution Report`** messages having *ExecTransType* = T) if they agree with the terms of the trade in the **`Execution Report`** message.

TPHs configured to be automatically endorsed on floor broker trades will not receive trade notifications and will therefore not be required to respond with an **`Add Floor Trade`** message.

Add Floor Trade reports submitted to acknowledge floor broker allocations for matching will reflect the Market Maker EFID configured in the Cboe Web Portal for floor transactions (senderIMID). The report will not reflect the *OnBehalfOfCompID* (115) sent on the **`Add Floor Trade`** message. The Exchange will respond to an **`Add Floor Trade`** message with an **`Execution Report`** message having either *OrdStatus* (39) set to either 0 (new) or 8 (rejected). Once the floor trade is matched the Exchange will send an **`Execution Report`** message having *OrdStatus* (39) set to 2 (filled).

Table 36. Add Floor Trade Message Fields (C1 Only)

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	Standard Message Header	Y	MsgType = U01 (Add Floor Trade)
97	*PossResend*	N	N = (Default) indicates a new order. Y = Indicates an application level resend and is NOT SUPPORTED. For reasons of economy, Cboe does not track in primary storage the *ClOrdID* values of orders that are no longer live. For reasons of performance, Cboe does not access secondary storage to enforce unique *ClOrdID* values against orders that are no longer live. Without full duplicate *ClOrdID* value enforcement, it is not possible to safely implement the full behavior specified in the FIX 4.2 Protocol for *PossResend* = Y. To remain economical, fast *and* safe, all messages with *PossResend* = Y will be simply ignored.
11	*ClOrdId*	Y	ID chosen by client. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe. A leading tilde (~) cannot be sent on any *ClOrdId* and will result in a reject. These are reserved for internal use by Cboe and could be received as a result of a system-generated *ClOrdId*. If the *ClOrdId* matches a live order it will be rejected as duplicate (unless PossResend = Y, see above). Note: Cboe only enforces the uniqueness of ClOrdID values among currently live orders, which includes long-lived, persisting GTC/GTD orders. However it is strongly recommended users maintain unique ClOrdID values.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
55	*Symbol*	Y	OSI root symbol (upper case) or Cboe format symbol (case sensitive)
200	*MaturityMonth*	N	Indicates Maturity Month Format: YYYYMM
205	*MaturityDay*	N	Expiration date day of the month Format: DD
201	*PutOrCall*	N	0 = Put 1 = Call
202	*StrikePrice*	N	Strike Price for option, 0 - 999,999.999
442	*MultilegReportingType*	N	1 = (Default) Single-leg instrument execution 2 = Individual leg of a multi-leg instrument
22005	*ComboOrder*	N	Declare the order as a Combo (for regulatory relief if trading SPX on the floor). N = (Default) No Y = Yes
76	*ExecBroker*	N	Valid Cboe clearing firm number for trade matching (an OCC number) Field is ignored and is not validated. Default Market Maker EFID Association Tool in Web Portal is used to identify OCC give-up number.
1	*Account*	N	*Account* (1) will be mapped to the OCC via the Customer ID field. 10 characters or less. Characters in ASCII range 33-126 are allowed. *Account* may be defaulted using the Market Maker EFID Association tool in the Web Portal.
9324	*ClearingOptionalData*	N	This field will be reflected back on execution reports and FIX DROP ports, and will be mapped to the OCC via the Optional Data field. 16 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
440	*ClearingAccount*	Y unless default within the Market Maker EFID Association Tool in Web Portal	When *OrderCapacity* (47) is set to a value of 'M' or 'N' this field should be filled with desired market maker ID. When *OrderCapacity* (47) is set to a value of 'M' any unregistered Market-Maker Accounts in this field will cause the quote or order to be rejected with a reason code of 'A' and sub-reason code 'L'. When using CMTA, this value is the market maker ID for the CMTA user instead of the Cboe user executing the trade. This field will be passed through to the OCC Sub Account ID field and may be up to four alphanumeric characters. If *OrderCapacity* (47) is not set to 'M' or 'N' and *ClearingAccount* is populated the order will be rejected by default on C1 and C2 and will be accepted by default for BZX and EDGX Only. This field is recorded and returned in execution reports. Available via FIX Drop. *ClearingAccount* may be defaulted using the Market Maker EFID Association tool in the Web Portal.
439	*ClearingFirm*	N	CMTA Number of the firm that will clear the trade.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			Must be supplied for CMTA orders and left unspecified for non-CMTA orders.
22049	*FloorTraderAcr*	Y	Floor acronym of participant submitting trade.
375	*ContraBroker*	N	Floor-matched executions will identify the OCC Clearing Firm # of contra party on the execution. Field is ignored and is not validated. Default Market Maker EFID Association Tool in Web Portal is used to identify OCC give-up number.
54	*Side*	Y	1 = Buy 2 = Sell
38	*OrderQty*	Y	Instrument quantity, 1 to 999,999.
44	*Price*	Y	Limit Price. Order rejected if priced finer than the minimum trading increment for the option.
60	*TransactTime*	Y	Time order initiated/released. GMT date-time. Report send time (for audit).
77	*OpenClose*	Y*	Indicates status of position in the option. O = Open C = Close N = None* *Orders with *OrderCapacity* (47) = M or N will not be required to specify *OpenClose* on their orders or may optionally specify a value of 'N', unless the series is limited to closing only. If the series is limited to closing only transactions, only *OrderCapacity* (47) = M will be permitted to submit *OpenClose* = O if the order has *TimeInForce* (59) = 3 (IOC) and *RoutingInst (9303)* = B, or the order has a *RoutingInst* = P. An Open position cannot trade with an Open position for series limited to Closing Only transactions, even if the inbound IOC from the aggressing market maker is sent with that combination of tags.
5179	*FloorTradeTime*	Y	Time of the execution of the floor trade. GMT date-time that transaction occurred.
337	*ContraTrader*	Y	Floor-matched executions will identify the Floor acronym of contra party on the execution.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Delete Floor Trade Message Fields (C1 Only)

TPHs having in-person Market Makers on the Cboe trading floor can request the deletion of their version of a floor trade via this FIX message type. The trade report to delete will be identified by the *ExecId* (17) of an **`Execution Report`** message. The TPH entering the floor trade deletion message must be on the specified side of the identified trade. The Exchange will respond to a **`Delete Floor Trade`** message with an **`Execution Report`** message. If the floor trade report is successfully deleted, an **`Execution Report`** message will be issued with *OrdStatus* (39) = 4 (cancelled).

Table 37. Delete Floor Trade Message Fields (C1 Only)

TAG	FIELD NAME	'REQ'D	DESCRIPTION
35	Standard Message Header	Y	MsgType = U02 (Delete Floor Trade)
17	*ExecId*	Y	*ExecId* of the trade to be deleted.
11	*ClOrdID*	Y	*ClOrdID* of the delete floor trade message.
55	*Symbol*	Y	OSI root symbol (upper case) or Cboe format symbol (case sensitive)
60	*TransactTime*	Y	GMT date-time of delete.
200	*MaturityMonth*	N	Indicates Maturity Month (YYYYMM)
205	*MaturityDay*	N	Expiration date day of the month Format: DD
201	*PutOrCall*	N	0 = Put 1 = Call
202	*StrikePrice*	N	Strike Price for option, 0 - 999,999.999
54	*Side*	Y	1 = Buy 2 = Sell

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Order Protocol - Cboe to Member

FIX messages sent from Cboe to Member.

Execution Report Message Fields

`Execution Report` messages with *ExecType* (150) = M are responses to Mass Cancel requests. Multiple **`Execution Report`** messages will be sent in response to Mass Cancel requests when *MassCancelInst*, 2nd character value = I. An **`Execution Report`** message will be sent for each matching unit followed by a final acknowledgment containing the total number of orders and quotes cancelled due to the cancel request across all matching units. This final acknowledgment will not include the *MatchingUnit* field.

Mass Cancel Execution Report are compact and will only carry fields as stated in the description of *ExecType* (150) that follows.

The *MultilegReportingType* (442) field can be used to determine whether a fill or partial fill corresponds to a complex instrument, a single-leg instrument that is part of a complex instrument execution, or a single-leg instrument fill only (field will not be present in this case). Similarly, the *SecondaryExecID* (527) field can be used to distinguish single-leg instrument executions from complex instrument executions and to identify single-leg instrument executions that comprise a complex instrument execution.

- If the *SecondaryExecId* (527) field is not present, the **`Execution Report`** message is associated with a simple instrument.
- If the *SecondaryExecId* (527) field is present and is identical to the *ExecId* (17) field, the **`Execution Report`** message represents a complex instrument execution for which associate individual leg **`Execution Report`** messages will follow.
- If the *SecondaryExecId* (527) field is present and not identical to the *ExecId* (17) field, the **`Execution Report`** message represents a single-leg execution that comprises a complex execution and the *SecondaryExecId* (527) field is set to the *ExecId* (17) field of the associated complex execution.

For complex order executions (150=1 or 2), **`Execution Report`** messages (i.e. fills) will be generated for the complex order (442=3) followed by **`Execution Report`** messages for each leg (442=2). If both sides of a complex/spread trade are on the same order entry session, Cboe does not guarantee that the leg executions will not be interleaved between sides. In addition, the symbology used on executions for complex orders, including the legs, will **always** be Cboe symbology.

Table 38. Execution Report Message Fields

TAG	FIELD NAME	DESCRIPTION
35	Standard Message Header	*MsgType* = 8
52	*SendingTime*	GMT date-time that execution report was sent by Cboe.
20	*ExecTransType*	0 = New

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
		3 = Status *ExecTransType* = 3 (Status). Used for Done For Day and Carried Order Restatements if associated port attributes are set.
442	*MultilegReportingType*	1 = Single-leg instrument execution 2 = Individual leg of a multi-leg instrument 3 = Multi-leg instrument
17	*ExecID*	Day-unique ID of execution message.
19	*ExecRefID*	Sent for FLEX restatements (150=D, 378=9). Refers to the *ExecID* (17) of the trade being restated.
527	*SecondaryExecID*	Field indicates whether a fill or partial fill (*ExecType* (150) = 1 or 2) is a complex instrument fill or a single-leg fill that comprises a complex execution. If *SecondaryExecID* (527) is not present, the fill is a single-leg fill only. If *SecondaryExecID* (527) is present and is the same as the *ExecID* (17), the fill represents a complex execution for which associated single-leg fills will follow. Single-leg fills associated with a complex execution will contain a *SecondaryExecID* (527) of the associated complex execution.
18	*ExecInst*	*ExecInst* from order (if any)
150	*ExecType*	Reason for this execution report: 0 = New (acknowledgment of new order) 1 = Partial Fill 2 = Fill 3 = Done For Day 4 = Canceled 5 = Replaced 8 = Rejected D = Restated M = Mass Cancel Complete P = Purge Notification T = Floor Market Maker Trade Notification (C1 only) For Standard FIX Drop, only '1' or '2' will be sent and will always equal *OrdStatus* (39). For Order by Order FIX Drop, all *ExecType* values will be sent (see Order by Order FIX Drop on page 130). When responding to a mass cancel request, *ExecType* is set to a value of 'M'. This indicates the only tags present in this message are the following: *Standard Message Header* (35) *SendingTime* (52) *ExecTransType* (20) *ExecType* (150) *MassCancelID* (7695) *CancelledOrderCount* (7696) *MatchingUnit* (25017) = The *MatchingUnit* (25017) field is only sent when *MassCancelInst*, 2nd character value = I . *ExecType* = T is a non-standard value optionally used to indicate the exec report is a notification to the MM firm that the MM identified in

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
		FloorTraderAcr (20049) is a contra to a floor execution. TPHs must enable and opt-in using the *Market Maker Trade Notifications* port default to receive **`Execution Report`** messages with *ExecType* = T. *ExecType* = 0 and *OrdStatus* (39) = 0 is used to indicate that **`Add Floor Trade`** and **`Floor Trade Confirmation`** messages have been accepted. *ExecType* = 4 is and *OrdStatus* (39) = 4 used to indicate a **`Delete Floor Trade`** message has been accepted. *ExecType* = 8 and *OrdStatus* (39) = 8 if **`Add Floor Trade`**, **`Floor Trade Confirmation`** or **`Delete Floor Trade`** message has been rejected .
378	*ExecRestatementReason*	Only present when *ExecType* (150) = D 1 = GTC/GTD Restatement 3 = Repricing of order 4 = State Change 5 = Reduction of OrdQty 6 = Price Sliding Reprice 7 = Represented in crowd. Issued on order restatement when the order has been represented on the floor (C1 only). 8 = Reduction of OrdQty due to Equity Leg Reject .(C1 only) 9 = FLEX price restatement (C1 only). The value '1' is used for GTC/GTD Carried Order Restatements if associated port attribute is set. A = Floor Trade Restatement
11	*ClOrdID*	*ClOrdID* of the order being accepted, executed or rejected, -or- *ClOrdID* of the cancel or replace **request**, -or- *ClOrdID* of the order subject to unsolicited cancel (*OrigClOrdID* will not be present). A *ClOrdID* that begins with a tilde (~) is a system generated *ClOrdID*. These are created by the system for quotes and when a clearing edit results in an unmatched trade.
75	*TradeDate* (C1 only)	Sent for FLEX restatements (150=D, 378=9). *TradeDate* is sent for all Execution Reports when *ExecType* (150) = 1 or 2. The 'As of' date for floor orders entered via the Trade Entry tool. Business date of the trade.
41	*OrigClOrdID*	*ClOrdID* of the order being cancelled or replaced. Used for a solicited Cancel or Cancel/Replace, otherwise not present.
37	*OrderId*	*OrderId* (supplied by Cboe).
382	*NoContraBrokers*	Only present on trades. Always '1'.
375	*ContraBroker*	Only present on trades. **Simple Instrument Fills** Internally matched simple executions will identify the OCC clearing number of the contra on the execution. This includes leg fill reports (442=2) that are sent as a result of a complex trade. Executions matched on the C1 trading floor will contain a value of 'FBKR' for ContraBroker for the first reporter of a Broker to Broker floor

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
		trade otherwise, this will identify the OCC clearing number of the contra (C1 only). **Complex Package Fills** *ContraBroker* (375) will be sent and populated on electronic, complex package fills (442=3) when the contra side is also a complex order. When legging in to the simple books *ContraBroker* (375) will be blank. *ContraBroker* (375) will be blank on complex package fills (442=3) executed on the Cboe Options trading floor (C1 only). **Routed Fills** All externally matched (routed, 9730=X) executions will identify the away exchange with the following possible values. AMEX = Routed to NYSE American ARCA = Routed to NYSE Arca BATS = Routed to Cboe BZX Options BOX = Routed to BOX CBOE = Routed to Cboe Options CTWO = Routed to C2 Options EDGX = Routed to Cboe EDGX Options EMLD = Routed to MIAX Emerald GMNI = Routed to Nasdaq GEMX ISE = Routed to Nasdaq ISE MEMX = Routed to MEMX MERC = Routed to Nasdaq MRX MIAX = Routed to MIAX Options Exchange NOMX = Routed to Nasdaq NOBX = Routed to Nasdaq Texas PERL = Routed to MIAX PEARL PHLX = Routed to Nasdaq PHLX SPHR = Routed to MIAX Sapphire
337	*ContraTrader*	Only present on local book trades, not present on routed trades. **Simple Instrument Fills** Displays the EFID (Contra *OnBehalfOfCompId*) of the contra side firm. This includes leg fill reports (442=2) that are sent as a result of a complex trade. For Cboe Options floor trades, displays the Contra Floor Acronym (C1 only). **Complex Package Fills** *ContraTrader* (337) will be sent and populated on electronic, complex package fills (443=3) when the contra side is also a complex order. When legging in to the simple books *ContraTrader* will not be sent. *ContraTrader* (337) will not be sent on complex package fills executed on the Cboe Options trading floor (C1 only).
39	*OrdStatus*	State of order. 0 = New 1 = Partially Filled 2 = Filled 3 = DoneForDay 4 = Cancelled 5 = Replaced

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
		6 = Pending Cancel 8 = Rejected A = Pending Ack B = Calculated (C1 only) used for FLEX restatements E = Pending Replace For Standard FIX Drop, only '1' or '2' will be sent and will always equal *ExecType* (150). For Order by Order FIX Drop, all execution information will be sent (see Order by Order FIX Drop on page 130).
534 *Repeating Group*	*NoAffectedOrders* (C1 and EDGX only)	Number of repeating *AffectedOrigClOrdIDs* (1824) included in this message resulting from an AIM or QCC order reject. Integer 0-10 **Must request opt-in at firm or port level to receive this field.**
→ 1824	*AffectedOrigClOrdID* (C1 and EDGX only)	Repeating Group of *ClOrdIDs* of the Agency and Contra sides of a AIM or QCC rejected order. **Must request opt-in at firm or port level to receive this field.**
548	*CrossID*	Copied from order.
549	*CrossType*	Copied from order.
550	*CrossPrioritization*	Copied from order.
103	*OrdRejReason*	Optional when *ExecType* is '8' (Rejected). 0 = Broker option 1 = Unknown symbol 2 = Exchange closed 3 = Order exceeds limit 5 = Unknown order 6 = Duplicate order 8 = Stale order
654	*LegRefID*	Copied from order. Applies only to single-leg execution messages generated from a complex execution.
1	*Account*	Copied from order (available in FIX DROP).
55	*Symbol*	Copied from order. For Market Maker Trade Notifications (*ExecType* (150) = T) then default will be OSI Symbology unless port attribute configured to send Cboe Symbol ID.
167	*SecurityType*	Indicates the type of security. OPT = Option(C1, C2, and EDGX only) MLEG = Complex package or option leg EQ = Equity leg(C1 and EDGX only) For C1, C2, and EDGX Options, the value of MLEG will only be used for the complex packages. A value of OPT or EQ will be used for each individual leg depending on the leg type.
9465	*OrderOrigin* (C1 only)	Copied from order.
20012	*Held* (C1 only)	Indicates if order is eligible to be marked as Held. Copied from order if present.
21097	*FrequentTraderID* (C1 only)	Copied from order.
22002	*StrategyID*	Copied from order.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
	(C1 only)	
22003	*ORS* (C1 only)	Copied from order.
22005	*ComboOrder* (C1 only)	Copied from order.
22006	*Compression* (C1 only)	Copied from order.
555 *Repeating Group*	*NoLegs*	Copied from order.
➔ 654	*LegRefID*	Copied from order. Applies only to complex orders or trades.
➔ 600	*LegSymbol*	Copied from order.
➔ 608	*LegCFICode*	Copied from order.
➔ 611	*LegMaturityDate*	Copied from order.
➔ 612	*LegStrikePrice*	Copied from order.
➔ 623	*LegRatioQty*	Copied from order.
➔ 624	*LegSide*	Copied from order.
➔ 564	*LegPositionEffect*	Copied from order.
➔ 566	*LegPrice* (C1 only)	Copied from order if complex order is FLEX.
77	*OpenClose*	Copied from order.
200	*MaturityMonth*	Copied from order. For Market Maker Trade Notifications (*ExecType* (150) = T) then default will be Cboe Symbol ID unless the port attribute is configured to send OSI Symbology.
205	*MaturityDay*	Copied from order. For Market Maker Trade Notifications (*ExecType* (150) = T) then default will be Cboe Symbol ID unless the port attribute is configured to send OSI Symbology.
201	*PutOrCall*	Copied from order. For Market Maker Trade Notifications (*ExecType* (150) = T) then default will be Cboe Symbol ID unless the port attribute is configured to send OSI Symbology.
202	*StrikePrice*	Copied from order. For Market Maker Trade Notifications (*ExecType* (150) = T) then default will be Cboe Symbol ID unless the port attribute is configured to send OSI Symbology.
54	*Side*	Copied from order.
38	*OrderQty*	Copied from order. This Tag is not supported on FLEX order restatements (150=D, 378=9).
111	*MaxFloor*	Copied from order.
44	*Price*	Copied from order.
8020	*DisplayRange*	Copied from order.
59	*TimeInForce*	Copied from order unless overridden by the system. For example, Market orders are implicitly IOC for **`New Order Single`** messages.
47	*Rule80A (OrderCapacity)*	Copied from order.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
		Must request opt-in to "Echo Tag 47 on Ack" at firm or port level receive this field.
22017	*SessionEligibility*	Copied from order.
126	*ExpireTime*	Copied from order if *TimeInForce* '6' (GTD).
439	*ClearingFirm*	Copied from order if present.
440	*ClearingAccount*	Copied from order if present.
424	*DayOrderQty*	For persisting GTC/GTD orders only. Contracts remaining to be filled for the order at the beginning of the current business day (i.e., *OrderQty* minus *CumQty* at the end of the previous business day).
14	*CumQty*	Cumulative quantity of contracts (or complex instruments) executed for this order over the life of the order, which may be multiple business days in the case of persisting GTC/GTD orders. Please see the Cboe Titanium U.S. Options Complex Book Process for C1 Floor Specific Handling. This value is not supported on FLEX order restatements (150=D, 378=9).
425	*DayCumQty*	For persisting GTC/GTD orders only. Cumulative quantity of contracts executed for the order during the current business day.
32	*LastShares*	Quantity of contracts (or complex instruments) traded on this fill (zero for non-fills). Must request opt-in at firm or port level for "Report MTP Fields" to receive this field on a MTP-triggered cancel/restatement where both sides were either reduced or cancelled (i.e. inbound Cancel Both or Decrement). With MTP, the number of contracts that would have matched.
31	*LastPx*	Price of this fill (zero for non-fills). Must request opt-in at firm or port level for Report MTP Fields to receive this field on a MTP-triggered cancel/restatement where both sides were either reduced or cancelled (i.e. inbound Cancel Both or Decrement). With MTP, the price at which *LastShares* would have matched.
151	*LeavesQty*	Quantity of contracts (or complex instruments) still open for further execution. Will be zero if order is dead, otherwise will be *OrderQty* minus *CumQty*. Note: It is possible for *LeavesQty* to be zero when *ExecType* = 5 indicating that the order is dead. This value is not supported on FLEX order restatements (150=D, 378=9).
6	*AvgPx*	Average price of executions for this order weighted by trade size. Zero if *CumQty* is zero or if *MultiLegReportingType* (442) is '2'. This value is not supported on FLEX order restatements (150=D, 378=9).
426	*DayAvgPx*	For persisting GTC/GTD orders only. Average price per contract of executions on current business date. Zero if *DayCumQty* is zero.
99	*StopPx*	Copied from order.
198	*SecondaryOrderID*	Present on a MTP triggered cancel/restatement, on a reserve reload restatement, and on an order modify acknowledgement that increases the size of a reserve order.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
		Cboe *OrderId* of contra side of prevented match (MTP), or Cboe PITCH *OrderId* for displayed portion of reserve order after reload, or Cboe PITCH *OrderId* for the displayed portion of a reserve order after a Cancel/Replace increased the size of the reserve order. **Must request opt-in at firm or port level for Report MTP Fields or Restate on Reload to receive this field.**
7694	*ContraCapacity*	The capacity of the contra for this execution. C = Customer F = Firm M = Market Maker U = Professional Customer N = Away Market Maker B = Broker-Dealer J = Joint Back Office L = Non-Trading Permit Holder Affiliate (C1 and C2 only) **Must request opt-in to Send Contra Capacity at firm or port level to receive this field.**
9730	*TradeLiquidityIndicator*	Present for acknowledgements (150=0) and fills (150=1 or 150=2). For cross orders, present for fills only. **1st Character** A = Trade Added Liquidity R = Trade Removed Liquidity X = Routed C = Market Opening/Re-Opening Trade **2nd Character** S = Execution from Order that Set the NBBO B = Step-Up Mechanism (SUM) (C1 and EDGX only) U = Market Turner (C1 only) b = Automated Improvement Mechanism (AIM) (C1 and EDGX only) Q = QCC (C1 and EDGX only) s = Solicitation Auction Mechanism (SAM) (C1 and EDGX only) P = Position Compression Cross Mechanism (PCC) (C1 only) F = Related Futures Cross Mechanism (RFC) (C1 only) C = Cboe Compression Service (CCS) (C1 only) Must request opt-in port level to receive the 2nd characters in this field. To allow for future expansion of this field, please ignore values with an unknown character in the 2nd position. **MTP** For users who opt-in to Report MTP Fields functionality (at firm or port level), the A / R values may be presented on an MTP triggered cancel/ restatement. **State Change Tracking** For users who opt-in to State Change Tracking at the port level, order acks (*ExecType* = 0), modify acks (*ExecType* = 5), and restatements (*ExecType* = D with *ExecRestatementReason* = 4) will carry values defined as follows: A = Zero or more immediate partial remove fills followed by posting. R = Zero or more immediate partial remove fills followed by a cancel (or full fill).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
		X = Zero or more immediate partial remove fills followed by routing.
9882	*FeeCode*	Specific fee code associated with execution. See the Fee Schedule for the respective market for possible values.
5937	*MarketingFeeCode* (C1 and EDGX only)	P = Penny Pilot N = Non-Penny Pilot X = Not Eligible for Marketing Fees C = Penny Auctions E = Non-Penny Auctions R = RUT
9690	*WorkingPrice*	Optional. Must be enabled at the port level. Only present on Accepted or Replaced, and only when order is fully or partially booked. If *Price* had to be adjusted to a less aggressive value to avoid crossing the NBBO, the adjusted price will be reported here, otherwise equals *Price*.
9691	*InitialDisplayPrice*	Optional. Must be enabled at the port level. Only present on Accepted or Replaced, and only when order is fully or partially booked. If order had to be temporarily displayed at a less aggressive value to avoid locking the NBBO, the initial displayed price will be reported here, otherwise equals *WorkingPrice*.
9617	*ModifySequence*	FIX Drop only. Base 36 number of times order has been replaced.
9688	*OrigCompID*	FIX Drop and Odrop only. *TargetCompID* of original FIX exec report. FIX Drop and Odrop ports must be configured to send this optional field.
9689	*OrigSubID*	FIX Drop and Odrop only. *TargetSubID* of original FIX exec report. FIX Drop and Odrop ports must be configured to send this optional field.
21053	*ClearingSymbol* (C1 only)	Sent on FLEX restatements (150=D, 378=9) only. 6 character Cboe symbol identifier.
21050	*ClearingPrice* (C1 only)	Value sent to the OCC for clearing on FLEX restatements (150=D, 378=9).
60	*TransactTime*	GMT date-time that transaction occurred.
1462	*TargetPartyID* (C1 and EDGX only)	Copied from order.
58	*Text*	If present, indicates reason for reject or cancel. Format is one letter reason code followed by colon and space followed by free form text (e.g., N: No Liquidity at price). See Reason Codes on page 0 for a list of valid reason codes.
22058	*SubreasonText*	If present, indicates additional detail for the reject or cancel. Format is one letter code followed by colon and space followed by free form text (e.g. A: Risk Mgmt EFID level by User). See Order Subreason Codes on page 140 for a list of valid subreason codes.
7695	*MassCancelID*	Copied from order.
7696	*CancelledOrderCount*	Number of orders cancelled from a mass cancel request *MassCancelID*.
9370	*AuctionID*	Exposed order identifier supplied by Cboe. This identifier corresponds to the identifiers used in Cboe market data products.
6438	*CrossExclusionIndicator* (C1 and EDGX only)	N = Contracts were executed in auction against contra party, or against a resting order when auction was initiated. Y = Contracts were executed in auction against another party.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
7933	*Routing FirmID*	Copied from order.
6253	*DrillThruProtection*	Copied from order.
9324	*ClearingOptionalData*	Copied from order. Requires port attribute Send *ClearingOptionalData* to enable sending this Tag. Available on FIXDROP. Optional when *ExecType* (150) is '4' (Canceled) or '8' (Rejected).
21098	*TradeThroughAlertType* (C1 only)	Indication of a type of trade through. 1 = NBBO 2 = BBO (local best bid or offer) 3 = SBBO (market quote of complex derived by legs) 4 = Book trade through (trade through customer size) 5 = Due Diligence trade through
22049	*FloorTraderAcr* (C1 only)	Floor Broker, PAR Broker, or Market Maker Acronym responsible for the execution. Present if *ExecType* = T or for a floor order fill report.
142	*SenderLocationID* (C1 only)	F = Floor <blank> = (or not present) for electronic execution.
423	*PriceType* (C1 only)	0 = Fixed cabinet trade price 1 = Percentage, when trading FLEX percentage instruments 2 = (Default) Price per unit (contract) 3 = Fixed amount (cash spread pricing) - only for complex orders routed to floor D = FLEX DAC
22020	*InitialClientOrderId* (C1 only)	Only available on FIX DROP. Not sent unless Send Initial Client Order ID port attribute is enabled. When a clearing edit of a floor trade results in a new trade (150 = 1 or 2) this field will be sent and populated with the original *ClOrdId* (11) from the order that was routed to the exchange.
22021	*TerminalOperatorId* (C1 only)	Copied from order. Available on Order-by-Order Drop (ODROP) and FIXDROP. Requires Send Terminal Info port attribute to enable sending these Tags.
22022	*AdditionalClientInfo* (C1 only)	Copied from order. This field will also reflect value from *AllocAdditionalClientInfo* (22027) if present. Available on Order-by-Order Drop (ODROP) and FIXDROP. Requires Send Terminal Info port attribute to enable sending these Tags.
22023	*Delta* (C1 only)	Copied from order if order is FLEX DAC. Available on FIXDROP.
22024	*LegDelta* (C1 only)	Copied from order if order is FLEX DAC.
22025	*ReferencePrice* (C1 only)	Copied from order if order is FLEX DAC. Available on FIXDROP.
22100	*FloorDestination* (C1 only)	Specifies the PAR workstation to which the order was routed on the floor. If the order was not routed to the floor, e.g. it was handled electronically, or *ExecType* = 1 (Partial Fill) or 2 (Fill), then the field is not provided. This field is also included on Carried Order Restatements if the order was on the floor at the end of the previous trading day. 4 characters or less (ASCII 33-126).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
5179	*FloorTradeTime* (C1 only)	GMT date-time that Floor Trade occurred. Present if *ExecType* (150) = T. Available on Standard FIX Drop when *ExecType* (150) = 1 (Partial Fill) or 2 (Fill). Available on FIX ports when Send Floor Trade Time port attribute is enabled. Available on BOE ports when requested on login.
22016	*EquityExDestination* (C1 and EDGX only)	Valid when *LegSymbol* (600) = Equity symbol and *ExecType* (150) = 1 or 2. Exchange venue to which equity leg matching will be submitted. Supported values are: C = TD Securities (USA) LLC (default) P = Penserra via NYSE Chicago F = FOG Equities via NYSE Chicago L = Libucki & Co. via NYSE Chicago S = SRT Securities via NYSE Chicago
25019	*OccId*	Provides the OCC clearing number the trade cleared. Only available via FIX Drop and when Send OccId port attribute is enabled.
25026	*StopPxType* (effective 05/18/26)	Indicates what kind of stop price is being sent. L = Fixed limit price B = Fixed underlying bid price or index level (complex orders only) A = Fixed underlying ask price or index level (complex orders only)
	Standard Message Trailer	

* Not present when ExecType is Rejected (8) in response to a New Order Cross (***MsgType*** = s).

State Change Tracking

Members wishing to track the state of their routable orders may **opt-in** to the following functionality at the port level by contacting the Cboe Trade Desk.

Order acks (***ExecType*** = 0), modify acks (***ExecType*** = 5), and restatements (***ExecType*** = D with ***ExecRestatementReason*** = 4) will carry ***TradeLiquidityIndicator*** (9730) as follows:

- A = Zero or more immediate partial remove fills followed by posting.
- R = Zero or more immediate partial remove fills followed by a cancel (or full fill).
- X = Zero or more immediate partial remove fills followed by routing.

When an order returns from the router, a restatement will be generated with:

- *ExecType* (150) = D (Restated)
- *ExecRestatementReason* (378) = 4 (State Change)
- *Text* (58) = A (Admin)
- *TradeLiquidityIndicator* (9730) = A, X, or R (as defined above)
- Order details to match the order (*OrdQty*, *Price*, etc.)
- Cumulative execution details to match the current status (*CumQty*, *LeavesQty*, etc.)
- Current execution details zeroed (*LastPx*, *LastShares*, etc.)

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Cancel Reject

Rejects an **`Order Cancel Request`** message or an **`Order Cancel/Replace Request`** message.

When a Cancel/Replace is rejected, by default the original order is left alive. A Cancel Reject should not be used as a sign that the original order has been cancelled. Even if the *CancelOrigOnReject* = Y option is being used, a separate unsolicited cancel will be sent to close out the original order.

Table 39. Cancel Reject Message Fields

TAG	FIELD NAME	DESCRIPTION
35	*Standard Message Header*	*MsgType* = 9
11	*ClOrdID*	*ClOrdID* from the **`Order Cancel`** or **`Order Cancel/Replace`** message request.
41	*OrigClOrdID*	*ClOrdID* of the order that failed to be cancelled or replaced.
37	*OrderId*	*OrderId* of order that failed to be cancelled or replaced. "NONE" if *CxlRejReason* is Unknown (1).
39	*OrdStatus*	*OrdStatus* of order that failed to be cancelled or replaced.
1	*Account*	Copied from **`Order Cancel`** or **`Order Cancel/Replace`** message request.
434	*CxlRejResponseTo*	1 = Cancel 2 = Cancel/Replace
102	*CxlRejReason*	0 = Too late to cancel. 1 = Unknown order. 2 = Broker Option. 3 = Already pending cancel or pending replace. 4 = After Volatility Cutoff. **Optional** This field will not be reflected back on risk rejects.
58	*Text*	Free form text message.
7695	*MassCancelID*	*MassCancelID* from a mass cancel request.
9324	*ClearingOptionalData*	This field will be reflected back on execution reports and FIX DROP ports and will be passed through to the OCC in the Optional Data field. Requires port attribute Send *ClearingOptionalData* to enable sending this Tag. 16 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
	Standard Message Trailer	

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Trade Cancel/Correct Message Fields

Sends a trade cancel or correct message for trade breaks and adjustments.

`Trade Cancel/Correct` message (UCC) is an optional message that must be enabled at the port level. It may be enabled for current-day only or for all cancels and corrections. Only the *Price* and/or *Size* of a trade may be corrected, all other details remain the same. Trade cancels and corrections do not alter live order state.

Trade cancels or corrections to complex instruments will result in individual **`Trade Cancel/Correct`** messages being sent for each leg. No cancels or corrections will be sent for complex instruments.

Table 40. Trade Cancel/Correct Message Fields

TAG	FIELD NAME	DESCRIPTION
35	*Standard Message Header*	*MsgType*= UCC
20	*ExecTransType*	1 = Trade Cancel 2 = Trade Correct
17	*ExecID*	Day-unique ID of execution message. Will be appended with '.B' or '.S' when opted-in by customers.
19	*ExecRefID*	Refers to the *ExecID* (17) of the message being cancelled/edited. The *ExecID* from the most recent trade correction will be included, if applicable.
37	*OrderId*	*OrderId* of the original trade being cancelled/corrected.
11	*ClOrdID*	*ClOrdID* of the original trade being cancelled/corrected.
55	*Symbol*	Copied from original trade being cancelled/corrected.
77	*OpenClose*	Copied from original trade being cancelled/corrected.
200	*MaturityMonth*	Copied from original trade being cancelled/corrected.
205	*MaturityDay*	Copied from original trade being cancelled/corrected.
201	*PutOrCall*	Copied from original trade being cancelled/corrected.
202	*StrikePrice*	Copied from original trade being cancelled/corrected. When an underlying index value change occurs after the FLEX percentage trade restatement time, this will be the original strike price (prior to correction).
54	*Side*	Copied from original trade being cancelled/corrected.
9730	*TradeLiquidityIndicator*	Copied from original trade being cancelled/corrected.
128	*DeliverToCompId*	Copied from Tag 115 (*OnBehalfOfCompId*).
439	*ClearingFirm*	Copied from original trade being cancelled/corrected (if present).
440	*ClearingAccount*	Copied from original trade being cancelled/corrected (if present).
25018	*CorrectedStrikePrice* (C1 only)	Only for FLEX order Trade Corrects. Corrected strike price. When an underlying index value change occurs after the FLEX percentage trade restatement time, this will be the new strike price.
9620	*CorrectedPrice*	Only for Trade Corrects. Corrected price.
6655	*CorrectedSize*	Only for Trade Corrects. Corrected size
32	*LastShares*	Quantity of contracts on the original trade being cancelled/corrected.
31	*LastPx*	Price on the original trade being cancelled/corrected.
42	*OrigTime*	GMT date-time of original trade. GMT date-time of original trade is in nanoseconds.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
60	*TransactTime*	GMT date-time of cancel/correct. GMT date-time of cancel/correct is in nanoseconds.
22020	*InitialClientOrderId* (C1 only)	Only available on FIX DROP. Not sent unless Send Initial Client Order ID port attribute is enabled. When a clearing edit of a floor trade results in a trade cancellation (20= 1) this field will be sent and populated with the original *ClOrdId* (11) from the order that was routed to the exchange.
167	*SecurityType*	Indicates the type of security OPT= Options EQ= Equity leg
22004	*ClosingPrice* (C1 only)	Closing price for the underlying security or index of a FLEX DAC order.
9882	*FeeCode* (C1 only)	Specific fee code associated with FLEX DAC execution. See the Fee Schedule for the respective market for possible values.
9324	*ClearingOptionalData*	This field will be reflected back on execution reports and FIX DROP ports and will be passed through to the OCC in the Optional Data field. Requires port attribute Send ClearingOptionalData to enable sending this Tag. 16 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
5179	*FloorTradeTime* (C1 only)	GMT date-time that Floor Trade occurred. Available on FIX Drop ports when Send Floor Trade Time port attribute is enabled.

Trade Cancel/Correct FIX Drop Clearing Edit Message Fields

Users of FIX Drop ports may opt-in to receive post-trade clearing edits via UCC messages via two different methods. These messages communicate changes that have been made using the Cboe Titanium U.S. Options Clearing Editor Specification. This feature requires the Send Clearing Edits port attribute to be set to 1 or 2.

The wave method message structure (Send Clearing Edits = 1) contains repeating groups of size and clearing information for each trade that communicate the previous and current trade details. Note that a single trade may be allocated into smaller trade records that total the original trade size. For example, a single trade for 10 contracts may be allocated into five smaller trade records of two contracts each where each smaller trade has a different CMTA. In this example, there would be six repeating groups. The first group will contain details of the original trade and associated clearing information and the next five would communicate the split of the original trade into five smaller pieces with different clearing information on each record. This is demonstrated below using ***ListSeqNo*** (67), ***WaveNo*** (105), ***AllocID*** (70), ***AllocShares*** (80), and ***AllocClearingFirm*** (25008).

Example: Single trade split into five smaller trade records with updated CMTA values:

LISTSEQNO	WAVENO	ALLOCID	ALLOCSHARES	ALLOCCLEARINGFIRM	COMMENTS
1	0	0	10	123	Original trade details
2	1	1	2	123	Allocation 1
3	1	2	2	456	Allocation 2
4	1	3	2	789	Allocation 3
5	1	4	2	321	Allocation 4
6	1	5	2	654	Allocation 5

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Note the when using Send Clearing Edits set to 1 a FIX Drop port will continue to receive all messages for a given trade even if some or all of the trade has been allocated to a different EFID or *PartyID* (448). This also means that if a trade was originally assigned a given EFID and then that trade was re-allocated to a new EFID or set of EFIDs, then messages are not sent to the FIX Drop ports associated with the new EFIDs after the re-allocation. Using Send Clearing Edits set to 2 allows for cleaner handling of allocations that involve EFID changes.

Table 41. Trade Cancel/Correct FIX Drop Clearing Edit Message Fields

TAG		FIELD NAME	DESCRIPTION
35		*Standard Message Header*	*MsgType*= UCC
20		*ExecTransType*	5=Clearing Edit
17		*ExecID*	Day-unique ID of execution message. Will be appended with '.B' or '.S' when opted-in by customers.
78 *Repeating Group*		*NoAllocs*	Number of allocation groups (repeating group)
➔	67	*ListSeqNo*	Item number. Starts at '1' and increments upwards.
➔	105	*WaveNo*	Trade record identifier. A '0' indicates original trade and numbers greater than zero indicate revisions. Note that it is possible for a trade to be edited multiple times.
➔	70	*AllocID*	Clearing edit revision number. There will be multiple revisions contained under the same *WaveNo* if a single trade is allocated into multiple trade records.
➔	25007	*AllocExecRefID*	The *ExecID* of this allocation/trade. Only present when *WaveNo* = 0 and *AllocID* = 0 unless a trade is being allocated/split into multiple smaller pieces. In this case, the allocations will all contain this field, which provides the new *ExecID* for each allocation.
➔	80	*AllocShares*	Contracts allocated to this trade record
➔	77	*OpenClose*	*OpenClose* of the trade record
➔	25008	*AllocClearingFirm*	CMTA number of the trade record (if present)
➔	1	*Account*	*Account* (1) for the trade record (if present)
➔	448	*PartyID*	EFID of the trade record
➔	523	*PartySubID*	*ClearingAccount* (440) for the trade record (if present)
➔	9324	*ClearingOptionalData*	*ClearingOptionalData* (9324) for the trade record (if present)
➔	25009	*AllocClOrdID*	*ClOrdID* of the original trade being edited.
➔	47	*Capacity (Rule80A)*	Capacity of the order trade record
37		*OrderId*	*OrderId* of the original trade being edited.
55		*Symbol*	Copied from original trade being edited.
200		*MaturityMonth*	Copied from original trade being edited.
205		*MaturityDay*	Copied from original trade being edited.
201		*PutOrCall*	Copied from original trade being edited.
202		*StrikePrice*	Copied from original trade being edited.
54		*Side*	Copied from original trade being edited.
9730		*TradeLiquidityIndicator*	Copied from original trade being edited.
128		*DeliverToCompId*	Copied from Tag 115 (*OnBehalfOfCompId).*
32		*LastShares*	Quantity of contracts on the original trade being edited.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
31	*LastPx*	Price on the original trade being edited.
42	*OrigTime*	GMT date-time of original trade.
60	*TransactTime*	GMT date-time of cancel/correct.
440	*ClearingAccount*	(if present)
439	*ClearingFirm*	(if present)
11	*ClOrdID*	Copied from the original trade being edited.
19	*ExecRefID*	The *ExecID* (17) of the trade that is being edited. *ExecID* from the original trade will be included.

Users may also set the Send Clearing Edits port attribute to a value of 2, which will result in cancel + new messaging when changes occur in the clearing editor, including allocations/splits that involve EFID changes. This setting eliminates the wave methodology that is described above and replaces it with individual cancel + new messages. When a clearing edit occurs, the original trade is cancelled with a message containing *ExecTransType* (20) = 6 and *TradeAllocation* (25011) = 0. Same size or smaller size pieces are likely to follow (assuming the trade has not been completely allocated away from the FIX Drop user to other EFIDs) with *ExecTransType* (20) = 6 and *TradeAllocation* (25011) = 1.

EXECTRANSTYPE	TRADEALLOCATION	MESSAGE TYPE
6	0	Cancel/Bust
6	1	Edited trade

Table 42. Trade Cancel/Correct FIX Drop Clearing Edit Message Fields

TAG	FIELD NAME	DESCRIPTION
35	*Standard Message Header*	*MsgType*= UCC
20	*ExecTransType*	6=Clearing Edit Allocation
17	*ExecID*	Day-unique id of execution message for this UCC message. Will be appended with '.B' or '.S' when opted-in by customers.
37	*OrderId*	*OrderId* of the original trade being edited.
55	*Symbol*	Copied from original trade being edited.
200	*MaturityMonth*	Copied from original trade being edited.
205	*MaturityDay*	Copied from original trade being edited.
201	*PutOrCall*	Copied from original trade being edited.
202	*StrikePrice*	Copied from original trade being edited.
54	*Side*	Copied from original trade being edited.
9730	*TradeLiquidityIndicator*	Copied from original trade being edited.
128	*DeliverToCompId*	The EFID on the trade being cancelled or the new EFID on the edited trade(s).
32	*LastShares*	Quantity of contracts on the original trade being cancelled or quantity of contracts on the edited trade(s).
31	*LastPx*	Price on the original trade being cancelled or price of the edited trade(s).
42	*OrigTime*	GMT date-time of original trade.
60	*TransactTime*	GMT date-time of allocation.
77	*OpenClose*	The open/close indicator on the trade being cancelled or the new open/close indicator on the edited trade(s).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	DESCRIPTION
1	*Account*	The *Account* on the trade being cancelled or the new *Account* on the edited trade(s).
9324	*ClearingOptionalData*	The *ClearingOptionalData* on the trade being cancelled or the new *ClearingOptionalData* on the edited trade(s).
47	*Rule80A (OrderCapacity)*	The capacity on the trade being cancelled or the new capacity on the edited trade(s).
440	*ClearingAccount*	The *ClearingAccount* on the trade being cancelled or the new *ClearingAccount* on the edited trade(s).
439	*ClearingFirm*	The CMTA on the trade being cancelled or the new CMTA on the edited trade(s).
22021	*TerminalOperatorId* (C1 only)	The *TerminalOperatorId* on the trade being cancelled or the new *TerminalOperatorId* on the edited trade(s). Requires the "Send Terminal Info" port attribute to be enabled.
22022	*AdditionalClientInfo* (C1 only)	The *AdditionalClientInfo* on the trade being cancelled or the new *AdditionalClientInfo* on the edited trade(s). Requires the "Send Terminal Info" port attribute to be enabled.
11	*ClOrdID*	Copied from the original trade being edited.
19	*ExecRefID*	*ExecID* (17) of the trade that is being cancelled/edited. The *ExecID* from the most recent trade correction will be included, if applicable.
7694	*ContraCapacity*	The capacity of the opposite side of the trade. Requires Send *ContraCapacity* port attribute to be enabled.
25011	*TradeAllocation*	A zero value will be sent to indicate the trade noted in *ExecRefID* (19) is being cancelled. A value of '1' indicates a new trade allocation with *ExecRefID* (19) set to the value of the new *ExecID* for that allocation. 0 = Bust 1 = New trade allocation due to clearing edit
9324	*ClearingOptionalData*	This field will be reflected back on execution reports and FIX DROP ports and will be passed through to the OCC in the Optional Data field. Requires port attribute Send *ClearingOptionalData* to enable sending this tag. 16 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Security Definition Message Fields

This message is a response to a **`Security Definition Request`** message where the **`Security Definition Request`** message is accepted or rejected.

Table 43. Security Definition Message Fields

TAG	FIELD NAME	DESCRIPTION
35	*Standard Message Header*	*MsgType*= d
11	*ClOrdID*	*ClOrdID* from the **`Security Definition Request`** message request.
167	*SecurityType*	Copied from Security Definition Request.
1	*Account*	Copied from Security Definition Request.
55	*Symbol*	Cboe Symbol ID of created instrument.
323	*SecurityResponseType*	1 = Accept As-Is (legs were not modified) 2 = Accept With Revisions (legs were modified) 5 = Reject Security Proposal 'Accept As-Is' only applies if the input legs matches exactly the complex security definition. Any re-ordering of legs, reduction of ratios, or other changes will result in a value of 'Accept with Revisions'.
555 *Repeating Group*	*NoLegs*	Copied from **`Security Definition Request`** message. Note ordering of legs may be different if *SecurityResponseType* (323) = 2.
➔ 654	*LegRefID*	Copied from Security Definition Request.
➔ 600	*LegSymbol*	Copied from Security Definition Request.
➔ 608	*LegCFICode*	Copied from Security Definition Request.
➔ 611	*LegMaturityDate*	Copied from Security Definition Request.
➔ 612	*LegStrikePrice*	Copied from Security Definition Request.
➔ 623	*LegRatioQty*	Copied from Security Definition Request. Note ratio may be reduced if *SecurityResponseType* (323) = 2.
➔ 624	*LegSide*	Copied from Security Definition Request.
8641	*NoOfSecurities*	Number of complex strategies created by sender for this OSI Root.
58	*Text*	Free form text message.
	Standard Message Trailer	

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Purge Port Protocol - Member to Cboe

A Purge port may be created using either the FIX or BOE protocol. For BOE Purge Port messaging please see the Cboe US Options BOE Specification.

Purge Request Message Fields

Request to cancel a group of orders across all the firm's sessions. This differs from a mass cancel request sent via a **`Order Cancel Request`** message as the purge is applied across all of the firm's sessions, not just the session on which the message was received.

A purge requires populating the ***MassCancelInst*** (7700) field. The ***OnBehalfOfCompId*** (115) (i.e. EFID) is also required if a list of configured/allowed EFIDs has not been configured on the session. If a list of configured EFIDs is present, then sending a blank ***OnBehalfOfCompId*** value will result in the purge applying to all configured EFIDs. In addition, a firm may choose to further filter the purge to target specific orders using either the ***CustomGroupID*** (7699) or ***RiskRoot*** (55) field. If both ***RiskRoot*** and a list of ***CustomGroupID*** values are specified, the **`Purge Request`** message will be rejected. The items below should also be considered.

- Users must specify the *MassCancelId* (7695) if the Acknowledgement Style is set to S or B.
- Users may initiate a self-imposed, risk lockout using the *MassCancelInst* (7700) field.
- EFID values specified in the *OnBehalfOfCompId* (115) field that are not allowed to clear for the firm will be rejected.
- *CustomGroupID* (7699) or EFID (*OnBehalfOfCompId* (115)) purges with no *RiskRoot* (55) may be directed to a specific matching unit using the *MatchingUnit* (25017) optional field. If *MatchingUnit* is zero or not specified, these purge types will be sent to all matching units starting with unit 1. **Note this may result in self-imposed, risk lockouts occurring on select units while other units are still trading.**

When specifying the ***RiskRoot*** (55) field, using the underlying symbol is strongly recommended. Mass cancellations are always performed at the risk root (underlying) level.

All Members that send purges **must** include a valid ***TransactTime*** (60). This is required to ensure that a valid cancellation send time is captured and reported to CAT.

The system limits the rate at which identical **`Purge Requests`** messages can be submitted to the system. Requests are restricted to ten (10) messages per second per port.

An identical purge message is defined as a message having all of the same ***CustomGroupID***, ***Symbol***, ***Clearing Firm***, ***MatchingUnit***, ***Lockout Instruction***, ***Instrument Type Filter*** and ***GTC Order Filter*** field values, as a previously received message.

Table 44. Purge Request Message Fields

TAG	FIELD NAME	REQ'D	DESCRIPTION
35	Standard Message Header	Y	*MsgType* = F

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
97	*PossResend*	N	Y = Indicates an application level unsolicited resend. If *ClOrdID* has not yet been seen, the cancel is treated as normal. If *ClOrdID* already exists, the resent cancel is ignored. N = (Default) indicates a new cancel.
7933	*RoutingFirmID*	N	Used to optionally convey the routing firm of the order.
60	*TransactTime*	Y	Time cancel initiated/released. Required by FIX 4.2.
7700	*MassCancelInst*	Y	Used to perform Mass Cancel operation rather than single order cancel. If *MassCancelInst* is provided, tags 37, 41, 77, 200, 205, 201, 202, 54, and 38 will be ignored. At least one character must be provided (Clearing Firm Filter). Contiguous characters must be specified up to total length. Truncated (unspecified) characters will default to values indicated below. EFID values specified in *OnBehalfOfCompId* (115) that are not allowed to clear for the firm will be rejected. **1st Character : Clearing Firm Filter** A = No filtering by EFID is performed. F = All orders that were sent under the EFID specified in *OnBehalfOfCompId (115)* will be cancelled. If 'F' specified and *OnBehalfOfCompId (115)* is not provided, the Mass Cancel or Purge Orders messages will be rejected. **2nd Character : Acknowledgement Style** M= (Default) Individual Execution Reports are sent for each cancelled order. S = Single Execution Report sent once all cancels have been processed. Single Execution Report will contain MassCancelId *(7695)* and *CancelledOrderCount (7696)*. *MassCancelId* (7695) must be specified or the Purge Request messages will be rejected. B = Both Individual Execution Reports and summary Single Execution Report. Also requires *MassCancelId* (7695) to be specified or the Purge Request messages will be rejected. A = Single Execution Report sent to the purge port and one Execution Report for each matching unit is sent to each order entry port with cancelled orders. I = Execution Reports sent for each matching unit impacted in a multi-unit cancel. A final acknowledgement is sent when the last matching unit has completed all requested cancellations. *MassCancelId* (7695) must be specified or the Purge Request message will be rejected. **3rd Character : Lockout Instruction** N = (Default) No lockout L = Lockout until corresponding Risk Reset received. Lockout can be used only with Clearing Firm Filter set to 'F', otherwise the Order Cancel Request message will be rejected. Lockout will apply to all new orders and cancel/replace orders for the EFID (and *Symbol* (55) or *CustomGroupId* (7699), if specified), regardless of other filtering in the MassCancelInst. **4th Character : Instrument Type Filter** B = (Default) Cancel both Simple and Complex *orders* S = Cancel Simple orders only C = Cancel Complex orders only **5th Character : GTC/GTD Order Filter** C = (Default) Cancel GTC/GTD orders P = Don't cancel (preserve) GTC/GTD orders

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

TAG	FIELD NAME	REQ'D	DESCRIPTION
			If *Symbol* (55) is specified, it must contain a valid Risk Root, not the Cboe symbol name. By specifying tag 55, cancels will be limited to a single Risk Root. A self-imposed lockout can be released using the *RiskReset* (7692) field of the **`New Order Single`** or **`New Order Multileg`** message. For more information, refer to the US Options Risk Management Specification.
7695	*MassCancelID*	N	Mass Cancel ID chosen by user. If the populated value ends in a space the message will be rejected. This field will be echoed back in the resulting order execution report when a single execution report Acknowledgement Style is selected. Mass Cancel requests containing a currently outstanding *MassCancelID* will be rejected.
55	*Symbol*	N	Risk Root symbol (upper case). Limits cancellations to only orders with the specified Risk Root.
7698 *Repeating Group*	*CustomGroupIDCnt*	N	Number of repeating *CustomGroupIDs* (7699) included in this message. Integer 0-10
➔ 7699	*CustomGroupID*	N	*CustomGroupID* (7699) to cancel. Only present if *CustomGroupIDCnt* (7698) is non-zero. Number of repeating groups must match number specified in *CustomGroupIDCnt* (7698).
25017	*MatchingUnit*	N	Matching unit number the **`Purge Request`** message will be sent toward. If blank or 0, the **`Purge Request`** message will be sent to all units. Incompatible with symbol-level purges, specifying both symbol and *MatchingUnit* (25017) will cause the **`Purge Request`** message to be rejected. If both *MassCancelInst* (7700) lockout instruction= L and *MatchingUnit* (25017) are specified, a lockout will occur and will impact only the specified matching unit. Subsequent risk resets will clear risk locks on all units.
	Standard Message Trailer	Y	

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Purge Port Protocol - Cboe to Member

A Purge port may be created using either the FIX or BOE protocol. For BOE Purge Port messaging please refer to the Cboe US Options BOE Specification.

Purge Acknowledgment Message Fields

A response to a **`Purge Request`** message will only be sent when the *MassCancelID* (7695) is populated on a **`Purge Request`** message. This includes cases where the Acknowledgment Style of *MassCancelInst* is S, B, or I. Acknowledgment Style of A will also result in a **`Purge Acknowledgment`**.

Table 45. Purge Acknowledgment Message Fields

TAG	FIELD NAME	DESCRIPTION
35	Standard Message Header	*MsgType* = 8
52	*SendingTime*	GMT date-time that execution report was sent by Cboe.
20	*ExecTransType*	3 = Status
150	*ExecType*	Reason for this execution report: M = Mass Cancel Complete
7695	*MassCancelID*	Copied from original **`Purge Request`** message.
7696	*CancelledOrderCount*	Number of orders cancelled from a **`Purge Request`** message with the specified *MassCancelID*.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Purge Reject Message Fields

Rejects a **`Purge Request`** message.

Table 46. Purge Reject Message Fields

TAG	FIELD NAME	DESCRIPTION
35	Standard Message Header	*MsgType* = 9
39	*OrdStatus*	8 = Rejected
434	*CxlRejResponseTo*	1 = Cancel
102	*CxlRejReason*	2 = Broker Option
58	*Text*	Free form text message with additional reject information.
7695	*MassCancelID*	*MassCancelID* from the **`Purge Request`** message
	Standard Message Trailer	

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Purge Notification Message Fields

When the Acknowledgment Style of *MassCancelInst* on a **`Purge Request`** message is A, one **`Purge Notification`** message will be sent to an order entry port for each matching unit that had orders from that port cancelled.

Table 47. Purge Notification Message Fields

TAG	FIELD NAME	DESCRIPTION
35	Standard Message Header	*MsgType* = 8
128	*DeliverToCompId*	Identifies end-client EFID that was used to filter the purge, if it was used. If EFID was not used to filter the purge, this field will not be present.
52	*SendingTime*	GMT date-time that execution report was sent by Cboe.
60	*TransactTime*	GMT date-time that the system handled the purge request.
150	*ExecType*	Reason for this execution report: P = Purge Notification
7695	*MassCancelID*	Copied from original **`Purge Request`** message.
7696	*CancelledOrderCount*	Number of orders cancelled by the **`Purge Request`** message on the specified matching unit that originated on this port.
25017	*MatchingUnit*	Matching unit number on which orders were cancelled by the purge.
55	*Symbol*	Copied from original **`Purge Request`** message, if present.
7697	*LockOut*	Reported back with the following possible values. Y = Lockout N = No Lockout

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Implementation Issues

Automatic Cancel on Disconnect or Malfunction

All open orders for a member will be cancelled automatically if no messages have been received from the member for two heartbeat intervals. The set of open orders cancelled will include GTC and GTD orders if the CancelOnDisconnect port setting is configured to include GTC/GTD orders. This is done to prevent orders from being stuck in an unknown state in the event of telecommunications failure. Users should choose their heartbeat interval carefully based on the latency and reliability of their telecommunications channel. The minimum supported interval is 5 seconds, which is the recommended interval if supported by the latency and reliability of user telecommunications channels. Execution reports for the automatically cancelled orders are available upon reconnection. Users are responsible for rerouting orders to other market centers based on their business needs. All open orders may also be cancelled in the rare event of a complete or partial system malfunction.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Access Fees Returned on Execution Reports

The access fee associated with each fill is calculated to 5 decimals and returned on each execution report. Negative numbers indicate liquidity rebates. Users should program their systems to read, validate, and pass along this field in order to avoid making software changes to their systems when the Cboe fee schedule changes. The sum of the access fees received during a month should equal the access fee charged or rebated on a member's monthly bill, rounded to the nearest penny.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Service Bureau Configuration

Service Bureaus require special configuration. *OnBehalfOfCompId* should be set for Order, Cancel and Cancel/Replace messages sent to Cboe. Orders with an unknown *OnBehalfOfCompId* will be rejected. *ClOrdId* values are required to be unique only within a given *OnBehalfOfCompId*. Execution Report and Cancel Reject messages sent by Cboe will have the *DeliverToCompId* set. **Orders must be cancelled or replaced using the same *OnBehalfOfCompId* as was sent on the Order.**

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Common Session Level Issues

Cboe uses FIX 4.2 as specified by the FPL document **Version 4.2 (with Errata 20010501)** with business level extensions described in our own FIX spec. The session level of the FPL spec is followed as closely as possible.

The version with errata cleared up **many** ambiguities with session level present in the earlier Version 4.2 (March 1, 2000).

Important notes direct from the public FPL spec (**bold emphasis is from original spec**, * added by Cboe, † added by Cboe):

FINANCIAL INFORMATION EXCHANGE PROTOCOL / FIX MESSAGE FORMAT AND DELIVERY / Ordered Message Processing

The FIX protocol assumes complete ordered delivery of messages between parties. Implementers should consider this when designing message gap fill processes. Two options exist for dealing with gaps, either request all messages subsequent to the last message received or ask for the specific message missed while maintaining an ordered list of all newer messages*. For example, if the receiver misses the second of five messages, the application could ignore messages 3 through 5 and generate a resend request for messages 2 through 5*, **or**, preferably 2 through 0 (where 0 represents infinity)*. Another option would involve saving messages 3 through 5 and resending only message 2. In both cases, messages 3 through 5 should not be processed before message 2*.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FINANCIAL INFORMATION EXCHANGE PROTOCOL / SESSION PROTOCOL / Logon

After the initiator has been authenticated, the acceptor will respond immediately* with a confirming *Logon* message.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FINANCIAL INFORMATION EXCHANGE PROTOCOL / SESSION PROTOCOL / Message Recovery

When the incoming sequence number does not match the expected number corrective processing is required. Note that the SeqReset-**Reset** message ([Cboe: this refers only to GapFillFlag=No 123=N] † to be used only to recover from a disaster scenario vs. normal resend request processing) is an exception to this rule as it should be processed without regards to its *MsgSeqNum*. **If the incoming message has a sequence number less than expected and the *PossDupFlag* is not set, it indicates a serious error. It is strongly recommended that the session be terminated and manual intervention be initiated.** If the incoming sequence number is greater than expected, it indicates that messages were missed and retransmission of the messages is requested via the ***Resend Request**** (see Ordered Message Processing on page 124).

…

If there are consecutive administrative messages to be resent, it is suggested that only one *SeqReset-GapFill* message be sent in their place*. The sequence number of the *SeqReset-GapFill* message is the next expected outbound sequence number. The *NewSeqNo* field of the GapFill message contains the sequence number of the highest administrative message in this group plus 1*. For example, during a Resend operation there are 7 sequential administrative messages waiting to be resent. They start with sequence number 9 and end with sequence number 15. Instead of transmitting 7 Gap Fill messages (which is perfectly legal, but not network friendly), a *SeqReset-GapFill* message may be sent. **The sequence number of the Gap Fill message is set to 9 because the remote side is expecting that as the next sequence number.** The *NewSeqNo* field of the *GapFill* message contains the number 16, because that will be the sequence number of the next message to be transmitted.

Sequence number checking is a vital part of FIX session management. However, a discrepancy in the sequence number stream is handled differently for certain classes of FIX messages*. The table below lists the actions to be taken when the incoming sequence number is greater than the expected incoming sequence number.

NOTE: In ALL cases except the Sequence Reset - Reset message, the FIX session should be terminated if the incoming sequence number is less than expected and the *PossDupFlag* is not set. A *Logout* message with some descriptive text should be sent to the other side before closing the session.

Table 48. Response by Message Type

MESSAGE TYPE	ACTION TO BE TAKEN ON SEQUENCE # MISMATCH
Logon	Must always be the first message transmitted. Authenticate and accept the connection. After sending a *Logon* confirmation back, send a *ResendRequest** if a message gap was detected in the *Logon* sequence number.

….

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FINANCIAL INFORMATION EXCHANGE PROTOCOL / ADMINISTRATIVE MESSAGES / Resend Request

Note: the sending application may wish to consider the message type when resending messages*; e.g. if a new order is in the resend series and a significant time period has elapsed since its original inception, the sender may not wish to retransmit the order given the potential for changed market conditions. (The Sequence Reset-GapFill message is used to skip messages that a sender does not wish to resend*.)

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FINANCIAL INFORMATION EXCHANGE PROTOCOL / ADMINISTRATIVE MESSAGES / Sequence Reset (Gap Fill)

The sequence reset message is used by the sending application to reset the incoming sequence number on the opposing side. This message has two modes: Sequence Reset-Gap Fill when GapFillFlag is Y* and Sequence Reset-Reset when GapFillFlag is N or not present. The Sequence Reset-Reset mode should **ONLY** be used to recover from a disaster situation which cannot be otherwise recovered via Gap Fill mode. The sequence reset message can be used in the following situations:

- During normal resend processing, the sending application may choose not to send a message (e.g. an aged order). The Sequence Reset - Gap Fill is used to mark the place of that message.
- During normal resend processing, a number of administrative messages are not resent, the Sequence Reset - Gap Fill message is used to fill the sequence gap* created.

...

The sending application will initiate the sequence reset. **The message in all situations specifies NewSeqNo to reset as the value of the next sequence number** immediately following the messages and/or sequence numbers being skipped*.

...

If the GapFillFlag field is present (and equal to Y), the MsgSeqNum should conform to standard message sequencing rules (i.e. the MsgSeqNum of the Sequence Reset-GapFill message should represent the beginning MsgSeqNum in the GapFill range* because the remote side is expecting that next message).

The sequence reset can only increase the sequence number. If a sequence reset is received attempting to decrease the next expected sequence number the message should be rejected and treated as a serious error. It is possible to have multiple ResendRequests issued in a row (i.e. 5 to 10 followed by 5 to 11). If sequence number 8, 10, and 11 represent application messages while the 5-7 and 9 represent administrative messages*, the series of messages as result of the Resend Request may appear as SeqReset-GapFill with NewSeqNo of 8, message 8, SeqReset-GapFill with NewSeqNo of 10, and message 10*. This could then followed by SeqReset-GapFill with NewSeqNo of 8, message 8, SeqReset-GapFill with NewSeqNo of 10, message 10, and message 11. One must be careful to ignore the duplicate SeqReset-GapFill which is attempting to lower the next expected sequence number. This can be detected by checking to see if its MsgSeqNum is less than expected. If so, the SeqReset-GapFill is a duplicate and should be discarded.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FIX DROP

Cboe offers two types of FIX Drop ports, Standard FIX Drop and Order by Order FIX Drop. Neither port type accepts orders. Their purpose is to provide real-time information about order flow. The ports may be configured to send various combinations of order flow information related to specific member firms, clearing MPIDS, and/or sessions. With proper authorization (e.g. clearing or sponsored relationships), a single FIX Drop session can be used to obtain information about multiple Users.

Standard FIX Drop

Standard FIX Drop ports only send execution information (i.e. execution reports where ***ExecType*** (Tag 150) is Partially Filled (1) or Filled (2)).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Order by Order FIX Drop

Order by Order FIX Drop ports are designed to send more than execution information. Order by order drop ports function by watching the traffic that is returned over the associated FIX/BOE order entry ports. As a result, if a specific field is not enabled to be sent on a message from the Exchange to the FIX/BOE client, then that field will also not be present on the Order by Order FIX Drop. The system does not support delivery of execution reports from Routing Brokers that send orders on behalf of a firm. To receive Routing Broker execution reports a FIX Drop port is required.

All order message types are supported including, but not limited to, Acknowledgements (150=0), Partially Filled (150=1), Filled (150=2), Cancelled (150=4), Replaced (150=5), Restated (150=D), Rejected (150=8), Order Cancel Rejects (35=9), and optionally (if configured at the port level) Trade Breaks (35=UCC) and Floor Representation (378=7). Quotes sent over BOE Bulk Quoting ports as well as all BOE rejects are not available on Order by Order FIX DROP. Quote execution messages are available over ODROP, but will be returned more efficiently and with less latency over FIXDROP. If the Rejects/Cancels are due to incomplete clearing information, they may be unavailable on Order by Order FIX Drop ports.

Reject messages will be sent which originate from a FIX or BOEv3 order entry session. However, rejects originating from a BOEv2 order entry session will be suppressed.

Users of Order by Order FIX Drop must always be prepared to receive new/unknown FIX tag and FIX tag values for BOE/FIX ports being monitored. Cboe reserves the right to add new FIX tags and to update values distributed on Order by Order FIX Drop with no notice.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FIX Drop Port Attributes

Unless specified, both types of Drop ports (FIX Drop and Order by Order Drop) can be configured with the following port attributes.

Table 49. FIX Drop Port Attributes

ATTRIBUTE	DEFAULT	DESCRIPTION
Send Trade Breaks	No	Enables Trade Break Messages (35=UCC). Please note that enabling trade breaks on Order by Order FIX Drop port is dependent on enabling trade breaks on corresponding BOE and/or FIX order entry ports.
Unique Wash Execution Ids	No	Appends a '.B' or '.S' to *ExecID* (17) on all trades.
Concatenate CompId and SubId	No	Requires all FIX traffic to contain concatenated (combined) Comp and Sub Id's.
Send *OrigCompID*/*OrigSubID*	No	Send *OrigCompID* (9688) and *OrigSubID* (9689).
Send Account	No	Send *Account* (1).
Send 2nd Liquidity Character	No	Sends the second character in *TradeLiquidityIndicator* (9730).
Send *OrdType*	No	Send *OrdType* (40). **Standard FIX Drop only**. Order by Order FIX Drop will receive *OrdType* (40) based on FIX order entry port attribute Echo Tag 40 on Ack.
Send *RoutingInst*	No	**Order by Order FIX Drop only.** Send *RoutingInst* (9303), *RoutDeliverMethod* (9350) and *RoutStrategy* (9400).
Send *ContraCapacity*	No	Send *ContraCapacity* (7694). This attribute must also be set on the respective FIX ports in order for this field to be populated.
Floor Representation Restatements (C1 only)	No	Send order restatement execution reports when *ExecRestatementReason* (378) = 7 (Represented in Crowd). Please note that enabling floor representation restatements on Order by Order FIX Drop port is dependent on enabling floor representation restatements on corresponding BOE and/or FIX order entry ports. **Order by Order FIX Drop only.**
Send Floor Trade Restatements	No	Send order restatement execution reports when *ExecRestatementReason* (378) = A. If enabled, restatements will be sent when a floor trade is matched. This allows customers to obtain the final *ExecID* (17) on all floor trades following the matching process.
FLEX Percentage Trade Restatements (C1 only)	No	If the FLEX Percentage Trade Restatements port attribute is set, Execution Report messages will be sent at the end of the day for all FLEX trades that were done in percentage terms. These trades will be restated with prices in dollar terms. FLEX trade restatements will carry an *ExecType* (150) = D and *ExecRestatementReason* (378) = 9. If the settlement price is revised, the trades will be restated with the corrected symbol (FLEX Percentage) and prices (FLEX Percentage and FLEX DAC).
Enable Market Maker Floor Trade Notifications (C1 only)	No	**Standard FIX Drop only**. Enables Market Maker floor trade notifications (Execution Reports with *ExecType* (150) = T).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

ATTRIBUTE	DEFAULT	DESCRIPTION
Allow Executions (C1 only)	Yes	**Standard FIX Drop only**. Enables Execution Reports, except Execution Reports with *ExecType* (150) = T.
Send Clearing Edits	0	**Standard FIX Drop only**. Enables sending of clearing edits. See Trade Cancel/Correct Fix Drop Clearing Edit on page 110 for details. 0 = Don't send clearing edits 1 = Send clearing edits using wave method 2 = Send clearing edits using cancel + new method
Send Initial Client Order ID (C1 only)	No	**Standard FIX Drop only**. Send *InitialClientOrderId* (22020). If enabled, this will allow this Tag to be sent on **`Execution Report`** and **`Trade Cancel/Correct`** messages sent on FIX DROP ports.
Send Terminal Info (C1 only)	No	If enabled, this will allow *TerminalOpeartorID* (22021) and *AdditionalClientInfo* (22022) to be sent. *AdditionalClientInfo* (22022) will reflect any *AllocAdditionalClientInfo* (22027) value if present.
Send Floor Trade Time (C1 only)	No	Send *FloorTradeTime* (5179).
Send *OccId*	No	Send *OccId* (25019).
Microsecond Timestamp Granularity	No	Display microsecond level timestamp granularity for *TransactTime* (60), *OrigTime* (42), and *SendingTime* (52). These tags default to millisecond or second granularity.
Send Nanoseconds	No	Display nanosecond level timestamp granularity for *TransactTime* (60), and *OrigTime* (42), and *SendingTime* (52). If send nanoseconds and microseconds are both selected, nanoseconds will override.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

FIX Port Attributes

The FIX Port Attributes table below lists FIX port attributes that are configurable on the port or EFID level. Changes to these attributes can be made by submitting a request to the Cboe Trade Desk through the Logical Port Request form.

Table 50. FIX Port Attributes

ATTRIBUTE	DEFAULT	DESCRIPTION
Allowed Executing Firm Id(s)*	All Executing Firm Ids	Executing Firm Id(s) allowed for trading on port.
Default Executing Firm Id	None	Default Executing Firm Id to use if none is sent.
Allow ISO*	Yes	Allows or disallows ISO orders.
Allow Directed ISO*	Yes	Allows or disallows ISO orders directed to other market centers.
Allow Test Symbols Only	No	Allow or disallow orders in non-test symbols.
Default Routing Instruction†	9303=RS (C1 and EDGX) 9303 = R (BZX and C2) 9350=RTI 9400=SWPA	Specifies a default value for *RoutingInst* (9303), *RoutDeliveryMethod* (9350), and *RoutStrategy* (9400). Fields can be overridden at the order level.
Maximum Order Size*	25,000 99,000 (C1)	Maximum number of contracts allowed per order.
Maximum Order Dollar Value*	Unlimited	Maximum order dollar value per order.
Default Price Sliding†	"S" (BZX) "P" (C2 and EDGX)	Default price sliding behavior. See Display Indicator Features on page 14 for more details..
Cancel on Disconnect	All	Cancels open orders upon order handler session disconnect; both graceful and ungraceful. If Cancel On Disconnect is set, open orders in Symbols that are not in Closed state at the time of the disconnect are cancelled. All = Cancel Day and GTC/GTD orders Day = Cancel only Day orders None = Disabled
Cancel on ME Disconnect	All	Controls whether orders are cancelled or preserved on a Matching Unit failover and provides for the ability to preserve GTC/GTD orders. For BZX, C2, and EDGX, in any event, if a failover takes longer than 5 minutes, all orders are cancelled (including GTC/GTD Orders). For C1 if a failover takes longer than 15 minutes, all orders are cancelled (including GTC/GTD Orders). All = Cancel Day and GTC/GTD orders Day = Cancel only Day orders None = Disabled
Market Maker Reject if Cancel on Disconnect disabled	No Yes (C1 only)	Rejection of Market Maker or Away-Market Maker orders if Cancel on Disconnect is not enabled. Non-Market Maker capacity orders are unaffected with this configuration.
Send Trade Breaks^	No	Enables **`Trade Cancel/Correct`** messages (*MsgType* = UCC).
Default MTP Value*^†	None	Specifies Default value for *PreventMatch* (7928).
Report MTP Fields*^	No	Enables *LastPx* (31), *LeavesQty* (32), and *SecondaryOrderId* (198) on **`Execution Reports`** messages caused by MTP.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

ATTRIBUTE	DEFAULT	DESCRIPTION
Allow MTP Decrement Override*^	No	Overrides the exception that requires both the resting and inbound order to be marked as "Decrement".
Allow Sponsored Participant MTP Control*^	No	Allows Sponsored Participant to override port default for MTP by using *PreventMatch* (7928) on order-level.
Concatenate CompId and SubId	No	Requires all FIX traffic to contain concatenated (combined) Comp and Sub Id's.
Cancel on Reject†	No	Cancels an order upon a modify reject.
Report Working Price	No	Reports *WorkingPrice* (9690) and *InitialDisplayPrice* (9691).
Unique Wash Execution Ids	No	Appends a '.B' or .S' to *ExecID* (17) on all trades.
Enable State Change Tracking^	No	Allows for tracking of the state of routable orders (see State Change Tracking on page 107).
Send 2nd Liquidity Character	No	Sends the second character in *TradeLiquidityIndicator* (9730).
Decrement Remainder Only^	No	Enables 'd' option for MTP. See *PreventMatch* (7928) for details.
Restate on Reload^ (BZX, C1, and C2 only)	No	Generates FIX Restatement on reserve order reload with new PITCH Order Id in *SecondaryOrderId* (198), and populates the new PITCH Order ID in (198) of a Cancel/Replace acknowledgement that increases the size of a reserve order.
Echo Tag 40 on Ack	No	Return *OrdType* (40) value on acknowledgement. Note that this value will also be returned on Order by Order FIX DROP.
Echo Tag 47 on Ack	No	Return *Rule80A/OrderCapacity* (47) value on FIX Ack. Note that this value will also be returned on Order by Order FIX DROP.
Microsecond Timestamp Granularity	No	Display microsecond level timestamp granularity for *TransactTime* (60), *OrigTime* (42), and *SendingTime* (52). These tags default to millisecond or second granularity.
Fat Finger Protection*	Yes See Web Portal Port Controls Specification for updated defaults	Orders entered through the NBBO by a specified percentage or dollar based limit price tolerance will be rejected. Limits may be different for different price ranges and price ranges may vary across markets. Fat Finger checks will not be applicable for any Multi-Class Spread instruments that trade on the floor only. Fat Finger checks will remain applicable for Multi-Class complex instruments containing only SPX or SPXW legs as they are eligible for trading on the electronic book. Please see the Web Portal Port Controls Specification for complete details.
Reject Orders on DROP Port Disconnect*	No	If all associated Standard FIX DROP ports associated with an order entry session experience disconnection, new orders will be rejected until at least one Standard FIX DROP port session has been reestablished. Note this parameter does not apply to Order-By-Order drop ports (ODROP).
Reject Orders on DROP Port Timeout (s)*	30 seconds	Only applicable if "Reject Orders on DROP Port Disconnect" has been enabled. When the last Standard FIX DROP port associated with an order entry session has disconnected, begin rejecting orders on the order entry session if a Standard FIX DROP session has not been reestablished within this timeout. Minimum value allowed is 0 seconds.
Cancel Open Orders on DROP Port Disconnect*	None	Only applicable if "Reject Orders on DROP Port Disconnect" has been enabled. When the last Standard FIX DROP port

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

ATTRIBUTE	DEFAULT	DESCRIPTION
		associated with an order handler session has disconnected, open orders, associated with the session are cancelled. All = Cancel Day and GTC/GTD orders Day = Cancel only Day orders None = Disabled Note this parameter applies to Standard FIX DROP ports and not Order-By-Order DROP ports (ODROP).
Carried Order Restatements	No	If the Carried Order Restatements port attribute is set, Execution Report messages representing orders carried forward from the previous session will be sent. See Carried Order Restatements on page 12 for details.
Done For Day Restatements	No	If the Done For Day Restatements port attribute is set, Execution Report messages representing orders persisted during the current day session to carry over to the next session will be sent after the end of trading for the associated product and before system recycle. See Architecture and Message in Flight Settings on page 10 for details.
Send Routing Instruction	No	Include *RoutingInst* (9303) on Order by Order FIX Drop execution reports.
Send Contra Capacity	No	Include *ContraCapacity* (7694) on Execution Reports.
Default Attributed Quote*†	Never	Default value for *AttributedQuote* (9732). May override at order level. C† = Attribute *ClientID* (109) only (C1 only) N = Don't Attribute (may override at order level) Y = Attribute EFID only Z = Attribute EFID and *ClientID* (109) X* = (Default) Never Attribute (may not be overridden at order level) *On EDGX and BZX, this setting may only be changed after executing Attribution Addendum to Exchange User Agreement.
Crossed Market Reject / Cancel	No	Reject new orders when the NBBO in the security is crossed. Routable orders will have any remaining quantity cancelled back when the order returns to the book. Order modifications which cause a loss in priority will result in a cancel of the original order if the NBBO is crossed upon receipt of the modify request.
Cancel on Regulatory Halt	All (BZX and EDGX Only) None (C1 and C2 Only)	Cancels open orders upon receipt of a Regulatory Halt. All = Cancel Day and GTC/GTD orders Day = Cancel only Day orders None = Disabled
Session Close Handling	Yes	Customize message that would normally be sent at the regular market (4PM ET) and session close. Also functional during early close situations. Options supported are as follows: Yes = A cancel message will be sent for all expired orders (excluding GTC/GTD Orders). No = No message will be sent and it is the customer's responsibility to close all expired orders in their system. DFD = A DoneForDay message will be sent in place of the cancel message for each order (including GTC/GTD Orders) that is no

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

ATTRIBUTE	DEFAULT	DESCRIPTION
		longer eligible for execution. DoneForDay messages are sent via *OrdStatus* (39) = 3 and *ExecType* (150) = 3.
Duplicative Order Protection Order Count Threshold	None	Number of consecutive orders with the same *ClearingFirm*, *Price*, *OrdQty*, and *Symbol* that must be seen to initiate Duplicative Order Protection Action.
Duplicative Order Protection Action	1	Action taken when Duplicative Order Protection criteria is met. 1 = Not enabled. 2 = Reject any offending orders. 3 = Disable port for EFID (115). Must call Cboe Trade Desk to reenable.
Firm Risk Reset	Disabled	Disabled = Requires manually resetting all firm-level risk trips by contacting the Cboe Trade Desk. Enabled = Allows firm-level risk resets using FIX or BOE *RiskReset* field (7692) of 'F'.
Send Client Order IDs for AIM/ SAM/QCC Rejects (C1 and EDGX Only)	No	Enable sending of *AffectedOrigClOrdIDs* (1824) for AIM, SAM, and QCC rejects.
Port Order Rate Threshold	5,000 msgs/sec 1 msg/sec for test products.	The maximum allowed message rate on the session. When the first non-session level message is received, a one second window begins. During the second no more than 4,999 additional non-session level messages will be allowed within that window. If the rate is exceeded, all new orders in the time window are rejected, modifies are treated as cancels, and cancels are processed. Maximum value is 5,000 msgs/sec. Note: Order handler burst rates towards each matching unit may be limited as described in Architecture and Message in Flight Settings on page 10.
Symbol Order Rate Threshold	5,000 msgs/sec	Functions the same as the Port Order Rate Threshold but is calculated at the symbol level. It is capped by the Port Order Rate Threshold. Maximum value is 5,000 msgs/sec. Note: Order handler burst rates towards each matching unit may be limited as described in Architecture and Message in Flight Settings on page 10.
Reject Non-Market Maker With Clearing Account	Yes (C1 and C2 Only) No (BZX and EDGX Only)	If *OrderCapacity* (47) is not set to 'M' or 'N' and *ClearingAccount* is populated the order will be rejected by default on C1 and C2 and will be accepted by default for BZX and EDGX Only.
Default *Account*†	None	Default *Account* (1) to be used if none is sent on inbound messages. Allows 16 characters or less (ASCII 33-126) but a max of 10 characters will be passed through to the OCC Customer ID Field.
Default *ClearingOptionalData*†	None	Default *ClearingOptionalData* (9324) to be used if none is sent on inbound messages. Allows 16 characters or less (ASCII 33-126).
Default *FloorRoutingInst* (22303)† (C1 only)	E	D = Direct. Do not attempt to process electronically[1] E = Electronic only X = Route to floor if unable to process electronically.[1] [1]If *FloorRoutingInst* is default to 'D' or 'X',

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

ATTRIBUTE	DEFAULT	DESCRIPTION
		then *RoutingInst* (9303) must be sent as 'B' or 'R' for simple orders; for complex or FLEX instruments *RoutingInst* (9303) must be sent as 'B'.
Default *FloorDestination* (22100)† (C1 only)	None	Specifies a default PAR workstation (ex. W001) to route to on the floor (or PARO to route to the Floor PAR Official of the underlying symbol) if not specified on inbound messages. 4 characters or less (ASCII 33-126).
Floor Representation Restatements (C1 only)	No	Send order restatement execution reports when *ExecRestatementReason* (378) = 7 (Represented in Crowd).
Send Floor Trade Restatements	No	Send order restatement execution reports when *ExecRestatementReason* (378) = A. If enabled, restatements will be sent when a floor trade is matched. This allows customers to obtain the final *ExecID* (17) on all floor trades following the matching process.
Default *EquityPartyID* (22008)† (C1 and EDGX only)	None	Default *EquityPartyID* (22008) to be used if none is specified on inbound messages.
Default *ClientID* (109)† (C1 only)	None	Default *ClientID* (109) to be used if none is specified on inbound messages.
FLEX Percentage Trade Restatements (C1 only)	Yes	If the FLEX Percentage Trade Restatements port attribute is set, Execution Report messages will be sent at the end of the day for all FLEX trades that were done in percentage terms. These trades will be restated with prices in dollar terms. FLEX trade restatements will carry an *ExecType* (150) = D and *ExecRestatementReason* (378) = 9. If the settlement price is revised, the trades will be restated with the corrected symbol (FLEX Percentage) and prices (FLEX Percentage and FLEX DAC).
Send ClearingOptionalData	Yes	If set to 'No', *Account* (1) will instead be mapped to the OCC via **both** the Customer ID field and the new the Optional Data field.
Enable Market Maker Floor Trade Notifications (C1 only)	No	Enables Market Maker floor trade notifications for specific Market Maker Acronyms on a port (**`Execution Reports`** with *ExecType* (150) = T).
Market Maker Floor Trade Notification Symbology (C1 only)	OSI	Specifies the symbology used on Market Maker Floor Trade Notifications. Cboe = Six character Cboe Symbol ID OSI = OSI Symbology
Send Terminal Info (C1 only)	No	If enabled, this will allow Send *TerminalOpeartorID* (22021) and *AdditionalClientInfo* (22022) to be sent on **`Execution Report`** messages back to the client. *AdditionalClientInfo* (22022) will reflect any *AllocAdditionalClientInfo* (22027) value on **`Execution Report`** message if present.
Forced Open Cancel Instruction	DoNotCancel	Specifies order handling during a forced opening. DoNotCancel = Preserve Orders (Default) CancelMarket = Cancel Open Market Orders Only (preserve Limit Orders) CancelAll = Cancel All Open Orders
EFID Filter for Purge Ports	None	Specify up to ten EFIDs per purge port for which purges will be permitted. If a purge request specifies an EFID not included in

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

ATTRIBUTE	DEFAULT	DESCRIPTION
		the list of configured EFIDs, the purge request will be rejected. If a purge port is configured with multiple EFIDs and a purge request is sent without any EFIDs specified, the purge will be applied only to the list of configured EFIDs.
Multi-Segment Holiday Day Order Handling (C1 only)	None	Controls whether Day (*TimeInForce* (59) = 0) orders are cancelled or preserved across holiday trading segments comprising a single business date. None = All Day orders on the book are carried between trading segments Cancel = All Day orders on the book at the conclusion of the current trading segment are cancelled back.
Default *EquityExDestination* (22016)† (C1 and EDGX only)	C	Default *EquityExDestination* (22016) to be used if none is specified on inbound messages.
Send Nanoseconds	False	Display nanosecond level timestamp granularity for *TransactTime* (60),*OrigTime* (42), and SendingTime(52). If send nanoseconds and send microseconds are both selected, nanoseconds will override.

* Sponsored Participants require written approval from Sponsors to update these settings on ports associated to a Sponsor's MPID.

† Port attribute can be overridden via FIX on an order by order basis.

^ Requires certification.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Reason Codes

Order Reason Codes

The following is a list of reason codes used to indicate the reason for order rejections or cancellations. The code will be followed by free form text. The specific text the system delivers may vary from the text listed below, to provide clarification of the reject reason. Cboe may add additional values without notice. Users must gracefully ignore unknown values.

Table 51. Order Reason Codes

CODE	DESCRIPTION
A	Admin
D	Duplicate *ClOrdId*
F	Could not reflect to consolidated quote (OPRA)
H	Halted
I	Incorrect data center
J	Too late to cancel
K	Order rate threshold exceeded
L	Order would lock or cross NBBO
M	Order size exceeded
N	Ran out of liquidity to execute against
O	*ClOrdId* doesn't match a known order
P	Can't modify an order that is pending fill
Q	Waiting for first trade
R	Routing unavailable
T	Fill would trade-through NBBO
U	User requested
V	Would wash
W	AddLiquidityOnly order would remove
X	Order expired
Y	Symbol not supported
Z	Unforeseen reason
c	Close only
f	Risk management EFID level
f	Risk management Custom Group ID level
m	Market access risk limit exceeded
o	Max open orders count exceeded
r	Reserve reload
s	Risk management symbol level
t	Auctions
w	Would Remove on unslide
u	Limit up/down
x	Crossed market
y	Order received during replay
z	Session End
+	Risk management EFID Group level

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Order Subreason Codes

The following is a list of subreason codes used to indicate additional detail for the order rejections or cancellations. The code will be followed by free form text. The specific text the system delivers may vary from the text listed below, to provide clarification of the reject or cancel reason. Cboe may add additional values without notice. Users must gracefully ignore unknown values.

Table 52. Order Subreason Codes

CODE	DESCRIPTION
A	Purge/mass cancel EFID level by user
B	Purge/mass cancel symbol level by user
C	Purge/mass cancel Custom Group ID level by user
E	EFID level lockout by Cboe Trade Desk admin
J	Firm disconnect
K	ME disconnect
L	Unregistered MM Account
S	Minimum size requirement not met
T	Cboe Trade Desk admin
f	Risk management EFID level by rule
s	Risk management symbol level by rule
+	Risk management EFID Group level by rule

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

References

For more information on Cboe Symbology, please refer to the Cboe Symbology Reference.

For more information on Cboe Opening Process, please refer to the Cboe Opening Process Specification.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Support

Please direct questions or comments regarding this specification to tradedesk@cboe.com.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

Revision History

VERSION	DATE	DESCRIPTION
0.1	09/17/09	Initial draft version.
1.0	10/05/09	Release 1.0 distributed.
1.0.1	10/08/09	Various minor updates.
1.1.0	10/28/09	New technical specification template and tag 115/128 info updates.
1.1.1	01/29/10	Added State Change Tracking. Removed 375=NYSE
1.1.2	02/04/10	Added Common Session Level Issues.
1.1.3	03/04/10	Corrected example for price data type. Corrected description for tag 116.
1.1.4	03/05/10	Updated description for tag 1 and 440.
1.1.5	05/14/10	Opt-in support added for MMTP Decrement method to work with other method types. Opt-in support added to allow Sponsored Participants to override port level MMTP settings on an order by order basis with approval of Sponsor.
1.2.0	08/06/10	Added FIX Drop section and updated DROP/FIX Drop references.
1.3.0	08/27/10	Updated 9303 definitions to match equity specification format. Bats Specific Fields section converted into a reference table.
1.4.0	09/15/10	Updated 9303 to add 3rd character support for strategy definition (in support of Parallel routing strategies) that will be effective by 10/01/10. Corrected tag 375 (*Contra*) parameter for NASDAQ (NOMX). Replaced RECYCLE references with Re-Route.
1.4.1	09/28/10	Default routing strategy changing effective 10/01/10 to Parallel-D.
1.4.2	10/08/10	Added support for C2 in tag 9303.
1.4.3	10/11/10	Added tag 7692 (*RiskReset*).
1.4.4	10/27/10	Added support for C2 in tag 375.
1.4.5	11/04/10	Parallel T and Parallel 2D effective date noted.
1.4.6	11/08/10	Parallel T strategy reference removed.
1.4.7	12/08/10	Updated 9621 definition.
1.4.8	12/20/10	Added 9730=S in 2nd character position (optional feature).
1.4.9	12/21/10	Added MMTP reference for 7928=d.
1.5.0	12/28/10	Added Port Attributes section. Renamed MMTP to MTP.
1.5.1	01/14/11	Added tag 167 (*SecurityType*) to `Execution Report`.
1.5.2	02/10/11	Added tag 6655 (*CorrectedSize*) to the **`Trade Cancel/Correct`** message type.
1.6.0	03/03/11	Removing 9622 *DiscretionAmount* effective 04/01/11.
1.6.1	03/25/11	Allow for opt-in of echoing Tag 47 (*Rule80A/OrderCapacity*) on FIX Ack effective 04/01/11.
1.6.2	04/01/11	Removal of 9622 *DiscretionAmount* postponed.
1.6.3	05/24/11	Added Microsecond Timestamp Granularity port attribute to allow for microsecond level timestamps for certain tags.
1.7.0	06/28/11	Added Mass Cancel effective 07/01/11. Added support for Firm level Risk Management rule Risk Resets effective 07/15/11.
1.7.1	07/12/11	Added Fat Finger Protection port attribute definition. Added some clarification to Mass Cancel definition.
1.7.2	07/22/11	Added Echo Tag 40 on Ack and Reject Orders on DROP Port Disconnect port attribute definition.
1.7.3	08/24/11	Added 9622 *DiscretionAmount*. Added additional DROP Port Disconnect port attribute definitions.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
1.7.4	09/20/11	Added support for Professional Customer capacity (effective date 11/01/11). Added tag 58 value for Market Access Risk Limit cancel or reject.
1.7.5	11/07/11	Added Notional Cutoff Aggregation Method, Limit Order Notional Cutoff, and Market Order Notional Cutoff to **Port Attributes** section.
1.7.6	12/01/11	Added clarification to tag 102 usage with regard to **`Cancel Rejects`** messages.
1.7.7	12/08/11	Added Send Routing Instruction to **Port Attributes** section.
1.8.0	12/16/11	Updated **FIX Drop Port Attributes** section and renamed Port Attributes section FIX Port Attributes. Added Send Contra Capacity Instruction to **FIX Port Attributes** and **FIX Drop Port Attributes** section. Add tag 58 value o=Max Open Orders Count Exceeded as a reject reason code.
1.8.1	12/21/11	Noted that Bats reserves the right to add new FIX tags and to update values distributed on Order by Order FIX Drop with no notice.
1.8.2	01/05/12	Added Multiple Display-Price Sliding (9479=M).
1.8.3	01/17/12	Added capability within Order Cancel Request message to specify a *MassCancel* (tag 7693) option that will limit cancel acknowledgements to a single Execution Report message. Effective 01/27/12.
1.8.4	01/18/12	Updated Multiple Display-Price Sliding effective date to effective pending SEC Approval.
1.8.5	01/19/12	Added capability to echo *MassCancelID* in **`Cancel Reject`** messages.
1.8.6	01/25/12	Correction to *MassCancel* (tag 7693) definition. *MassCancel* requests that contain tag 41 (*OrigClOrdID*) will be rejected. *ClOrdID* was noted incorrectly.
1.9.0	02/01/12	Added support for using either Net, Gross, or a combination of both Notional Cutoff Aggregation Methods to the **Port Attributes** section. Effective 02/03/12. Removed Notional Cutoff Aggregation Method attribute and added specific attributes for both Gross and Net Daily Risk Limit/Market Cutoffs. Effective 02/03/12.
1.9.1	02/17/12	**`Trade Cancel/Correct`** message section stated that tag 439 was copied from original order. This was not correct. Corrected to note that tag 115 is copied to tag 128.
1.10.0	03/07/12	Added *AttributedQuote* (9732). Effective 05/07/12.
1.10.1	05/17/12	Clarified tag 55 description. Updated *PreventMatch* tag 7928 to include a 3rd character for Trading Group Id. Effective 05/25/12.
1.11.0	05/25/12	Post Only Orders will execute against resting orders if the value of price improvement associated with the execution equals or exceeds the sum of fees charged for the execution plus the value of the rebate that would have been provided if the order posted to the Bats book and subsequently provided liquidity. Effective 06/08/12.
1.11.1	06/14/12	Added support for NASDAQ BX in tags 9303 and 375. Effective 06/29/12. Clarified the cases in which Tag 198 *SecondaryOrderID* is sent.
1.11.2	06/19/12	Added reason code of x=Crossed Market to *OrderRejectReason*, *ModifyRejectReason* and *CancelReason*. Added Crossed Market Reject/Cancel to **Port Attributes** section.
1.11.3	06/26/12	Added support to allow Market Makers to facilitate trades in Closing Only Series using Opening IOC orders. Effective 06/29/12.
1.11.4	08/07/12	Updated Multiple Display-Price Sliding effective date to effective 08/24/12.
1.11.5	09/05/12	Added support for Miami Stock Exchange in tags 9303 and 375.
1.11.6	09/26/12	Mass Cancel requests containing a *MassCancelID* that is currently outstanding will be rejected. Effective 09/28/12.
1.12.0	01/09/13	Removed support for discretion orders (*DiscretionAmount* Tag 9622). Effective 02/01/13.
1.12.1	01/23/13	Added reason code of u=LimitUpDown to *Text* (Tag 58).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
1.13.0	04/04/13	Include *TradeLiquidityIndicator* (Tag 9730) by default on order acknowledgements. Effective 06/06/13. Updated *ExchangeAccessFee* (Tag 9621) description.
1.14.0	07/10/13	CYCLE routing strategy, where 3rd character of *RoutingInst* (Tag 9303) = C to be deprecated in favor of Parallel routing strategies. Effective 09/03/13.
1.14.1	08/05/13	Details added to *RoutingInst* (Tag 9303), *ExecInst* (Tag 18), and *ContraBroker* (Tag 375) to support Gemini.
1.14.2	10/21/13	Added support for MassCancelLockOut to *Order Cancel Request* message type.
1.14.3	12/10/13	Updated CYCLE routing strategy where 3rd character of *RoutingInst* (Tag 9303) = C will be rejected effective 01/02/14.
1.14.4	01/29/14	Added reference to cancel on regulatory halt to the **Port Attributes** section. Effective 03/06/14.
1.14.5	01/30/14	Added maximum of 20% for Fat Finger Percentage in **Port Attributes** section.
1.14.6	02/07/14	Updated Hours of Operation to reflect Pre-Market Opening Process.
1.14.7	03/14/14	Add *TradeLiquidityIndicator* (Tag 9730) value of "C" for market opening/re-opening trade.
1.15.0	06/05/14	Added support for Random Replenishment, *DisplayRange* (8020). Effective 07/11/14. Added support for modification of displayed quantity, *MaxFloor* (111), on the next reload. Effective 07/11/14. Added support for *TimeInForce* (59) = 4, FOK. Effective 07/11/14. Added support for *OrdType* (40) = 3 (Stop) and *OrdType* (40) = 4 (Stop Limit) orders as well as *StopPx* (99). Effective 07/11/14.
1.16.0	07/31/14	Added "Session Close Handling" Port Attribute. Effective 08/22/14. Added MTP Modifier of Cancel Smallest, *PreventMatch* (7928) = S. Effective 08/22/14.
1.16.1	08/29/14	Added Aggressive and Super Aggressive routing strategies to *RoutingInst* (9303). Effective 09/12/14.
1.16.2	09/23/14	Added support for Price Adjust and Multiple Price Adjust, *DisplayIndicator* (9479) = P and "m" respectively. Effective 10/17/14.
1.16.3	10/27/14	*FeeCode* (9882) support added for opt-in through the Bats Trade Desk effective 11/07/14. *FeeCode* (9882) will be distributed on all Execution Reports effective 11/21/14. *ExchangeAccessFee* (9621) will be deprecated effective 3/31/15.
1.16.4	02/13/15	Added support for *Capacity* (47) and *ContraCapacity* (7694) designations of Broker-Dealer, Non-Bats Market Maker and Joint Back Office. Effective 06/01/15
1.16.5	03/02/15	Updated description of Unique Wash Execution Ids port attribute. Added language to **Logon** message clarifying behavior around one second wait period after `Logon` is received.
1.17.0	07/01/15	References in support of EDGX Options added. Added *MarketingFeeCode* (5937) and *TargetPartyID* (1462). *ContraCapacity* (7694) added to FIX DROP.
1.17.1	08/21/15	Updated description of *Fat Finger Protection* port attribute. Added *Duplicative Order Protection* port attributes.
1.17.2	10/26/15	Updated description of *DisplayIndicator* (FIX Tag 9479) with EDGX Options-specific behavior.
1.17.3	10/31/15	Updated values for *MarketingFeeCode* (FIX Tag 5937) to match current EDGX Options Fee Schedule. Updated description of *TargetPartyID* (FIX Tag 1462). Updated description of *MassCancel* (FIX Tag 7693).
1.17.4	11/12/15	Updated Pre-Market Queueing session start time to 7:30 a.m. ET effective 12/11/15 pending SEC approval.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
1.17.5	12/24/15	Updated descriptions of *TargetPartyID* (FIX Tag 1462) and *OrderCapacity* (FIX Tag 47) for revised directed order functionality. Effective 01/19/16.
2.0.0	01/21/16	Added Mercury support to *ContraBroker* (FIX Tag 375) and *RoutingInst* (FIX Tag 9303). Added Routing V2 support to *RoutingInst* (FIX Tag 9303). Added three new fields in support of Routing V2: *RoutDeliveryMethod* (FIX Tag 9350), *RoutStrategy* (FIX Tag 9400), and *ExDestination* (FIX Tag 100). Changed major revision of spec to V2 to match equities FIX spec version convention.
2.1.0	02/19/16	Bats branding/logo changes.
2.1.1	02/24/16	Updated reason code for restatement messages *ExecRestatementReason* (FIX Tag 378). Effective 03/10/16
2.1.2	03/24/16	Update description of *RoutStrategy* (v2) (FIX Tag 9400) to state routable ISOs must be sent with "DIRC". Updated the minimum value of the "Reject Orders on DROP Port Timeout (s)*" Port Attribute. Effective 04/25/16.
2.1.3	05/17/16	Updated Display Price Sliding and Price Adjust functionality. Effective 05/16/16. Added functionality for AuctionID and S as possible second character for *RoutingInst*. Effective 07/11/16.
2.1.4	06/13/16	Display Price Sliding support eliminated for EDGX Options Effective 07/11/16.
2.1.5	07/13/16	Added new second character to *TradeLiquidityIndicator (FIX Tag 9730)* of B for Step-Up Mechanism (SUM)
2.1.6	08/03/16	WAIT orders (FIX Tag 9303) = C will be eliminated upon migration to the Bats NextGen Matching Engine. Price Adjust behavior on BZX Options will be unified with EDGX Options Price Adjust behavior on the Bats NextGen Matching Engine. Refer to Release Notes on Bats Public Web Site for NextGen Matching Engine deployment schedule.
2.1.7	08/19/16	Added support for BAM Auction functionality (available in EDGX Options Certification 10/11/16 and EDGX Options Production 01/03/17)
2.1.8	10/04/16	Added support for *RoutingFirmID* (Tag 7933) on the **`New Order Single`** Message. Effective 01/03/17.
2.1.9	11/11/16	Removed legacy Display Price Sliding functionality. Added new second character to *TradeLiquidityIndicator (FIX Tag 9730)* of 'b' for Bats Auction Mechanism. Updated *ClearingAccount* to clarify and include *Capacity* of 'N'.
2.1.10	12/6/16	Updated Fix Port Attribute for Market Maker Reject if Cancel on Disconnect disabled.
2.1.11	01/24/17	Removed legcy Routing v1 functionality Added support for MIAX Pearl routing. Updated *RoutingFirmID* (Tag 7933) for `Execution Report`, `Order Cancel Request`, and `Cancel` / `Replace Request`. Added Support for Qualified Contingent Cross (QCC) to include an updated *CrossType* (549). Effective 03/03/17.
2.2.0	01/27/17	Added Purge Port functionality. Effective 03/01/17. Added new *RiskReset* (7692) values to support reset by *CustomGroupID* (7699). Effective 03/01/17.
2.2.1	03/06/17	Added new opt-in *AffectedOrigClOrdID (Tag 1824)* repeating group to echo *ClOrdID (Tag 11)* of BAM and QCC rejects. Removed references to legacy DROP protocol. Added "Port Order Rate Threshold", "Symbol Order Rate

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
		Threshold", "Allow Test Symbols Only", and "Send Client Order IDs for BAM/QCC Rejects (EDGX Only)" Port Attributes.
2.2.2	04/13/17	Defined whether a FIX Tag is optional or required on all inbound message types.
2.3.0	05/11/17	Added support for Complex orders. Available in Certification effective 08/01/17 and in Production effective 10/23/17. Added Cancel on ME Disconnect Port Attribute.
2.3.1	06/13/17	Added *LegRefID* (654) to **`New Order Multileg`** message for both long and short form messages. Added *LegRefID* (654) to **`Security Definition Request`** and **`Security Definition`** messages. Added complex order Tags to **`Execution Report`** message. Updated available *TimeInForce* (59) and *RoutingInst* (9303) values when used with complex orders.
2.3.2	06/27/17	*AvgPx* (6) and *CumQty* (14) will be zero when *MultiLegReportingType* (442) is "2".
2.3.3	07/07/17	Symbology used on executions for complex orders, including the legs, will always be Bats symbology
2.3.4	07/25/17	Added *SecondaryExecId* (527) to Execution Report. Added new Mass Cancel/Purge Request specification style using *MassCancelInst*(7700) field (Available in Certification effective 8/14/17 and in Production effective 10/23/17). Added new Reason Codes section.
2.3.5	08/04/17	Added *RiskReset* and *CustomGroupID* to **`New Complex Order`** message.
2.4.0	09/01/17	References and fields in support of C2 Options added. Updated Mass Cancel and Purge fields to add additional filtering based on GTC orders and Complex instruments. Updated Cancel on Disconnect, Cancel on ME Disconnect, Cancel on DROP Port Disconnect and Cancel on Regulatory Halt to all provide GTC filter capability.
2.4.1	09/15/17	Added support for C2 Feature Pack 1. Available in Certification effective 9/15/17 and in Production effective 10/13/17.
2.4.2	09/25/17	Updated description of *MassCancel* (7693) and *MassCancelInst* (7600). Added *TimeInForce* (59)=2 (At The Open) for `New Order Single` effective 10/23/17.
2.4.3	10/05/17	Updated C2 Feature Pack 1 effective date from 10/6/17 to 10/13/17. Removed introduction of *ContraTrader* and *ContraBroker* and deprecated of *ContraCapacity* from C2 Feature Pack 1 release.
2.4.4	10/17/17	Cboe branding/logo changes.
2.4.5	11/07/17	Added C2 Feature Pack 2 enhancements for *ContraTrader* and *ContraBroker* values to be effective on 12/8/17.
2.4.6	12/06/17	Updated effective date of C2 Feature Pack 2 to 12/15/17.
2.4.7	12/15/17	Updated description of *Leg Ref ID* (654) to allow 5 alphanumeric or space characters or less. Updated effective date of C2 Feature Pack 2 to 01/05/18.
2.4.8	12/27/17	Added 'Done For Day Restatements' functionality including Section 1.5.1 introduction and new port attribute 'Done For Day Restatements.', which is disabled by default. Changed default for 'Carried Order Restatements' to disabled. Updated **`Cancel/Replace Request`** message to clarify when an order loses time priority.
2.4.9	01/12/18	Added GTC/GTD persistence across trading sessions to BZX and EDGX (Effective in EDGX on 1/26/18 and BZX on 2/2/18).
2.5.0	02/20/18	The *TimeInForce* value on an `Execution Report` may differ from what was sent in cases where the value is overridden by the system. Update GTC/GTD functionality to allow order cancelation after trading sessions ends.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
2.5.1	03/21/18	Updated OSI Root to Underlying symbology for EDGX Options (effective 6/11/18) and BZX Options (effective 6/25/18).
2.5.2	03/26/18	Updating *RoutStrategy* (9400) default behavior to 'SWPA' for EDGX on 04/13/18 and BZX on 04/19/18.
2.5.3	04/04/18	Removed 'P'ost Only as a valid *RoutingInst* value for New Order Multileg on C2. Changed the Default Attributed Quote value for EDGX to Never.
2.5.4	04/10/18	*CumQty* (14) to be populated on leg fills related to complex executions (effective 4/27/18).
2.5.5	05/23/18	Complex Orders with a *RoutingInst* (9303) = D must be Market Maker capacity. Corrected OSI to Underlying effective dates
2.5.6	08/07/18	Updated information about mass cancel message rate limitations. (effective 08/15/18) Added clarification to *CxlRejReason* (Tag 102) with reason of BrokerOptions on Cancel Rejects messages.
2.5.7	10/19/18	Added support for C1 Migration Feature Pack 1, including support for complex reserve orders, *ClearingOptionalData* (9324) and EFID Group level risk functionality. Available in Certification effective 11/2/18 and in Production effective 11/29/18.
2.5.8	11/05/18	Added Complex Post Only value of 'P' to *RoutingInst* (9303) (Effective in EDGX and C2 - TBD).
2.6.0	11/16/18	Add additional message types, references, and fields in support of Cboe Options migration to Bats Tech.
2.6.1	11/27/18	Added *TradeLiquidityIndicator* (9730) values for SAM and QCC. Updated effective date for Complex Post Only to TBD. Updated values for Default Attributed Order port attribute for Cboe Options Exchange.
2.6.2	12/06/18	Updated FIX Tag 1 (*Account*) description to match behavior per release of C1 Feature Pack 1. Added *Send ClearingOptionalData* to list of Fix Port Attributes. Added notes to *ClientID* (109), *AttributedQuote* (9732) indicating availability in C1 Feature Pack 4. Updated FIX port attributes for Cancel on Regulatory Halt to indicate Cancel All is default for BZX and EDGX and Cancel None is default for for C1 and C2.
2.6.3	12/20/18	Attributing by *ClientID* (109) requires a value of "C" rather than "X" for the *AttributedQuote* (9732) field.
2.6.4	01/11/19	Corrected default value for *Default FloorRoutingInst* port attribute to 'E' for Electronic only. Added support for MIAX Emerald routing (effective 03/01/19). Added Floor Routing protocol feature for C1. Added support for Not Held orders (*ExecInst* (18) = 1) for C1.
2.6.5	01/17/19	Removed Cancel/Correct references from `Execution Report` (35=8) message type description to ensure clarity on the fact that Cancel/Correct messages are only sent using the UCC (35=UCC) message type. Added effective dates for Complex Post Only (EDGX 01/30/19, C2 02/06/19).
2.6.6	02/06/19	Added Reason Code `'z'` to section 8. Market Orders are not implicitly IOC for `New Order Multileg` orders. Added Simple Order Auction information related to BAM/AIM, SUM, and QCC for C1 Feature Pack 5.
2.6.7	02/19/19	Cabinet orders must be routed to the floor. Support added Floor Representation Restatements including new protocol feature section and new port attributes. Added *FLEXHedgeExecInst* (21005) and *FLEXPreFacilPrice* (21008) to `New Order Cross` and `New Order Cross Multileg.` Removed *MultiClassSpd* (22004). Tag is not needed.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
		Changed *TradingSessionID* (336) to *SessionEligibility* (22017). Also changed tag values to be a single character, from 'RTH' and 'ALL' to 'R' and 'A'.
2.6.8	03/01/19	Updated **`New Order Multileg`** message type to not support legging in to the simple book on cross product spreads. Added note indicating FIX Tag 111 (*MaxFloor*) and FIX Tag 8020 (*DisplayRange*) will be effective in C2 on 03/15/19 to support Complex Reserve orders.
2.6.9	03/13/19	Updated effective date for SAM auctions to TBD.
2.6.10	03/18/19	Added support for AON orders on EDGX effective with C1 Feature Pack 6.
2.6.11	03/29/19	Added new *TiedHedge* indicator tag to `New Order Multileg`. Moved *FrequentTraderID* to the Allocs repeating group of `New Order Cross` and `New Order Cross Multileg.` Removed *FLEXPreFacilPrice* from `New Order Cross` and `New Order Cross Multileg.` Added *FLEXHedgeExecInst* and *FLEXPreFacilPrice* to `New Order Single` and `New Order Multileg.` Updated **`Delete Floor Trade`** message descriptive text to specify that we only allow trade deletion by *execID* (deletion by *clOrdID* will not be supported). Replaced all references to BAM with AIM. Updated GTH trading hours to end at 9:15 a.m. ET. Renamed Late-Limit-On-Open orders to Settlement Liquidity orders.
2.6.12	05/02/19	Updated *Price* (44) description with supportive values based on *PriceType* (423) to support pricing as a percentage (FLEX only) or Cabinet orders. Updated *SecurityType* (167) on `Execution Reports`, including those sent to FIX DROP, to more accurately reflect how this will be used on the Cboe Options (C1) Exchange. In `New Order Cross Multileg`, removed *LegPositionEffect* (564) & *ContraPositionEffects* (22564), added *LegPositionEffects* (22019). Added clarification to *MassCancelInst* behavior when the Clearing Firm Filter is set to 'F'. Clarified acceptable ASCII values for for *Account* and *ClearingOptionalData*. Added GTH times for DJX and XSP and added note to indicate C2 and EDGX will support *SessionEligibility*, effective with C1 Feature Pack 7. Added note indicating reserve orders (*MaxFloor* greater than 0) will be rejected for Cboe proprietary classes, effective with C1 Feature Pack 7.
2.6.13	05/31/19	Removed Market Maker Floor Trade Notifications from FIX port attributes and added to Drop Port attributes. Added FLEX Percentage Trade Restatements and Allow Executions to Drop Port Attributes. Added *TradeLiquidityIndicator* 2nd character value of "U" for Market Turner on C1. Added Trade Cancel/Corect FIX Drop Clearing Edit section that is applicable to C1 only. Added Send Clearing Edits FIX Drop port attribute for C1 only.
2.6.14	06/14/19	Updated description of *EquityTransactTime* (22060) field. Added note indicating `New Order Cross Multileg` will be supported on EDGX, effective on EDGX with C1 Feature Pack 8. Added *TimeInForce* (59) value of 'At the Close ', effective on BZX, C2, and EDGX with C1 Feature Pack 8.
2.6.15	06/19/19	Updated **`Add Floor Trade`** message for ContraBroker and ExecBroker fields. Fields are not validated if sent. Default Market Maker EFID Association Tool in Web Portal is used to identify OCC give-up number for these fields. ContraBroker and ExecBroker fields will be deprecated at a future date.
2.6.16	06/21/19	Added *ExecRestatementReason*(378) value of 3=Repricing of order for use with SLOO order restatement reason.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
2.6.17	06/28/19	Added notes indicating *EquityExDestination*, *EquityLegShortSell*, and *EquityPartyID* fields in the **`New Order Cross Multileg`** and **`New Order Multileg`** messages will be effective on EDGX with C1 Feature Pack 9 to support Complex Orders with equity legs.
2.6.18	07/01/19	Clarified preferred use of underlying when specifying RiskRoot field. Removed Will be zero for ExecTransType (20)=3" (Status)" from description of *ExecID (17) in* **`Execution Report`** message.
2.6.19	07/10/19	Updated note indicating `New Order Cross Multileg` value for C-AIM will be supported on EDGX at a date TBD.
2.6.20	07/16/19	Corrected details for Execution Report fields *OrigCompID* (9688) and *OrigSubID* (9689) to indicate that both are FIX and ODROP only.
2.6.21	07/25/19	Corrected description of *FrequentTraderID* from "10 characters or less" to "6 characters or less". Corrected description of the 'G' value for the *ExecInst* (18) field in **`New Order Multileg`** message to include DAY instead of IOC. Added support for Market Maker Floor Trade Notifications for FIX port attributes to specify list of Market Maker Acronyms on a port. **`Floor Trade Confirmation`** messages now support full OSI Symbology in addition to Cboe Symbol ID. *FloorRoutingInst* of "D" or "X", only compatible when *RoutingInst* (9303) is set to "R".
2.6.22	07/26/19	Removal of Execution Report with *ExecType (150) = F* for Floor Trade Match Record and clarification around correct Execution Report messages for `Add Floor Trade`, `Floor Trade Confirmation` and **`Delete Floor Trade`** messages.
2.6.23	08/07/19	Added clarification for *OpenClose (77)* field in **`New Order Single`** and **`New Order Cross`** messages for orders with an *OrderCapacity* (47) of M or N. Added note indicating that if using OSI symbology to specify an equity leg in the **`New Order Cross Multileg`** message, the equity leg must the last element of the repeating group. Clarification on *RoutingInst (9303)* when *FloorRoutingInst* is "D" or "X" on **`New Order Single`** and **`New Order Multileg`** messages. Added note indicating that for Execution Reports, *SecurityType* (167) value of "EQ" will be effective on EDGX with C1 Feature Pack 9. The *SecurityType* (167) value of "OPT" will be effective on EDGX with C1 Feature Pack 9 and C2 on 9/6/19. Updated footnotes for FloorRoutingInst (22303) indicating when *FloorRoutingInst* is "D" or "X", *RoutingInst* (9303) must be set to "B" or "R" for simple orders; for complex or FLEX instruments *RoutingInst* (9303) must be set to "B".
2.6.24	08/09/19	Added note indicating C-AIM will be effective on EDGX 8/22/19.
2.6.25	08/23/19	Added *PriceType* (423) field in Execution Reports. Updated definition for *Price* (44) field in **`New Order Single`** message. Updated definition for Leg*Price* (566) field in **`New Order Cross Multileg`** message. Removed language indicating Cabinet orders can have a *TimeInForce*(59) value of "GTD" or "IOC" since GTD and IOC orders cannot route to the floor. Clarified *ContraBroker* (375) and *ContraTrader* (337) to provide detail about what information will be provided for trades on the Cboe Options trading floor. Added minimum and maximum valid values for *FLEXAuctionDuration* (21010). Additional detail added for *ContraBroker* (375) and *ContraTrader* (337) with respect to Cboe Options floor trades and complex trades.
2.6.26	08/30/19	Sorted table 4.3 - User Defined Fixed Fields numerically by FIX tag and changed font of some zeros to Consolas.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
		Removed *Rule80A Order Capacity* (47) value of D=Non TPH Broker Dealer (FLEX only) as this value will no longer be accepted.
2.6.27	09/9/19	Series restricted to closing only will accept opening transactions from both M and N capacities. Clarified *AutoMatchPrice* (9044) descriptions. Corrected *MultilegReportingType* description in **`Add Floor Trade`** message to remove "4=Individual leg of a Combo multi-leg instrument: as this is not a valid value.
2.6.28	09/17/19	Added *PriceType* (423) field to **`Floor Trade Confirmation`** message. For `Execution Report` updated or added the following fields that are specific to FLEX restatement messages: *OrdStatus* (39) *ClearingPrice* (21050), *ClearingSymbol* (21053), *ExecRefID* (19), *Rule80A/Capacity* (47), *TradeDate* (75). Clarification added for rejects related to an invalid *ExecInst* (18) value. If a value is supported on one message type, but invalid for another message type, then that will result in a reject.
2.6.29	09/23/19	*ClOrdID* (11) values cannot start with a tilde (~) when sent on FIX messages to the Exchange. This prevents a potential conflict with a system generated *ClOrdID*. Added new *InitialClientOrderId* (22020) field to FIX Drop for `Trade Cancel/Correct` and `Execution Report`. This field is enabled by using new FIX Drop port attribute. Updated Default Routing Instruction Fix Port Attribute values for 9303.
2.6.30	10/02/19	Removed *TimeInForce*(59) value of "7=At The Close" for **`New Order Multileg`** message as this is not a valid value.
2.6.31	10/03/19	Added note indicating Cancel on ME Disconnect port attribute timeout is 15 minutes for C1.
2.6.32	10/15/19	Corrected *TransactTime*(60) description for **`Add Floor Trade`** message. Added Market Order NBBO Width Protection, Drill-Through Protection for Lmit Orders, and Exchange Default Fat Finger Limits subsections under Protocol Features.
2.6.33	11/07/19	Clarified time range during which Done For Day Restatement messages are sent for Floor Trades. Added notes indicating that the 'at' sign, pipe, and double quotes are not permitted in *ClOrdID*(11) or *CrossID(548),* effective 01/13/2020.
2.6.34	11/12/19	Updated Hours of Operation table, indicating GTH will be sunset on C2 and EDGX effective 11/22/19.
2.6.35	11/21/19	Added note to the *TradeDate* (FIX Tag 75) indicating this field in Execution Reports will include the 'As of' date for floor orders entered via the Add Trade tool (effective 12/10/19).
2.6.36	12/3/19	Added notes indicating system will change RoutingInst = Q to 'P' upon the deprecation of Partial Post Only at Limit. They system will also ignore *MaxRemovePct* (9618), effective 12/16/19 (BZX only).
2.6.37	12/9/19	Added note indicating Post Only orders with *DisplayIndicator* (9479) = R will be cancelled back for C1, C2 and EDGX only. Updated *LegPrice* (566) description for **`New Order Multileg`** message indicating this field will be optional for complex FLEX orders when routed directly to the floor (~~effective 12/16/19~~ 1/6/20).
2.6.38	12/13/19	Updated effective date for leg price requirement changes onFLEX complex orders routed to PAR from 12/16/19 to 1/6/20.
2.6.39	01/17/20	Added note indicating that reason codes are followed by free-form text that may vary from the text listed in the specification, in order to provide clarification of the reject reason. Added note indicating that EDGX will support SAM and C-SAM auctions, effective 2/3/20.
2.6.40	01/29/20	Changed *OrdType* to Not Required on **`New Order Cross`** and **`New Order Cross Multileg`** messages. FLEX non-index percentage pricing will be available effective 2/18/20.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
		Added note indicating *RoutingFirmID* (FIX Tag 7933) will be effective on BZX in the **`New Order Single`** message, effective 3/2/20.
2.6.41	02/26/20	Clarified description of TransactTime (60). Added *TerminalOperatorId* (FIX Tag 22021) and *AdditionalClientInfo* (FIX Tag 22022) to the **`New Order Single`**, **`New Order Cross`**, **`New Order Cross Multileg`**, **`New Order Multileg`**, and **`Execution Report`** messages. Also added *Send Terminal Info* FIX Drop and FIX Port attribute to support these new FIX Tags, effective 03/23/20 (C1 Only). Added MXEA and MXEF to FLEX symbol abbreviation tables.
2.6.42	03/10/20	Updated values for *LegRatioQty* (623) and *Price* (44) for **`New Order Multileg`** and **`New Order Cross Multileg`** messages to support increase of maximum leg quantity and maximum package price for complex orders (effective on C1, C2, and EDGX 4/13/20). Corrected *Price* field accepted values for **`New Order Single`** message. *LeavesQty* (151) to be populated on single-leg instrument fills resulting from complex executions.
2.6.43	03/13/20	Changed effective date for addition of *TerminalOperatorId* (22021) and *AdditionalClientInfo* (22022) and addition of *Send Terminal Info* FIX Drop and FIX Port attribute to TBD (C1 Only).
2.6.44	04/03/20	Updated formatting Clarification on the usage of *AllocExecRefID* (25007) for clearing edits on FIXDROP. Updated effective date for addition of *TerminalOperatorId* (22021) and *AdditionalClientInfo* (22022) and addition of *Send Terminal Info* FIX Drop and FIX Port attribute to 4/7/20 (C1 Only). Updated effective date for *LeavesQty* (151) to be populated on single-leg instrument fills resulting from complex executions to 4/9/20.
2.6.45	04/22/20	Added new value of "2" to Send Clearing Edits port attribute for FIX Drop. Defined new cancel + new clearing edit messaging in the Trade Cancel/Correct section (effective 5/13/20).
2.6.46	04/27/20	Noted notional exposure tracking to be deprecated on 5/8/20.
2.6.47	04/28/20	Added note indicating the rate limit at which identical Mass Cancel and Purge Order messages will be accepted will be changed from 20 to 10 messages per second per port (effective 5/27/20).
2.7.0	05/22/20	Added Maximum Open Order Limits section 1.5.4.5. Updated description of *MassCancelID* (Tag 7695) field to indicate that messages will be rejected if they contain a MassCancelID field whose value ends with a space (effective 6/5/20). Added new SubreasonText (22058) field to better inform members on the reason why an order was cancelled or rejected. Also added new *RiskReset* (7692) values to allow for rest or self-imposed lockout without resetting risk counters (effective 08/3/20).
2.7.1	05/26/20	Added *PriceType* (423) value of 'D', *Delta* (22023), *ReferencePrice* (22025), and *LegDelta* (22024) fields to support FLEX Delta Adjusted at Close (effective 09/14/20 ~~07/20/20~~), (C1 Only).
2.7.2	07/01/20	Added clarifying statement for FLEX orders indicating that when a percentage Cboe symbol is specified for *Symbol* (55), but no *PriceType* (423) value is provided, the order will be rejected. Updated *PriceType* field in **`New Order Single`**, **`New Order Multileg`**, and **`New Order Cross Multileg`** messages to include values to support FLEX DAC. Corrected valid values for *Delta* field in **`New Order Single`** message. Added *AllocAdditionalClientInfo* (22027) to the `New Order Cross` and `New Order Cross Multileg messages` (effective 7/24/20), (C1 only).
2.7.3	07/07/20	Added *EquityExDestination* (22016) value of 'P' for Penserra (effective 08/10/20).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
		Added *CrossInitiator* (22026) field in **`New Order Cross Multileg`** and **`New Order Multileg`** messages (effective 08/10/20) (C1 and EDGX Only). Updated and removed values from *SubreasonText* (22058) and *RiskReset* (7692).
2.7.4	07/08/20	Updated effective date for fields supporting FLEX Delta Adjusted at Close to 09/14/20. Added deprecation date for legacy *MassCancel* (7693) and *MassCancelLockout* (7697) (effective 10/12/20).
2.7.5	07/13/20	Corrected description of *Delta* (22023) in User Defined FIX Fields table to indicate that the *Delta* field is available in the **`New Order Cross`** message.
2.7.6	07/28/20	Updated Drill-Through Amount table and default values for *DrillThruProtection* (6253) (effective 08/05/20).
2.7.7	07/31/20	Added *FloorDestination* (22100) field to Execution Reports (effective ~~08/26/20~~ 09/09/20) (C1 Only). Corrected *TradeLiquidityIndicator* value for QCC from 'q'to 'Q',
2.7.8	08/05/20	Updated **`Execution Report`** (Cancels and Rejects) and **`Cancel Reject`** message to include *ClearingOptionalData* (9324) field (effective 8/28/20).
2.7.9	08/13/20	Added FLEX Micro symbology to abbreviation tables (effective 9/18/20).
2.7.10	08/20/20	Added new **`Purge Notification`** message and Acknowledgement Style value of "A" for second character of *MassCancelInst* on `Purge Request` (effective 9/25/20).
2.7.11	08/25/20	Updated effective date for addition of *FloorDestination* (22100) field to Execution Reports to 09/09/20 (C1 Only).
2.7.12	09/03/20	Updated effective date for FLEX Micro Options to TBD (C1 Only).
2.7.13	09/08/20	Updated effective date for FLEX Delta Adjusted at Close to TBD (C1 Only).
2.7.14	09/16/20	Added note to `Trade Cancel/Correct` indicating message will support *SecurityType* (167) field (effective 10/08/20 for EDGX, effective 10/09/20 for BZX, C1, C2).
2.7.15	09/28/20	Added *EquityExDestination* (22016) values of 'F','L', and 'S' (effective 10/7/20). Corrected values supported by *SecurityType* (167) field on **`Trade Cancel/Correct`** message to include EQ=Equity.
2.7.16	10/06/20	Added *CrossType* (549) value of 4=Position Compression Cross to **`New Order Cross`** and **`New Order Cross Multileg`** messages (C1 Only). Updated description of *Lockout* (7697) field in **`Purge Notification`** message to indicate Y = lockout or N = no lockout.
2.7.17	10/14/20	Added *TradeLiquidityIndicator*, 2nd character value of P=PCC ((C1 Only) . Added note indicating Complex PCC orders cannot be composed of both SPX and SPXW in the same instrument. Updated drill-through procedures to be iterative (effective 11/9/20 on EDGX and 11/10/20 on BZX, C1, and C2)
2.7.18	11/5/20	For *Compression* (22006) in `New Order Cross` and `New Order Cross Multileg`, added note to indicate this field should not be specified for PCC orders (*CrossType* (549) = 4). Removed information related to deprecated legacy *Mass Cancel* method. Added clarification to **`Add Floor Trade`** and **`Floor Trade Confirmation`** messages regarding use of Market Maker EFIDs configured for floor transactions in reports. Updated FLEX DAC effective date to 12/2/20 (C1 only) . Updated iterative drill-through procedures effective dates to 11/16/20 on EDGX and 11/17/20 on BZX, C1, and C2.
2.7.19	11/17/20	Corrected descriptions of *MassCancelInst* (7700) by removing note stating " If "F" specified and *OnBehalfOfCompId (115* is provided but has a null value, the `Mass Cancel` or `Purge Orders` will be treated like "A" No filtering by EFID."

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
2.7.20	12/17/20	Added *CrossType* (549) value of 5=Related Futures Cross to **`New Order Cross Multileg`** message (C1 Only). Added *TradeLiquidityIndicator*, 2nd character value of F=RFC (C1 Only) (effective 01/19/21). Added note to *ClearingAccount* (440) field indicating when *Capacity* (47) is set to M for Market-Maker, any unregistered accounts in this field will cause the quote or order to be rejected with a reason code of "A" and sub-reason code "L". Added new subreason code, L=Unregistered MM Account (~~effective 02/08/21~~).
2.7.21	01/14/21	Clarified that invalid EFID values specified in *OnBehalfOfCompId* (115) will result in rejects of *MassCancelInst* (7700) or Purge Requests.
2.7.22	02/03/21	Updated effective date for changes to *ClearingAccount* (440) field indicating when *Capacity* (47) is set to M for Market-Maker, any unregistered accounts in this field will cause the quote or order to be rejected with a reason code of "A" and sub-reason code "L". Added new subreason code, L=Unregistered MM Account (effective 03/01/21).
2.7.23	02/10/21	Added 'Section 1.5.1 - Architecture' to provide high level overview of protocol architecture and source IP blocking feature. Added new 'Section 1.5.11 - Stale NBBO' to describe system behavior when SIP NBBO is unavailable. Added "Forced Open Cancel Instruction" to FIX Port Attributes table (effective 3/12/21 for EDGX, 3/15/21 for BZX, C1, C2).
2.7.24	02/22/21	Added "EFID Filter for Purge Ports" to FIX Port Attributes table (effective 3/17/21).
2.7.25	03/15/21	Added value of 4=AfterVolatilityCutoff to *CxlRejReason* (102) field on **`Cancel Reject`** message to reflect current system behavior.
2.7.26	03/25/21	Added Curb session hours (effective 04/25/22 ~~TBD 02/07/22~~ ~~TBD~~ ~~09/27/21~~ ~~Q3 2021~~). Added new section 1.3.1 on holiday sessions (effective 11/21/21 ~~Q4 2021~~). Added new section 1.5.4 on cancellation of carried orders between trading sessions (effective 01/24/22 ~~TBD~~ ~~09/27/21~~ ~~Q3 2021~~). Updated description of *SessionEligibility* message (effective 01/24/22 ~~TBD~~ ~~09/27/21~~ ~~Q3 2021~~).Updated *RiskReset* on behavior between GTH and Curb session (effective 04/25/22 ~~TBD 02/07/22~~ ~~TBD~~ ~~09/27/21~~ ~~Q3 2021~~). FLEX symbol creation will be enabled during the Curb trading session (effective 04/25/22 ~~TBD 02/07/22~~ ~~TBD~~ ~~09/27/21~~ ~~Q3 2021~~).
2.7.27	04/05/21	Added note indicating Fat Finger checks are not applicable for any multi-class spread orders (effective 04/20/21). Fat Finger checks will remain applicable to SPX/SPXW orders. Added new *ClosingPrice* (22004) field to `Trade Cancel/Correct` (UCC) message (effective 05/06/21). Added note indicating the *Delta* (22023), *ReferencePrice* (22025) and *ClosingPrice* (22004) fields will be added to the `Trade Cancel/Correct` (UCC) message to provide additional FLEX DAC information (effective 05/06/21).
2.7.28	04/14/21	Corrected placement of Floor Routing Table in section 1.5.10.
2.7.29	05/06/21	Added C=Cboe Compression Service (CCS) to *TradeLiquidityIndicator* (9730) (C1 only) (Effective 08/12/21 ~~07/06/21~~)
2.7.30	05/13/21	Updated Curb session effective date to 04/25/22 ~~TBD 02/07/22~~ ~~TBD 09/27/21~~.
2.7.31	06/08/21	Updated *CumQty* to include detail about C1 Floor Specific Handling. Removed *FrequentTraderID* (21097) from **`Order Cancel/Replace Request`** message as this functionality is not being used on the **`Order Cancel/Replace Request`** message. Added note to clarify that Order by Order FIX Drop ports do not support delivery of execution reports from Routing Brokers. Effective 08/25/21 ~~08/09/21~~, a maximum of 16 legs will be allowed on complex orders.
2.7.32	06/15/21	Updated effective date for extended GTH session to 11/21/21.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
		Added note indicating the *FeeCode* (9882) field will be added to the `Trade Cancel/Correct` (UCC) message to provide additional FLEX DAC information (effective 07/14/21).
2.7.33	06/18/21	Updated Cboe Compression Service Multilateral Compression effective date to ~~TBD~~ 08/12/21.
2.7.34	07/28/21	Clarified description of *FloorDestination* (22100) for Execution Reports to indicate that 22100 is not provided for Partial or Filled executions. Updated Cboe Compression Service Multilateral Compression effective date to 08/12/21.
2.7.35	08/02/21	Updated effective date for 16 legs allowed on complex orders to 08/25/21.
2.7.36	08/25/21	Updated Curb session effective date to 04/25/22 ~~TBD 02/07/22~~ ~~TBD~~.
2.7.37	09/09/21	Added new value of "B" (RTH+Curb) for *SessionEligibility* message (effective 01/24/22 ~~TBD~~).
2.7.38	09/28/21	Added new "I" value to *MassCancelInst (7700)*, indicating multi-unit cancel acknowledgments (effective 11/15/21). Added note indicating MatchingUnit (25017) will be returned in Execution Reports in response to Mass Cancel requests for multi-unit orders. Added note to the *TradeDate* (75) indicating this field in Execution Reports will be sent for fills and partial fills of orders (effective 11/21/21).
2.7.39	10/21/21	Added new subreason code S=Minimum size requirement not met (effective 11/28/21).
2.7.40	11/04/21	Updated Curb session effective date to 04/25/22 ~~TBD 02/07/22~~. Updated Hour of Operation to eliminate Sunday 7:15 p.m. GTH Order Acceptance time. Updated Holiday Session Figure 1. Updated effective date for new *SessionEligibility* message value of "B" (RTH+Curb) to 01/24/22 .
2.7.41	11/12/21	Added new *Held* field (20012) to **`New Order Single`**, **`New Order Multileg`**, and **`Execution Report`** messages (effective 12/12/21) (C1 Only).
2.7.42	12/03/21	Updated description of *Held* field (20012) to indicate default value of 'N' applies when an order is directed to a Non-PAR official (effective 12/12/21) (C1 Only).
2.7.43	12/10/21	Added new 'Send Floor Trade Time' FIX Drop port attribute (effective 12/20/21) (C1 Only).
2.7.44	12/22/21	Added *SenderLocationID* field to Table 4.1 "Standard Message Header." Updated Logical Port Request form link.
2.7.45	01/13/22	Updated US Holiday Trading Hours graphic. Added a new *MatchingUnit* field to Purge Request messages (effective 02/11/22 for EDGX and 02/14/22 for C1, C2, and BZX). Updated Purge Request section indicating that *CustomGroupID* (7699) or EFID (*OnBehalfOfCompId* (115)) purges with no *RiskRoot* (55) may be directed to a specific matching unit using the *MatchingUnit* (25017) optional field (effective 02/11/22 for EDGX and 02/14/22 for C1, C2, and BZX).
2.7.46	01/21/22	Duplicative Order Protection Time Threshold to be sunset (effective 02/27/22). Duplicative Order Protection Order Count will look at consecutive orders (effective 02/27/22).
2.7.47	02/01/22	Updated Curb session effective date to 04/25/22 ~~TBD~~.
2.7.48	02/22/22	Added a new section 1.5.6.3 to detail Stop or Stop Limit Orders Drill-Through Handling (TBD ~~effective 03/28/22~~). Noted that if both sides of a complex/spread trade are on the same order entry session, Cboe does not guarantee that the leg executions will not be interleaved between sides.
2.7.49	03/14/22	Changed effective date for updated Stop/Stop Limit Drill-Through Handling to TBD. Added FLEX Micro OSI format (effective 06/27/22).
2.7.50	04/04/22	Updated Curb session effective date to 04/25/22. Updated Cliquet settlement types description in section 1.5.9.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
2.7.51	06/13/22	*ExecBroker* and *ContraBroker* will not be deprecated at a future date. Added *PriceType* (423) field to **`Security Definition Request`** messages to support FLEX instrument creation (effective 07/18/22).
2.7.52	08/05/22	Added new 'Y' value for *PossDupFlag* (43), indicating a message resend and should be used during FIX Replay. Noted in section 3.5 that Cboe will reject all orders received during FIX replay containing *PossDupFlag*='Y'. Updated *FLEX Percentage Trade Restatements* (C1 only) to include revised FLEX Percentage and FLEX DAC trades (effective 08/12/22).
2.7.53	11/07/22	The maximum allowed message rate is 1 msg/sec for test products. Added XSP to GTH and Curb sessions (effective 12/11/22). Updated *OrdType* (40) = 1 (Market) to indicate market and stop orders are not supported during GTH or Curb sessions.
2.7.54	11/30/22	FLEX DAC will support trading in single-name equity options (C1 only) (effective 12/19/22). Stop/Stop Limit orders will only elect based off of RTH quotes and trades (effective 12/18/22).
2.7.55	01/24/23	Updated Architecture and Message in Flight Settings section (BZX only) (effective 03/24/23).
2.7.56	02/27/23	Updated *OpenClose* (77) to indicate if the leg is limited to closing only transactions, only *Capacity* = M or 'N' will be permitted to submit *OpenClose* = O if the order has TimeInForce= '3' (IOC) and *RoutingInst* = B, or the order has a *RoutingInst* = P. Updated *LegPositionEffect* (564) *and LegPositionEffects (22019)* to indicate if the leg is limited to closing only transactions, only *Capacity* = M or 'N' will be permitted to submit *OpenClose* = O if the order has TimeInForce= '3' (IOC) and *RoutingInst* = B.
2.7.57	03/01/23	Formatting updates.
2.7.58	03/29/23	An Open position cannot trade with an Open position for series limited to Closing Only transactions, even if the inbound IOC from the aggressing market maker is sent with that combination of tags.
2.7.59	04/17/23	Added effective dates to Architecture and Message in Flight Settings section (effective 04/28/23 on EDGX, 05/12/23 on C2, and 5/29/23 on C1).
2.7.60	06/13/23	Updated sections 1.5.6.2 and 1.5.6.3 to include drill-through handling enhancements (effective 08/07/23 07/17/23 on C1, and 08/25/23 ~~TBD~~ on EDGX, C2 and BZX). Added *FloorTradeTime* (5179) to Execution Report (C1 only). Updated 'Send Floor Trade Time' FIX Drop port attribute description (C1 only).
2.7.61	07/20/23	Updated *OpenClose* (77) to indicate if the leg is limited to closing only transactions, only *Capacity* = M will be permitted to submit *OpenClose* = O if the order has TimeInForce= '3' (IOC) and *RoutingInst* = B, or the order has a *RoutingInst* = P. Updated *LegPositionEffect* (564) *and LegPositionEffects (22019)* to indicate if the leg is limited to closing only transactions, only *Capacity* = M will be permitted to submit *OpenClose* = O if the order has TimeInForce= '3' (IOC) and *RoutingInst* = B. Updated priority treatment of no-change quotes, and noted modifications to quotes or orders will result in the same time priority behavior (effective 10/25/23 ~~08/16/23~~ on C2, and 10/30/23 ~~08/21/23~~ on BZX, C1, and EDGX).
2.7.62	07/28/23	Added new *ExDestination* (100) value of 'M' (MEMX) and new *ContraBroker* (375) value of 'MEMX' (effective 08/07/23). Updated effective dates for modifications to quotes or orders resulting in the same time priority behavior (effective 10/25/23 on C2, and 10/30/23 on BZX, C1, and EDGX).
2.7.63	07/31/23	Added two new Lead Characters '3' and '4' to support new cash-settled FLEX ETF options (effective 08/01/23).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
2.7.64	08/04/23	Added *CorrectedStrikePrice* (25018) and updated description of *StrikePrice* (202) to indicate this will be the original strike price when an underlying index value change occurs after the FLEX percentage trade restatement time (C1 only) (effective 09/11/23). Updated effective dates for drill-through handling enhancements on C1, and updated drill-through parameter ranges (effective 08/07/23). Updated Purge Request to indicate *MassCancelInst* (7700) must be populated and *OnBehalfOfCompId* (115) is only required if a list of configured/allowed EFIDs has not been configured on the session.
2.7.65	08/15/23	Updated effective date for drill-through handling enhancements on C2, BZX, and EDGX (effective 08/25/23).
2.7.66	08/29/23	Updated *NoLegs* **`New Order Multileg`**, **`New Order Cross Multileg`**, and **`Security Definition Request`** messages to indicate that the number of allowable legs will be increased from 16 to 100 on non-FLEX 'Floor-Routed' orders (C1 only) (effective 09/25/23).
2.7.67	10/30/23	Updated the identical Purge message definition to include *MatchingUnit* (25017) (effective 11/13/23).
2.7.68	11/07/23	Added *ClearingOptionalData* (9324) to the **`Trade Cancel/Correct`** message. Added *ClearingOptionalData* (9324) to the **`Trade Cancel/Correct FIX Drop Clearing Edit`** message (effective 11/13/23).
2.7.69	12/18/23	Updated description of *FrequentTraderID* to "Six alphanumeric characters or less (0-9, A-Z, or a-z)". Updated *TradeTime* (5179) to *FloorTradeTime* (5179). Updated *FloorTradeTime* (5179) and 'Send Floor Trade Time' FIX Drop port attribute description (C1 only) (effective 01/16/24).
2.7.70	01/10/24	Added *FloorTradeTime* (5179) (C1 only) to the **`Trade Cancel/Correct`** message. Clarified that the "Default EquityPartyID" port attribute is applicable to C1 and EDGX only. Added new "Default *EquityExDestination*" port attribute (effective TBD ~~03/11/24~~). Effective TBD ~~03/11/24~~, equity legs will be allowed on FLEX orders. FLEX orders will allow up to 99 options legs and one equity leg while FLEX DAC orders will allow up to 98 options legs and one equity leg.
2.7.71	01/23/24	Updated description of *LegDelta* (22024) to clarify valid values for call legs and put legs.
2.7.72	02/02/24	Updated section 1.5 to include latency expectations as well as Members/TPH's responsibility to monitor the status of the messages they send to the exchange.
2.7.73	02/12/24	Added *EquityExDestination* (22016) (C1 and EDGX only) to Execution Report (effective 04/29/24 ~~03/11/24~~).
2.7.74	03/08/24	Clarified the *CrossInitiator* (C1 and EDGX only) description to indicate that the MPID field is required on orders routed to destinations via NYSE Chicago using EquityExDestination (22016). Updated equity legs allowed on FLEX orders and *EquityExDestination* (22016) (C1 and EDGX only) effective date to 04/29/24.
2.7.75	04/15/24	Added new "Send *OccId*" FIX Drop port attribute (effective 04/22/24). Clarified *Account* (1) accepts all characters in ASCII range 33-126. Noted a maximum of 1,295 **`Cancel/Replace`** requests may be made to a single order each trading day.
2.7.76	06/21/24	Added *ExDestination* (100) = w (MIAX Sapphire) and *ContraBroker* (375) = SPHR.
2.7.77	07/01/24	Added *CrossOnBehalfOfID* (FIX Tag 22028) to **`New Order Cross Multileg`** and **`New Order Multileg`** (C1 and EDGX only) (effective 07/22/24).
2.7.78	07/22/24	Added new Section 1.2 - Certification Requirement. Effective 08/26/24, GTH will be extended until 9:25 a.m. ET (C1 only).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
2.7.79	8/28/24	Updated drill-through amounts (effective 09/16/24).
2.7.80	09/03/24	Removed pending drill-through changes.
2.7.81	12/26/24	Corrected typo in *OrdType* and *TimeInForce* descriptions.
2.7.82	01/02/25	Clarified equity single leg options are only permitted to trade within the last 45 minutes of RTH in FLEX Delta Adjusted At Close (C1 Only) on page 28. Corrected typos in *CrossType* and *EquityLegShortSell* descriptions.
2.7.83	01/15/25	Updated with Cboe Titanium branding.
2.7.84	01/27/25	Effective 02/10/25, members can optionally choose to reject the AIM auction rather than have the starting price adjusted to meet NBBO requirements using *AutoMatch* (9040) options '3' and '4'. *AutoMatchPrice* (9044) will be required if *AutoMatch* is set to '2' or '4'. (C1 and EDGX only)
2.7.85	03/18/25	Removed note that Market orders imply *TimeInForce* of IOC. Added new section to Drill-Through Protection for Simple Limit Orders on page 16 for Wide Market Protection (effective ~~04/03/25~~ TBD (EDGX) and ~~04/07/25~~ TBD (C1, C2, BZX)).
2.7.86	03/28/25	Updated Wide Market Protection effective date to TBD.
2.7.87	04/24/25	Added Microsecond Timestamp Granularity to FIX Drop Port Attributes on page 131. Added notes regarding Complex FLEX orders to Flex Order Entry on page 26 and FLEX Delta Adjusted At Close on page 28 (effective 06/23/25).
2.7.88	07/08/25	Added "Send Nanoseconds" port attribute (effective 09/08/25). Updated *OrigTime* and *TransactTime* fields to indicate that GMT date-time of the original trade will be available in nanoseconds (effective 09/08/25).
2.7.89	07/24/25	Specification updated to indicate complex functionality is available for all Cboe Options Exchanges, with BZX Options complex functionality effective on 10/13/25.
2.7.90	07/25/25	Updated Cowen to TD Securities (USA) LLC.
2.7.91	08/04/25	Updated description of *PriceType* to include 2 = (Default) Price per unit (contract) on **`Floor Trade Confirmation Messages.`**
2.7.92	08/15/25	Added "Send Nanoseconds" port attribute to FIX Drop Port Attributes on page 131 (effective 09/08/25).
2.7.93	08/20/25	Updated Carried Order Restatements on page 12 to indicate that GTC and GTD orders entered during partial holiday sessions can also persist between multiple trading sessions. Updated Cancellation of Carried Orders Between Trading Sessions on page 13 to indicate that at the scheduled end of trading for a product, cancellation requests for persisted orders in that product will be rejected with reason O: Order known, but cannot be canceled at this time until after the system restart completes.
2.7.94	09/11/25	Updated New Order Multileg Message Fields on page 74 to include new *StrategyID* (C1 Only) values F = CompressionForum ,B = BoxSpread, and A = BoxSwap.
2.7.95	10/03/25	Removed Complex Order language from Drill-Through Protection for Simple Limit Orders on page 16. Clarified language in Market/Limit Order Drill-Through for Complex Orders on page 20.
2.7.96	10/07/25	In Trade Cancel/Correct Message Fields on page 109 and Trade Cancel/Correct FIX Drop Clearing Edit Message FIelds on page 110, updated *ExecID* to append '.B' or '.S' when opted-in by customers, and updated *ExecRefID* to include the *ExecID* from the most recent trade correction, instead of the *ExecID* from the original execution (effective 11/06/25 on EDGX, and 11/10/25 on BZX, C1, and C2). In the Execution Report Message Fields on page 97, updated *ExecRestatementReason* to include A = Floor Trade Restatement (effective 11/06/25 on EDGX, and 11/10/25 on BZX, C1, and C2).

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved

VERSION	DATE	DESCRIPTION
		Added Send Floor Trade Restatements to FIX Drop Port Attributes on page 131 (effective 11/06/25 on EDGX, and 11/10/25 on BZX, C1, and C2).
2.7.97	10/20/25	Renamed "Drill-Through Protection for Simple Limit Orders" to "Drill-Through Protection for Simple Orders". Updated Hours of Operation on page 6 to remove reference to specific products traded in GTH, replacing it with "GTH-eligible Products".
2.7.98	11/10/25	Updated *BeginSeqNo* description from "auto-generated request ID" to "Sequence number of first message in range to be resent" in Resend Request on page 41 messages.
2.7.99	11/25/25	Removed Stale NBBO from the Cboe Titanium U.S. Options FIX specification.
2.8.0	12/08/25	Added Wide Market Protection (C1 only) on page 18 and updated Drill-Through Protection for Simple Orders on page 16 (effective 12/15/25).
2.8.1	01/12/26	Updated Carried Order Restatements on page 12 to explain restatements will be sent at the new order carry over time (effective 02/02/26).
2.8.2	01/13/26	Added *StopPxType* (FIX Tag 25026) to Execution Report Message Fields on page 97, *StopPxType* and *StopPx* (FIX Tag 99) to New Order Multileg Message Fields on page 74, and value '4' to *OrdType* (FIX Tag 40) in New Order Multileg Message Fields on page 74 (effective 05/18/26 ~~TBD~~).
2.8.3	01/20/26	Updated tables in Exchange Default Fat Finger Limits on page 21 to clarify relevant products.
2.8.4	02/18/26	Removed Equity/ETF rows 3 and 4 from Table 9. FLEX Option Products on page 26. Updated Nasdaq BX to Nasdaq Texas. Clarified in Order by Order FIX Drop on page 130: rejects originating from a BOEv2 order entry session will be suppressed.
2.8.5	02/27/26	In Wide Market Protection, updated WMP Determinants table to include all proprietary index products (effective 03/09/26).
2.8.6	03/27/26	Removed MXEA/MXEF references.
2.8.7	04/06/26	Updated effective date to 05/18/26: Added *StopPxType* (FIX Tag 25026) to Execution Report Message Fields on page 97, *StopPxType* and *StopPx* (FIX Tag 99) to New Order Multileg Message Fields on page 74, and value '4' to *OrdType* (FIX Tag 40) in New Order Multileg Message Fields on page 74.

© 2026 Cboe Global Markets, Inc. or one or more of its affiliates. All Rights Reserved