A2X FIX 4.2 Specification

August 2026

Version 3.0

This version incorporates the functionality introduced by the upgraded A2X trading platform (Aquis MTF software, FIX specification v4.7 baseline). Content highlighted **green** is new in this version; content highlighted **amber** has changed from version 2.0; content highlighted **red** has been removed. Unhighlighted content is unchanged from version 2.0.

A2X MARKETS
A2X Markets is an exchange licensed in terms of the Financial Markets Act, 2012

Table Of Contents

Table Of Contents 2
Version History 4
1 Introduction 5
1.1 Connectivity 5
1.2 Enquiries and Support 5
2 Overview 6
2.1 Trading Session Configuration 6
2.2 Note on Account Field 6
2.3 Note on Symbology 6
2.4 Clearing Configuration 6
2.5 Cancel on Disconnect 7
2.6 Self-Trade Prevention 7
2.7 Post-Only and Post-Only Cancel Replace Order Types 7
2.8 Restricted Orders 7
2.9 Timestamping 8
2.10 Large In Scale Cross Trade Report 8
2.11 Benchmark Cross Trade Report 8
2.12 Matched Principal Trade Report 9
2.13 Auction on Demand (AoD) 9
3 FIX Message Header and Trailer 10
3.1 Header on messages to A2X 10
3.2 Header on messages from A2X 10
3.3 Message Trailer 11
4 FIX Session Level Management 12
4.1 Sequence Numbers 12
4.2 Logon 12
4.3 Recovery 12
4.4 Heartbeat and Test Request 13
4.5 Logout 13
4.6 Reject 13
5 FIX Application Messages 14
5.1 OrderSingle 14
5.2 ExecutionReport 16
5.2.1 Trade Bust 18
5.2.2 Market at Close 18
5.2.3 Auction on Demand (AoD) 19
5.2.4 Iceberg Order Refresh 19
5.3 OrderCancelReplaceRequest 20
5.4 OrderCancelRequest 21
5.5 OrderCancelReject 22

5.6 Large In Scale / Benchmark Cross Trade Capture Report.....23
5.7 Large In Scale / Benchmark Cross Trade Capture Report Acknowledgement.....24

Version History

Version	Date	Comments
1.1	01 Aug 2017	Initial version
1.3	13 Apr 2022	Current Production Version - Addition of Large In Scale, Benchmark Cross trade capture reports
1.4	10 Oct 2022	Updated message format for Trade Capture Reports to facilitate Matched Principal Trade (MP) and additional information. Inclusion of Market at Close (MaC) and Auction on Demand (AoD) ordertypes. Expected production go-live date: 3 October 2022
2.0	26 Apr 2023	Updated spec for AoD update
3.0	August 2026	Platform upgrade release (Aquis MTF software, FIX v4.7 baseline). Additions: Restricted Orders (OrderAttribute 27010 = 5/6); Accept-Or-Cancel (AoC) behaviour for AoD IOC orders; microsecond timestamping. Changes: AoD TimeInForce widened from GFA-only to Day, GFA and IOC; AoD modification of Price, OrderQty and MinQty; Account field client account formats;; Execution Report extended (NoContraBrokers 382 Trade Capture Report extended (TrdType 11/12 PBBO/APBBO-validated crosses, TrdSubType 0/2/4/6, per-side OrderID 37).

1 Introduction

A2X makes use of software provided by Aquis Exchange (Aquis). This document describes the FIX 4.2-based implementation to provide counterparties (direct trading Members or third party vendors) with access to A2X.

The document is intended to supplement the FIX protocol specification available at www.fixprotocol.org by describing the message types, fields and values that are supported. Both necessary and optional parameters are identified, along with any specific usage and meaning adopted by A2X.

1.1 Connectivity

A2X will provide trading Members (or their representatives) with IP address and port information to establish a TCP/IP connection for the trading session.

One or more connections will be provided to the Member test environment and, on successful certification, connection details to the primary and backup production trading environments will be supplied.

Connectivity options (co-location, leased line, extranet) should be discussed with the A2X networks team.

1.2 Enquiries and Support

Please contact the A2X support team (email support@a2x.co.za) for any questions related to this document.

2 Overview

2.1 Trading Session Configuration

A2X will agree SenderCompID / TargetCompID values with the counterparty to identify their trading session and to identify A2X exchange as the intended trading venue.

These fields are case-sensitive, with a maximum field size of 16 characters. For Service Bureau connections, the trading Member identification is communicated via agreed OnBehalfOfCompID values.

These configuration fields are also case-sensitive, with a maximum field size of 16 characters.

2.2 Note on Account Field

UPDATED IN THIS VERSION

The value 'C' may be used to nominate a default client account, pre-agreed with the CCP. The field may also be used to nominate a specific account using a value in the format 'C:123456' where '123456' is the required client account ID.

If the field is not supplied, then allocation to the House account is assumed by default and is not echoed back in execution messages.

Please note that all accounts need to be loaded on the A2X engine and in MeCRAS in order to be used. Any client specified values can be used with a maximum length of 16 characters and 65,535 account values per member.

2.3 Note on Symbology

A2X encourages Members to use the Uniform Symbology Code in the Symbol (55) field to identify the security that they wish to trade on the platform. This symbology scheme has been adopted by a number of European venues; please contact the A2X connectivity team for more information if required.

If a Member's trading system does not yet support Uniform symbology, A2X also accepts ISIN and RIC as alternative security identifiers. To do so, the IDSource (22) field must be set to indicate the chosen symbology: value 4 for ISIN, 5 for RIC.

If using an ISIN to identify a security, the ISIN must be provided in the SecurityID (48) field and the fields Currency (15) and SecurityExchange (207) must also be set to the required currency and market (MIC) in order to uniquely identify the security.

If using a RIC to identify a security, either the A2X RIC or the primary market RIC must be provided in the SecurityID (48) field.

If choosing to use the IDSource option to specify the security by ISIN or RIC then the Symbol (55) field will no longer be validated against the A2X security database.

Subsequent FIX Execution Report messages from A2X will include the same symbology information as was supplied in the initial New Order Single message except for the Symbol (55) field, which will return the Uniform Symbology Code.

2.4 Clearing Configuration

UPDATED IN THIS VERSION

Before trading is permitted in the cash equities market, the Trading Member must supply their CSDP details to the A2X Settlement Committee. This is verified and set up by A2X as part of the Member's trading configuration and settlement.

Members may request 'self-trade clearing suppression' from A2X Support. With this configuration option, if a Member trades with themselves the trade is not submitted for clearing. Instead, it is

marked as a self-trade to be dealt with by the Member internally. This information is carried in the ContraBroker (375) field. For self-clearing to work, the Order Capacity (47) must be the same on both orders and the configured trading identifier for the sessions on either side should match.

2.5 Cancel on Disconnect

By default, all open Orders are cancelled automatically if the trading Member ends their session or the connection drops. Note however that matched MaC orders are not cancelled if the connection drops after the MaC is locked. If the Member does not want this behaviour to apply, they should notify A2X during the onboarding process.

2.6 Self-Trade Prevention

When a Member has multiple trading connections, A2X offers the option for self-trade prevention to be configured across these trading sessions. This prevents a Member from trading with themselves by cancelling the resting order that would otherwise match.

Cancel Resting Order – If an incoming (or price modified) order would trade with another order from that Member that is already on the A2X order book, the existing resting order is automatically cancelled. The incoming order may trade with other orders, or is posted to the order book, as normal.

If required, self-trade prevention can be configured by the A2X Support team to apply to the Member's trading sessions. It does not require any changes to the FIX messaging for order entry and order management.

2.7 Post-Only and Post-Only Cancel Replace Order Types

UPDATED IN THIS VERSION

A2X offers post-only (PO) and post-only cancel replace (POCR) order types which a Member may use to ensure that an order can only be passive.

Post-Only (PO) - If there are orders which a new incoming PO order could immediately match against, then the A2X trading system will cancel the incoming PO order.

Post-Only Cancel Replace (POCR) - POCR allows the submitting Member's order that is resting on the opposite side of the book to be cancelled by the incoming PO order and ultimately replaced with this new order. If the incoming POCR order has the correct price limit to aggressively trade against another Member's order then the incoming POCR will be rejected. Please note that the trading connection(s) must have self-trade prevention enabled in order for the POCR functionality to be activated.

A PO/POCR order is specified using the custom FIX tag OrderAttribute (27010) on the New Order Single message. If the order is cancelled back to prevent an aggressive trade the Execution Report message, with OrdStatus (39) = Cancelled (4), will carry the reason 'PO' in the Text (58) field.

Cancel/Replace requests for a PO/POCR order (for example to change price) will also require the custom tag to be set. The order will only be updated on the order book if it will not trade on entry, otherwise the order will be cancelled back to the trading Member.

A PO/POCR order can be cancelled like any other order; there is no need for tag 27010 in the Order Cancel request.

Note that the custom tag 27010 is not returned by A2X on any Execution Report messages so as not to affect any processing of order status or trading activity.

A PO/POCR order can also be a Restricted Order. See Section 2.8 (Restricted Orders) for further details.

2.8 Restricted Orders

NEW IN THIS VERSION

The Restricted rule prevents order executions where both sides of the trade are Restricted. Self-trade prevention rules are applied first, independently from the Restricted rule.

To send a Restricted order, the Member should send orders with the relevant OrderAttribute (27010) and TimeInForce (59) set. The OrdType (40) = 2 (Limit).

Restricted Order Type	OrderAttribute (27010)	TimeInForce (59)	Behaviour
Restricted	5	Day (59=0)	Order behaves as per standard Post Only behaviour, except order will not interact with other Restricted Orders.
Restricted	5	FOK (59=4)	Order behaves as per standard FOK, except order will not interact with other Restricted Orders.
Restricted	5	IOC (59=3)	Order behaves as per standard IOC, except order will not interact with other Restricted Orders.
Restricted Cancel Replace	6	Day (59=0)	Order behaves as per standard POCR behaviour, except order will not interact with other Restricted Orders.
Restricted Cancel Replace	6	FOK (59=4)	Order behaves as per standard FOK, except order will not interact with other Restricted Orders.
Restricted Cancel Replace	6	IOC (59=3)	Order behaves as per standard IOC, except order will not interact with other Restricted Orders.

2.9 Timestamping

NEW IN THIS VERSION

A2X FIX timestamps will be to microsecond (µs) granularity.

2.10 Large In Scale Cross Trade Report

A2X offers the ability to submit large in scale cross trades. These trades will be published on the A2X market data feed as off-book, on-exchange.

This functionality is for members who have two legs of pre-agreed agency flow which is greater than the LIS threshold and is required to be reported on exchange. In a single message, the A2X member, acting on behalf of both the buyer and seller, can submit a block cross if considered large in scale compared to normal market size.

The order consideration must be equal to or larger than the minimum size for the security as defined by A2X. Cross trades reported using the LIS Cross will not interact with the A2X order book.

2.11 Benchmark Cross Trade Report

UPDATED IN THIS VERSION

A2X offers the ability to submit benchmark (volume weighted average price, VWAP) cross trades. These trades will be published on the A2X market data feed as off-book, on-exchange.

This functionality is for where an A2X member has two legs of pre-agreed flow which is required to be reported on-exchange and is benchmarked to an appropriate VWAP.

In a single message, the A2X member, acting on behalf of both the buyer and seller, can submit a cross priced accordingly to the VWAP for the crossing period.

Benchmark Cross trades are formalised negotiated transactions but are subject to conditions other than the current market price of the share. Trades reported using the Benchmark Cross will not interact with the A2X order book.

The upgraded platform introduces price-validated Cross Trades checked against the PBBO or APBBO. These are selected with TrdType (828) and TrdSubType (829) on the Trade Capture Report; see Section 5.6.

2.12 Matched Principal Trade Report

A matched principal trade is a transaction where a member trades as a principal with a client, on the same day and at the same average price as transactions in the same equity security executed on the central order book of another exchange in the Republic for the member's own account but in the fulfilment of an order received from the client.

2.13 Auction on Demand (AoD)

UPDATED IN THIS VERSION

A2X offers Auction on Demand (AoD) functionality. There is a separate AoD order book. This order book is also separate to the A2X continuous trading order book.

There will be no interaction between the AoD order book and the existing A2X continuous order book.

Members can enter buy/sell orders for stocks which will rest on the AoD order book until they can be matched with another valid order on the other side.

The following order types will be permitted with the Auction on Demand (AoD):

- a) Limit Order (OrderAttribute 27010 = 3);
- b) Limit Order with 'Trade at Middle' / Pegged option (OrderAttribute 27010 = 4) – allows price improvement on executions which can occur at mid-tick.

TimeInForce (59) for AoD orders has been widened in this version: previously only GFA (59=8) orders were valid for the AoD; Day (59=0), GFA (59=8) and IOC (59=3) orders are now all valid for the AoD. GFA orders remain valid only for the AoD. IOC orders submitted to the AoD (OrderAttribute 27010 = 3 or 4) are treated as Accept-Or-Cancel (AoC): the order participates in the auction call and any unmatched balance is cancelled rather than resting.

Minimum quantity is supported for AoD orders using MinQty (110). AoD orders may be modified: the Price (44), OrderQty (38) and MinQty (110) can be changed via Order Cancel/Replace Request.

The auction process is triggered when a valid order is entered into the book which can successfully match with an existing resting order. At this point the auction process begins.

Note: the same MIC (A2XX) will be used for AoD execution reports.

3 FIX Message Header and Trailer

The following sections detail the FIX tags and values that A2X expects and supports in the header and trailer of incoming and outgoing FIX 4.2 messages.

3.1 Header on messages to A2X

A2X will process the following header fields on incoming messages and will ignore all others:

Tag	Field Name	Req'd	Comments
8	BeginString	Y	FIX 4.2 (Always unencrypted, must be the first field in the message)
9	BodyLength	Y	(Always unencrypted, must be second field in message)
35	MsgType	Y	(Always unencrypted, must be third field in message)
34	MsgSeqNum	Y	Message sequence number (inbound to A2X) for today's trading session
43	PossDupFlag	N	Set to Y on retransmitted messages (e.g. following a Resend Request)
49	SenderCompID	Y	ID of sending firm, as agreed with A2X
52	SendingTime	Y	Time of message transmission in UTC
56	TargetCompID	Y	ID representing A2X, as agreed
97	PossResend	N	Set to Y to indicate that message may contain information that has been sent under another sequence number. A2X will process Order Cancel messages that are flagged as possible re-sends under a new sequence number. It will not process Order entry or Order modification (cancel/replace) messages that are flagged as re-sent under a new sequence number. Please note that A2X will not re-transmit application messages other than in response to a Resend Request, and so does not use PossResend. N = Original transmission Y = Possible resend
115	OnBehalfOfCompID	N	ID representing trading Member, as agreed with A2X, for service bureau connections
122	OrigSendingTime	N	For retransmitted messages (PossDupFlag = Y), the time in UTC that the message was initially sent. If not available, then set to same value as SendingTime

3.2 Header on messages from A2X

A2X will only include the following header fields on outgoing messages:

Tag	Field Name	Req'd	Comments
8	BeginString	Y	FIX 4.2 (Always unencrypted, will be first field in message)
9	BodyLength	Y	(Always unencrypted, will be second field in message)
35	MsgType	Y	(Always unencrypted, will be third field in message)



Tag	Field Name	Req'd	Comments
34	MsgSeqNum	Y	Message sequence number (outbound from A2X) for today's trading session
43	PossDupFlag	N	Set to Y on retransmitted messages (e.g. following a Resend Request)
49	SenderCompID	Y	ID representing A2X, as agreed
52	SendingTime	Y	Time of message transmission in UTC
56	TargetCompID	Y	ID of counterparty firm, the value originally sent to A2X as the SenderCompID in the related incoming message
122	OrigSendingTime	N	For retransmitted messages (PossDupFlag = Y), the time in UTC that the message was initially sent. If not available, then set to same value as SendingTime
128	DeliverToCompID	N	The value originally sent to A2X as the OnBehalfOfCompID if received from a service bureau

3.3 Message Trailer

In the FIX message trailer, A2X expects and supports only the mandatory CheckSum (10) as the last field in each message.



4 FIX Session Level Management

This section identifies the messages used to establish, maintain and conclude a FIX trading session, and to re-establish a session after a disconnection including the recovery of any missed messages.

The structure of these messages corresponds to the standard FIX 4.2 protocol and their use is discussed in more detail below.

4.1 Sequence Numbers

A2X will re-set inbound and outbound sequence numbers back to one overnight, ready for the next trading day. Trading counterparties should do the same.

Messages should be sent and received, and processed, in a sequenced order. During an established FIX session, if a message is received with a lower-than-expected sequence number (i.e. number already seen) then A2X will logout the session and drop the connection.

If a message is received with an unexpectedly high sequence number, then A2X will respond with a Resend Request to recover the missing messages before proceeding.

4.2 Logon

The first message A2X expects to receive from a client after the TCP/IP connection has been established is a Logon message (MsgType (35) = A).

The SenderCompID and TargetCompID fields are validated by A2X against the expected trading configuration. If this validation fails, the connection is terminated without sending any message.

The sequence number on the initial Logon for each trading day should be one. If the Logon is to re-establish a broken connection, the sequence number should correspond to the next expected inbound sequence number. If there has been connection problems or following a drop in connectivity where messages were lost, the sequence number may be higher than expected and message recovery will follow (see below). However, if the sequence number is unexpectedly low then the connection is terminated without sending any message.

The heartbeat interval HeartBtInt (108) must also be specified in the Logon message. This value is specified in seconds and should be set at value between 5 and 120 seconds, as required by the counterparty.

On receipt of a valid Logon message, A2X will respond with a Logon message back (echoing the requested heartbeat interval) and then deal with any message recovery (see below). The counterparty should wait until it receives a valid Logon response before sending further messages to A2X.

If unexpectedly high sequence numbers were detected by either party, message recovery should be initiated. Otherwise, the session is now established and should be maintained throughout the trading day.

4.3 Recovery

After a drop in connectivity, it is possible that the client will have missed execution messages. This will be detected by the client receiving an unexpectedly high sequence number on the Logon response and they should initiate message recovery by sending a Resend Request (MsgType = 2).

A Resend Request should be processed, even if it is received with a high sequence number.

As per the FIX protocol the Resend Request may be for a set range of messages, or open ended by setting EndSeqNo (16) = 0. A2X will handle either type of request.



A2X will respond to the Resend Request by resending any application messages that have been missed and by using the Sequence Reset – Gap Fill message (MsgType = 4, GapFillFlag (123) = Y) to cover consecutive administrative messages. All retransmitted messages will be sent with PossDup (43) = Y.

Similarly, if there have been connectivity problems, it is possible that the sequence number on the inbound Logon from the client will be unexpectedly high. A2X will issue a Resend Request for the missed messages. The client may wish to consider sending a gap fill rather than resending any new order messages, to avoid entering stale orders into different market conditions.

4.4 Heartbeat and Test Request

A2X will send a Heartbeat message (MsgType = 0) if no other messages have been sent for the agreed heartbeat interval, HeartBtInt.

Similarly, if no messages have been received for HeartBtInt +1 seconds then A2X will send a Test Request message (MsgType = 1) to test the connection and the responsiveness of the counterparty application. The Test Request message carries a TestReqID (112) value, and the expected response is a Heartbeat message echoing back this TestReqID value.

If there is no response to the Test Request and overall, no messages have been received for 2 x HeartBtInt seconds then A2X will logout the client and terminate the connection.

A2X expects the client's FIX application to behave similarly, to maintain the session and to detect and react to abnormal behaviour.

4.5 Logout

Either side may send a Logout message (MsgType = 5) to end the FIX session. The initiator should continue to process messages until it receives a Logout message in response, and it may then terminate the connection.

Under normal circumstances, A2X will maintain the FIX session throughout the trading day and only issue a Logout prior to the maintenance window at the end of the day, after market close.

A2X will respond to a client Logout and will also issue a Logout if it receives a client message with a sequence number lower than expected and the PossDupFlag (43) is not set. A network level disconnection or an absence of messages for two heartbeat intervals are also treated as if the client had logged out.

4.6 Reject

A2X will use a session level Reject message (MsgType = 3) to respond to messages that break the session protocol or contain missing or incorrect fields. However, this should be rare, and where possible A2X will respond with application-level reject messages, such as OrderCancelReject or ExecutionReport – OrdStatus Rejected.

5 FIX Application Messages

This section describes the application messages used for order entry, order management and trade reporting. In particular it identifies the specific fields and field values used by A2X to provide its trading services.

Naming note: the custom tag 27010 retains its A2X field name OrderAttribute throughout this document

5.1 OrderSingle

UPDATED IN THIS VERSION

A2X supports the FIX New Order Single message for order entry.

Tag	Field Name	Req'd	Comments
Standard Header		Y	MsgType (35) = D
1	Account	N	Optional account field to specify House or Client Account for use with clearing CCP. If not supplied, A2X will assume House. 'H' = House account. 'C' = default client account, pre-agreed with the CCP. 'C:123456' = specific client account, where '123456' is the required client account ID. Values must be pre-loaded on the A2X systems, any client specified values can be sent with a maximum length of 16 characters.
11	ClOrdID	Y	Unique for each Order on this session for the trading day. Maximum length 20 characters. Note that for performance reasons A2X only validates that ClOrdID is unique, rejecting any duplicates, against currently open orders.
15	Currency	N	Required if ISIN is used to identify the security, IDSource (22) = 4 (ISIN) ZAC = South African Cents
18	ExecInst	N	Instructions for order handling. Required for AoD orders where OrderAttribute (27010) = 4. Values supported by A2X: M = Midpoint peg (pegged to midpoint of PBBO)
21	HandlInst	N	Only acceptable value (and default if not supplied): 1 = Automated execution order, private, no Broker intervention
22	IDSource	N	Security identifier 4 = ISIN 5 = RIC
38	OrderQty	Y	Number of shares
40	OrdType	Y	Order type 2 = Limit 5 = Market at Close OrderAttribute (27010) is only valid where OrdType (40) = 2. It selects the book and the order's behaviour within limit orders (Post-Only, POCR, AoD, Restricted) — the order remains a limit order. An order with OrdType (40) = 5 and OrderAttribute (27010) supplied will be rejected.

Tag	Field Name	Req'd	Comments
44	Price	N	Limit price, required for limit orders. Not supported on MaC orders.
47	OrderCapacity	N	By default, if not supplied, orders are accepted as Principal. A = Agency P = Principal
48	SecurityID	N	If using alternative symbology, RIC or ISIN depending on the value of IDSource (22)
54	Side	Y	Side of order 1 = Buy 2 = Sell
55	Symbol	N	A2X security - Uniform code. Not required if alternative symbology used.
59	TimeInForce	N	Default, if not supplied, is Day. 0 = Day 3 = Immediate or Cancel (IOC) 4 = Fill or Kill (FOK) 6 = Good Till Date – will expire at time in ExpireTime (126) field; date must be today's date 8 = Good For Auction (GFA) Only Day (59=0) orders are valid for Market at Close (MaC). Auction on Demand (AoD): previously GFA-only; now Day (59=0), GFA (59=8) and IOC (59=3) orders are all valid for the AoD. GFA orders remain only valid for the AoD. IOC orders will be treated as Accept-Or-Cancel (AoC) when OrderAttribute (27010) = 3 or 4.
60	TransactTime	Y	Time this order entry request was initiated by the trading Member
110	MinQty	N	Minimum quantity (shares) of an order to be executed. Only valid when OrderAttribute (27010) = 3 or 4.
111	MaxFloor	N	Display quantity for an iceberg order. The remainder of the order quantity is held in reserve and is not visible. The display quantity of all orders at a given price level will be traded first and then the hidden quantity. When the display quantity has been fully traded it is refreshed from the reserve.
126	ExpireTime	N	Date/time in UTC of order expiry for a Good Til Date order, with TimeInForce (59) = 6. Date must be today's date.
207	SecurityExchange	N	Required if ISIN is used to identify the security, IDSource (22) = 4 (ISIN). XJSE = JSE (Johannesburg) 4AXE = Cape Town Exchange
27010	OrderAttribute	N	Values supported when OrdType (40) = 2: 0 = Continuous Limit Order Book Regular Order (default) 1 = Continuous Limit Order Book Post-Only Order

Tag	Field Name	Req'd	Comments
			2 = Continuous Limit Order Book POCR Order 3 = Auction on Demand Limit Order 4 = Auction on Demand Limit (Pegged/Limit) Order 5 = Continuous Limit Order Book Restricted Order** 6 = Continuous Limit Order Book Restricted CR Order** ** when TIF = Day (59=0), the order will inherit PO/POCR behaviour. When TIF = IOC (59=3) / FOK (59=4) the order will inherit IOC/FOK behaviour.
Standard Trailer		Y	

5.2 ExecutionReport

UPDATED IN THIS VERSION

A2X uses the FIX Execution Report message to accept or to reject a New Order Single, and to accept an Order Cancel Request or an Order Cancel/Replace Request.

Trade reports, and any subsequent trade busts, are also sent using the Execution Report.

For orders submitted to the A2X Market at Close (MaC) the Execution Report message is used to indicate the quantity accepted for crossing at MaC lock time (see Section 5.2.2).

For iceberg orders, when an order is refreshed from reserve quantity an Execution Report is used to carry the market data order ID for this new displayed quantity (see Section 5.2.4).

The fields and values provided by A2X are detailed below:

Tag	Field Name	Req'd	Comments
Standard Header		Y	MsgType (35) = 8
1	Account	N	Account is returned for Order Acknowledgements, Trade Acknowledgements and Rejects if provided on the original New Order Single message.
6	AvgPx	Y	Average price of quantity so far traded on this order (zero if no trade)
11	ClOrdID	Y	The current ClOrdID identifier of the order, or the ClOrdID of the request that is being accepted
14	CumQty	Y	Cumulative quantity so far traded on this order (zero if no trade)
15	Currency	N	As provided on the original order ZAC = South African Cents
17	ExecID	Y	Unique id for the trading day for this Execution Report.
18	ExecInst	N	Returned when supplied on the original order.
19	ExecRefID	N	Sent for a trade bust (ExecTransType = 1) to identify the earlier Execution Report for the trade
20	ExecTransType	Y	Identifies transaction type 0 = New (for order related messages and trade reports) 1 = Cancel (for a trade bust)

Tag	Field Name	Req'd	Comments
22	IDSource	N	As provided on the original order 4 = ISIN 5 = RIC
30	LastMkt	N	Market of execution for last fill, or an indication of the market where an order was routed. A2XX = A2X Market Trade (continuous, MaC and AoD executions).
31	LastPx	Y	Price of this trade (zero if not a trade)
32	LastShares	Y	Quantity of this trade (zero if not a trade)
37	OrderID	Y	A2X order reference number
38	OrderQty	Y	Quantity of the order
39	OrdStatus	Y	Status of the order 0 = New 1 = Partially filled 2 = Filled 4 = Canceled 5 = Replaced 8 = Rejected C = Expired
40	OrdType	N	As provided on the original order.
41	OrigClOrdID	N	ClOrdId of the order that is being cancelled or replaced (for solicited cancel or replace responses only)
44	Price	N	Limit price, if provided on the original order
47	OrderCapacity	N	As provided on the original order, or as provided on a modified MaC order
48	SecurityID	N	As provided on the original order
54	Side	Y	As provided on the original order
55	Symbol	Y	Uniform symbology code for the security.
58	Text	N	To provide error text in case of a reject message, or a cancellation reason if a resting order is force cancelled
59	TimeInForce	N	As provided on the original order
60	TransactTime	Y	Time of this event in UTC
110	MinQty	N	As provided on the original order
111	MaxFloor	N	Display quantity applicable to an iceberg order.
126	ExpireTime	N	As provided on the original order
128	DeliverToCompID	N	The value originally sent to A2X as the OnBehalfOfCompID if received from a service bureau
150	ExecType	Y	Reason for this report 0 = New 1 = Partially filled 2 = Filled

Tag	Field Name	Req'd	Comments
			4 = Cancelled 5 = Replaced 8 = Rejected C = Expired D = Restated
151	LeavesQty	Y	Quantity still open for execution
198	SecondaryOrderID	N	The A2X market data order id for tracking purposes, sent on a restatement message after the refresh of displayed quantity for an iceberg order
207	SecurityExchange	N	As provided on the original order
375	ContraBroker	N	Only provided on trade reports, the identifier of the CCP unless a CCP-suppressed 'self-trade' where the value is set to 'SELF'
378	ExecRestatementReason	N	Only provided on Restatement for iceberg or MaC orders: 4 = Broker option – indicates iceberg order has refreshed, or MaC order has fully matched 5 = Partial reduction of order quantity (exchange initiated partial cancel) – indicates MaC order has partially matched
382	NoContraBrokers	N	Only provided on trade reports, if present value will = 1
851	LastLiquidityInd	N	FIX 4.4 Tag for trade liquidity indicator. Only provided on trade reports. 1 = Added Liquidity 2 = Removed Liquidity 4 = Auction (For AoD and MaC trades)
Standard Trailer		Y	

5.2.1 Trade Bust

In the event of a Trade Bust, Members should refer to the ExecRefID (19) to identify the original Execution ID. Please note that ExecID (17) should be disregarded.

If a Large In Scale/Benchmark Cross Trade Capture Report is cancelled by A2X, 2 Trade Bust messages will be returned to the reporter of the transaction.

5.2.2 Market at Close

Orders may be submitted to A2X Market at Close (MaC) at any time during the trading day. Orders submitted during continuous trading phase will be accepted but will not be published until the MaC opens. Up until the MaC lock phase, orders may be entered, replaced or cancelled.

Should a particular security at the Market of Listing not enter an auction phase within 30 seconds of the close of continuous trading on A2X, orders in that security will be cancelled back to the Member.

When the MaC is locked, Members are notified of the quantity accepted for matched orders by an Execution Report (Restatement) message: ExecType (150) = D (Restated) with a zero price.

During the MaC lock phase, the Order Capacity (47) can be modified up to the point when the trade is published.



If the order has only partially matched, the accepted quantity is reported in the OrderQty (38) field. The ExecRestatementReason (378) also indicates that there has been a partial cancel of order quantity. Note that, for clarity, the A2X MaC will still send a restatement message if the order fully matches. In this case, the OrderQty will not be reduced and the ExecRestatementReason will be used to indicate that the order has fully matched.

If an order is unmatched at lock time, then the order will expire and cancel back to the Member.

When the Market of Listing auction ends, the locked matched orders on A2X are executed at the closing price. Trade reports are sent to the Member. Note that these ExecutionReport messages carry LastLiquidityInd (851) = 4 (Auction) and LastMkt (30) will be A2XX.

If for any reason the Market of Listing auction is cancelled or extended for a security, the locked orders in that security will be cancelled back to the Member.

5.2.3 Auction on Demand (AoD)

Once an AoD comes to an end, trade reports are then sent to the Member for successful matches. Note that these Execution Report messages carry LastLiquidityInd (851) = 4 (Auction). LastMkt (30) will be A2XX.

5.2.4 Iceberg Order Refresh

When the currently displayed quantity of an iceberg order has been traded, it is refreshed from the non-displayed reserve quantity. This new displayed quantity is published on A2X market data as a new order, with a new market data order ID.

The trading Member is notified of this display quantity refresh by an Execution Report (Restatement) message: ExecType (150) = D (Restated). The new market data order ID is provided in the SecondaryOrderID (198) field, for tracking purposes against the market data feed.

Note that the A2X OrderID (37) applies to the iceberg order as a whole and remains unchanged.

5.3 OrderCancelReplaceRequest

UPDATED IN THIS VERSION

A2X supports the FIX Order Cancel/Replace message for order modification as detailed below.

It may be used to modify the limit price of an order and/or to increase or decrease the order quantity.

For MaC orders, the Order Capacity (47) can be modified up to the point when the trade is published.

For iceberg orders, the display quantity may be modified using MaxFloor (111). If the field is not sent, the original display quantity will be reused and will be applied to the modified order. Note that A2X does not support the modification of a regular limit order into an iceberg order.

A2X does not support the re-opening of a fully filled order by increasing order quantity or the sending of "Pending Replace" messages.

For Cancel and Cancel/Replace Request messages, alternate symbology (ISIN, RIC) is also still supported.

Tag	Field Name	Req'd	Comments
Standard Header		Y	MsgType (35) = G
11	ClOrdID	Y	Unique identifier for the replacement order on this session for the trading day. Maximum length 20 characters.
15	Currency	N	As provided on the original order
18	ExecInst	N	Instructions for order handling. Required for AoD orders where OrderAttribute (27010) = 4. Values supported by A2X: M = Midpoint peg (pegged to midpoint of PBBO)
22	IDSource	N	As provided on the original order
38	OrderQty	Y	New total order quantity (number of shares)
40	OrdType	Y	As provided on the original order
41	OrigClOrdID	Y	Identifier for the original or last modified version of the order
44	Price	N	New limit price, required for limit orders.
47	OrderCapacity	N	Values supported by A2X: A = Agency P = Principal
48	SecurityID	N	As provided on the original order.
54	Side	Y	As provided on the original order.
55	Symbol	N	As provided on the original order
59	TimeInForce	N	As sent on the original order, this field cannot be modified.
60	TransactTime	Y	Time this order modification request was initiated by the trading Member
110	MinQty	N	New minimum quantity (shares) of an order to be executed. Only valid for AoD orders where OrderAttribute (27010) = 3 or 4.



Tag	Field Name	Req'd	Comments
111	MaxFloor	N	Display quantity for an iceberg order. The remainder of the order quantity is held in reserve and is not visible. The display quantity of all orders at a given price level will be traded first and then the hidden quantity. When the display quantity has been fully traded it is refreshed from the reserve.
27010+	OrderAttribute	N	0 = No constraint, regular order (default if tag not supplied) 1 = Post-Only Order 2 = POCR 4 = Restricted Order 5 = Restricted CR Order Note: the value set for tag 27010 on Order Cancel/Replace Request differs from that used on New Order Single.
Standard Trailer		Y	

+ = optional for modifies, defaults to original order

5.4 OrderCancelRequest

UPDATED IN THIS VERSION

A2X supports the FIX Order Cancel Request message to fully cancel an open order or the balance on a partially traded order.

Tag	Field Name	Req'd	Comments
Standard Header		Y	MsgType (35) = F
11	ClOrdID	Y	Unique identifier of the cancel request. Maximum length 20 characters.
15	Currency	N	As provided on the original order ZAC = South African Cents
22	IDSource	N	As provided on the original order 4 = ISIN 5 = RIC
41	OrigClOrdID	Y	Identifier for the original or last modified version of the order.
48	SecurityID	N	As provided on the original order
54	Side	Y	As provided on the original order. 1 = Buy 2 = Sell
55	Symbol	N	As provided on the original order.
60	TransactTime	Y	Time this order cancel request was initiated by the trading Member
Standard Trailer		Y	

5.5 OrderCancelReject

A2X rejects an Order Cancel Request or an Order Cancel/Replace Request that it cannot act upon with a FIX Order Cancel Reject message.

Tag	Field Name	Req'd	Comments
Standard Header		Y	MsgType (35) = 9
11	ClOrdID	Y	The ClOrdID of the request that is being rejected
37	OrderID	Y	A2X order reference number. If an unknown order, value will be 0
39	OrdStatus	Y	Status of the order that failed to be cancelled or replaced. If an unknown order, value will be set to 8 (Rejected) 0 = New 1 = Partially filled 2 = Filled 4 = Canceled 5 = Replaced 8 = Rejected
41	OrigClOrdID	Y	The ClOrdID that could not be cancelled or replaced
44	Price	N	Limit price, if provided on the original order
58	Text	N	To provide a reason for the reject
434	CxlRejResponseTo	Y	The type of request that this is a response to. 1 = Order Cancel Request 2 = Order Cancel/Replace Request
Standard Trailer		Y	

5.6 Large In Scale / Benchmark Cross Trade Capture Report

UPDATED IN THIS VERSION

A2X uses the Trade Capture Report message from later versions of the FIX specification (specifically 4.4) as an extension to our existing FIX 4.2 ports for the purposes of allowing members to submit negotiated trades to the exchange. Trade Capture Report messages are used by members to submit a trade which conforms to either of the following standards:

- A Large in Scale (LIS) cross where both legs of the trade must be considered large in scale compared with normal market size if it is equal to or larger than the minimum size of order specified per security.
- A Negotiated Benchmark Cross trade between either an A2X member and their client or two clients of a member where both legs of the cross must be pre-agreed, priced to an appropriate VWAP or TWAP benchmark.
- A price-validated Cross Trade, validated against the PBBO or the APBBO.
- A Matched Principal Trade (MP) where both legs must have a capacity of Principal (P) set.

Tag	Field Name	Req'd	Comments
Standard Header		Y	MsgType (35) = AE
15	Currency	N	Required if ISIN is used to identify the security, IDSource (22) = 4 (ISIN) Values accepted: ZAC = South African Cents
22	IDSource	N	Values supported by A2X: 4 = ISIN 5 = RIC Please refer to Section 2.3 (Note on Symbology)
31	LastPx	Y	Price of the trade
32	LastQty	Y	Quantity of the trade (field name aligned to LastQty; previously referred to as LastShares)
48	SecurityID	N	If using alternative symbology, RIC (primary or A2X) or ISIN depending on the value of IDSource (22)
55	Symbol	N	Uniform symbology code for the security (not required if alternative symbology is used)
60	TransactTime	Y	Time the transaction represented by this TCR occurred (expressed in UTC)
75	TradeDate	Y	Date of trade referenced in this message in YYYYMMDD format. Acceptable values are for current day only.
207	SecurityExchange	N	Required if ISIN is used to identify the security, IDSource (22) = 4 (ISIN). XJSE = JSE (Johannesburg) 4AXE = Cape Town Exchange
552*	NoSides	N	Number of Side repeating group instances (maximum number of sides is 2)
54*	Side	N	Required when NoSides (552) is greater than 0. Values supported by A2X: 1 = Buy 2 = Sell

Tag	Field Name	Req'd	Comments
37*	OrderID	N	Unique identifier for each chain of orders. Value must be greater than 1.
1*	Account	N	Optional account field to specify House or Client Account for use with clearing CCP. If not supplied, A2X will assume 'House'. Values need to be pre-loaded on the trading platform.
528*	OrderCapacity	N	The capacity for this side of the trade. Values supported by A2X: A = Agency P = Principal
571	TradeReportID	Y	Unique identifier for the Trade Capture Report
828	TrdType	Y	Trade type indicating: 1 = Block Trade (default if not supplied, LIS_CROSS) 11 = Cross Trade, price validated against PBBO 12 = Cross Trade, price validated against APBBO
829+	TrdSubType	Y	Further definition to tag 828 as required: 0 = Block Trade (LS) 2 = Negotiated Benchmark Cross (NBC) 4 = Matched Principal Trade (MP) 6 = Cross trade for clearing
Standard Trailer		Y	

** = repeating group + = self-trade suppression for clearing at the session level takes precedence if the value in tag 829 is 0, 2, 4 or 6 (See Section 2.4).*

5.7 Large In Scale / Benchmark Cross Trade Capture Report Acknowledgement

UPDATED IN THIS VERSION

In response to a member submitted Trade Capture Report, A2X will send the member back the following acknowledgement:

Tag	Field Name	Req'd	Comments
Standard Header		Y	MsgType (35) = AR
15	Currency	N	Copied from the incoming TradeCaptureReport ZAC = South African Cents
17	ExecID	N	Unique ID for the trading day for this Trade Capture Report (previously referred to as TrdMatchID)
22	IDSource	N	Copied from the incoming TradeCaptureReport 4 = ISIN 5 = RIC
31	LastPx	Y	Copied from the incoming TradeCaptureReport
32	LastQty	Y	Copied from the incoming TradeCaptureReport (field name aligned to LastQty; previously referred to as LastShares)

Tag	Field Name	Req'd	Comments
48	SecurityID	N	Copied from the incoming TradeCaptureReport
55	Symbol	N	Copied from the incoming TradeCaptureReport
58	Text	N	To provide error text in case of a reject message
60	TransactTime	Y	Copied from the incoming TradeCaptureReport
75	TradeDate	Y	Copied from the incoming TradeCaptureReport
128	DeliverToCompID	N	Outbound from A2X only. The value originally sent to A2X as the OnBehalfOfCompID if received from a service bureau.
150	ExecType	Y	TCR status: F = Trade 8 = Rejected
207	SecurityExchange	N	Copied from the incoming TradeCaptureReport XJSE = JSE (Johannesburg)
552*	NoSides	N	Copied from the incoming TradeCaptureReport
54*	Side	Y	Copied from the incoming TradeCaptureReport 1 = Buy 2 = Sell
37*	OrderID	N	Copied from the incoming TradeCaptureReport
1*	Account	N	Copied from the incoming TradeCaptureReport
528*	OrderCapacity	N	Copied from the incoming TradeCaptureReport A = Agency P = Principal
571	TradeReportID	Y	Copied from the incoming TradeCaptureReport
828	TrdType	N	Copied from the incoming TradeCaptureReport
829	TrdSubType	Y	Copied from the incoming TradeCaptureReport
Standard Trailer		Y	

** = repeating group*