BIDS TRADING FIX Protocol

BIDS Trading FIX 4.2
Back-office Specification
8.73

Version 8.73/2023/01/20

Copyright © 2009-2023 BIDS Holdings, L.P. All Rights Reserved.

Table of Contents

1. Introduction 1
1.1. Text Conventions 1
2. BIDS TRADING Back Office Integration 2
2.1. Overview 2
3. Session Protocol 3
3.1. Permitted Session Level (Administrative) Messages 3
3.1.1. BIDS Trading CompID Values 3
3.1.2. How to obtain BIDS Trading firm identifiers and userids 3
3.1.3. Sequence Numbers 4
3.1.4. Logon 4
3.1.5. Logout 4
3.1.6. Heartbeat and Test Request 4
3.1.7. Resend Request 4
3.1.8. Reject 4
3.2. Standard Message Header 5
3.2.1. Outbound Standard Message Header 5
3.3. Timestamps 5
4. Drop-Copy FIX 4.2 Protocol 6
4.1. Intra-day Drop-copy 6
4.2. Real Time Drop-copy 6
4.3. End-of-day Drop-copy 7
4.4. Application Messages Supported 7
4.5. Outbound Messages – Execution Report 7
4.5.1. Type of Execution Report: 7
4.5.2. Message Template 8
4.6. Outbound Messages – Execution Report - Canada 13
4.6.1. Type of Execution Report: 13
4.6.2. Message Template 13
4.7. Outbound Messages – Execution Report – Australia 15
4.7.1. Type of Execution Report: 15
4.7.2. Message Template 15
4.8. Outbound Messages – Execution Report – Japan 17
4.8.1. Type of Execution Report: 17
4.8.2. Message Template 17
5. Data Dictionary 21
5.1. BIDS Trading FIX Standard Tag Definitions 21
5.2. BIDS FIX User Defined Tag Definitions 26

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

6. Additional Settings and Parameters 33

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

1. Introduction

This document describes the FIX 4.2 implementation used by the BIDS Trading system for Back-office integration.

In some sections, there will be one or more "Notes to BIDS Trading Developers," discussing special aspects of the messages, protocols or contents. These are included to guide the reader as to what will be developed or used by BIDS Trading, and what is included for completeness or for other purposes.

The contents are based on FIX Version 4.2 with Errata 20010501. The original version of the FIX 4.2 specification can be obtained from FIX Protocol Limited at http://www.fixprotocol.org.

1.1. Text Conventions

Convention	Description
Italics text	Used to indicate that the italicized term is not a literal – it is a representation and description of a value. Examples: *YYYY-MM-DD* is used to describe a date format and is not used literally – a value that would match this date value would by 2006-12-08. *BrokerIdentifier* is specified to indicate that a BIDS Broker Identifier is required. A value that would match would be the literal "BROKERA" assuming the literal "BROKERA" is a valid BIDS Trading Broker Identifier.
Bolded Item	Used to indicate a literal value. Example: **1.0** is shown in the standard header as the literal value to be used for the version in uploaded and downloaded files.
Shaded background in a table	BIDS Trading specific data items are represented using a 10% grey background in all message tables, data file description tables, and data dictionaries.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

2. BIDS TRADING Back Office Integration

2.1. Overview

This document describes the BIDS Trading Back-office FIX protocol used to report the order activity of sponsored firms. The order activity reported includes order acknowledgements, changes, cancellations of firm orders, and fills. It does not include Negotiations or Conditional order activity.

The purpose of this specific integration is for BIDS Trading to accurately report to each subscriber (also known as a sponsoring broker or sponsor) all orders and trades processed by BIDS Trading that have not been previously reported. This will occur when a buy-side sponsored user submits an order specifying a particular subscriber as the sponsor, but submits the order using a route that **does not** transit the subscriber's infrastructure. In this document, these orders are referred to as direct access sponsored orders.

Orders that reach the BIDS via a subscriber's own infrastructure, or any infrastructure so designated by the subscriber, will not be reported at the end of the day, as the subscriber will already have knowledge of the order and trade history.

The characteristics of the back-office gateway are as follows:

- Only order activity for sponsored firms will be reported – order activity coming from the systems of the sponsoring broker will not be reported back to the same sponsor.
- The back-office gateway is run as a separate instance from the gateway used to accept normal order flow.
- All application-level messages sent to the back-office gateway will be rejected – only session-level messages will be accepted.
- The back-office gateway has three methods of sending drop copies, depending on the arrangement between the buy-side firm and subscriber. A subscriber should expect different ways of receiving drop copies through a single back-office gateway connection.
- The back-office gateway will send EOD (end-of-day) drop copies shortly after the close.
- An intra-day drop-copy of executions will be sent if the buy-side firm enables this feature and the subscriber system can support it.
- A real-time drop-copy of all activity will be sent if the buy-side firm agrees to this feature.
- Connections should be established well before the open for support of intra-day drop-copies.
- Connections anytime after the close until 19:59 Local Market Time will trigger the sending of any outstanding messages.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

3. Session Protocol

All levels of the BIDS Trading FIX Protocol use the same session level (administrative) messages:

3.1. Permitted Session Level (Administrative) Messages

Message Name	MsgTyp (tag 35)	Inbound to BIDS	Outbound from BIDS
Logon	A	Initiate a FIX session	Accept a FIX session by responding to inbound Logon
Heartbeat	0 (zero)	Heart beat to indicate session is still active or a response to a Test Request	Heart beat to indicate session is still active or a response to a Test Request
Test Request	1	Determine if BIDS Trading FIX connection is still active	Determine if market participant FIX connection is still active
Resend Request	2	Request resend of missing or garbled messages	Request resend of missing or garbled message
Reject	3	Reject a garbled message – should not be used to reject application messages that are well formed	Used to reject garbled messages and invalid application messages
Sequence Reset	4	Indicate to the other side a change in sequence number – usually used to skip the resend of administrative messages	Indicate to the other side a change in sequence number – usually used to skip the resend of administrative messages
Logout	5	End a FIX session	End a FIX session

3.1.1. BIDS Trading CompID Values

BIDS Trading's gateway will assign "BIDS" in the SenderCompID on messages outbound from the BIDS.

Tag #	Field Name	Outbound from BIDS Market Value
49	SenderCompID	BIDS
50	SenderSubID	Assigned subid
56	TargetCompID	Assigned value used to identify firm
57	TargetSubID	Assigned userid

3.1.2. How to obtain BIDS Trading firm identifiers and userids

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

When a firm becomes a BIDS Trading participant, a firm identifier is assigned by BIDS Trading administrative staff. This firm ID is to be used as the CompID.

3.1.3. Sequence Numbers

BIDS Trading does not support 24-hour sessions. Any session active at 19:59 Local Market Time will be terminated with a logout. Sequence numbers are reset to 1 at midnight Local Market Time.

3.1.4. Logon

The logon message must be the first message received, and the firm must wait for a logon from the BIDS before beginning resend/gap fill operations.

3.1.5. Logout

Your firm is expected to issue a logout prior to 19:59 Local Market Time. If not, the BIDS will issue a logout and terminate the TCP connection.

Whichever side issues the logout is expected to terminate the TCP connection. If an initiating logout is received with a higher sequence number than expected, then, as per the FIX specification, gap fill operations are to be completed before finishing the logout sequence.

3.1.6. Heartbeat and Test Request

The BIDS will use the heartbeat interval specified in your firm's logon message. A heartbeat of 30 seconds is recommended as a reasonable balance between network efficiency and timely detection of a lost connection. The use of heartbeat and the test request will be as per the FIX 4.2 specification.

3.1.7. Resend Request

If your firm receives a resend request with a sequence number higher than expected, your system must first resend the requested messages before sending its own resend request.

While there are two methods for requesting messages to be resent (i.e., asking for a specific range vs. asking for all messages after a particular sequence number), it is recommended that all resend requests follow the latter: request all messages after a particular message. This avoids hunting and race conditions in which responses to resends cause more resends.

3.1.8. Reject

Session-level rejects are used under the following conditions:

- When a mandatory field is missing
- When a field contains improperly formed data
- When a field contains a value not supported by standard FIX 4.2 protocol

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

- When a field that is not required or supported is present in a message (except for customized tags)

If the BIDS rejects a message sent by your firm, your firm's system must not attempt to resend the message.

3.2. Standard Message Header

3.2.1. Outbound Standard Message Header

C in the **Prov'd** column means conditionally provided. A Tag is sent out based on certain conditions, which are described in the **Comments** column.

FIX GW Tags	FIX GW Name	Prov'd	Comments
8	BeginString	Y	FIX.4.2 (Always unencrypted, must be first field in message)
9	BodyLength	Y	(Always unencrypted, must be second field in message)
35	MsgType	Y	Defines message type
34	MsgSeqNum	Y	Sequence number
43	PossDupFlag	N	Always required for retransmitted messages, whether prompted by the sending system or as the result of a resend request.
49	SenderCompID	Y	Always set to 'BIDS'
50	SenderSubID	Y	Always set to 'BIDS'
52	SendingTime	Y	Time of message transmission.
56	TargetCompID	Y	Assigned value used to identify receiving firm.
57	TargetSubID	Y	Assigned value used to identify specific individual or unit intended to receive message.
97	PossResend	C	Provided as "Y" when message may be duplicate of another message sent under a different sequence number
122	OrigSendingTime	N	Required for message resent as a result of a ResendRequest. If data is not available set to same value as SendingTime

3.3. Timestamps

The BIDS Trading platform can cater to timestamp requirements of different audience. Input timestamps can be of second, millisecond, microsecond, and/or nanosecond precision. For outbound timestamps, the precision is set on a gateway by gateway basis. The choices are millisecond, microsecond, and nanosecond. There is also a Legacy option for backward compatibility, which uses millisecond in general with a few specific tags using second precision.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

4. Drop-Copy FIX 4.2 Protocol

BIDS Trading's back-office drop-copy specification covers the following three usage patterns:

1. EOD drop-copy of all order and trade activities.
2. Intra-day drop-copy of trades (plus EOD drop-copies of all order and trade activities).
3. Real-time drop copy of all order and trade activities.

Depending on the configuration, a subscriber may receive any combination of the above three patterns. To be specific, drop copies for each buy-side firm will only use one pattern. However, drop copies for different buy-side firms may use different patterns.

Note that certain tags may be intended only for use in particular jurisdictions. If a tag is not required in a drop copy message for your jurisdiction (for example, LocateBroker is Australia), then the tag will be omitted in the message.

4.1. Intra-day Drop-copy

BIDS Trading gives buy-side firms the option of using intra-day drop copies to support their existing workflows. The goal of the intra-day drop-copy is to allow for trade confirmations and allocation without revealing trading intentions unnecessarily. To accomplish this, drop copies will be batched and sent when the underlying order is done (i.e., if the order is completely filled, cancelled, or expires).
A batch of drop-copies will consist of one or more partial fills, followed by a fill, cancel, or expired message. Intra-day executions will have one of the following OrdStatus (tag 39) values:

- 1 = Partial fill
- 2 = Filled
- 4 = Cancelled
- C = Expired

An additional difference with intra-day drop-copies is that they will always have a LeavesQty (tag 151) of zero. Again, this is to prevent unnecessary information leakage.

Note: A LeavesQty (tag 151) of 0 (zero) does not mean an order is done.

Please note that intra-day drop-copies should not be used for reporting purposes. Their intent is only for intra-day trade confirmation and allocation. The complete set of order and trade activities will be sent at the end of the day. These messages should be used for reporting purpose.

4.2. Real Time Drop-copy

Real-time drop copies provide subscribers with an immediate notification of all activity for direct access sponsored orders. With the consent of buy-side firms, all order and trade events for such

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

orders will be sent to the subscriber for risk management and reporting purpose. This includes executions with the following OrdStatus (tag 39) value:

- 0 = New
- 1 = Partial fill
- 2 = Filled
- 4 = Cancelled
- 5 = Replaced
- C = Expired

If a drop-copy was sent real-time, it will not be resent at the EOD.

4.3. End-of-day Drop-copy

Drop-copies sent at the end of the day cover all activity for direct access sponsored orders. This includes executions with the following OrdStatus (tag 39) value:

- 0 = New
- 1 = Partial fill
- 2 = Filled
- 4 = Cancelled
- 5 = Replaced
- C = Expired

If a drop-copy was sent intra-day, it will also be sent at the EOD with the following attributes:

- The PossResend (tag 97) will be equal to 'Y'.
- The ExecID (tag 17) and the TransactTime (tag 60) will be identical to the intra-day drop-copy.

4.4. Application Messages Supported

BIDS BASIC FIX 4.2 Protocol Application Messages

Outbound

Message	MsgTyp	Usage
Execution Report	8	Report the state of an order previously submitted to the BIDS

4.5. Outbound Messages – Execution Report

4.5.1. Type of Execution Report:

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Order Event	ExecTransType	ExecType	OrdStatus
New Order	0 = New	0 = New	0 = New
Cancel Order	0 = New	4 = Cancelled	4 = Cancelled
Cancel and Replace Order	0 = New	5 = Replace	5 = Replaced
Expire Order	0 = New	C = Expired	C = Expired
Partial Fill	0 = New	1 = Partially fill	1 = Partially filled
Complete Fill	0 = New	2 = Fill	2 = Filled
Trade Cancellation	1 = Cancel	Same as OrdStatus	Describes the current state of order

4.5.2. Message Template

C in the **Prov'd** column means conditionally provided. A Tag is sent out based on certain conditions, described in the **Comments** column.

G in the **Prov'd** column means Per Configuration. A Tag is sent out if the gateway is configured to do so.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
	Standard Message Header	Y	MsgType = 8
1	Account	Y	Account mnemonic as agreed between buy and sell sides.
6	AvgPx	Y	Calculated average price of all fills on this order.
11	ClOrdID	Y	Unique identifier of the order as assigned by firm. Must be <= 30 characters
15	Currency	C	Symbol's base currency. Sending of this tag or not is configurable.
14	CumQty	Y	Total quantity (e.g. number of shares) filled.
17	ExecID	Y	Unique identifier of each Execution Report message.
18	ExecInst	C	Provided for OrdType=P
19	ExecRefID	C	Reference identifier used with Cancel transaction types Provided in Trade Cancellation
20	ExecTransType	Y	0 = New 1 = Cancel (when a trade cancellation occurs)
22	IDSource	C	Sending of this tag is configurable, and can be one of: 4 = ISIN 5 = RIC
30	LastMkt	C	Market of execution for last fill. Provided on Fill/Partially Fill (OrdStatus tag39 = 1/2).
31	LastPx	Y	Price of this (last) fill. Assign to 0 on New, Cancelled, Replace, Expire
32	LastShares	Y	Quantity of shares bought/sold on this (last) fill. Assign to 0 on New, Cancelled, Replace, Expire
37	OrderID	Y	Includes BIDSOrderId and omsSequenceNo
38	OrderQty	Y	Quantity ordered.
39	OrdStatus	Y	Identifies current status of order. 0 = New 1 = Partially filled 2 = Filled 4 = Cancelled 5 = Replaced C = Expired
40	OrdType	Y	On of the following: 1 = Market 2 = Limit P = Pegged (requires ExecInst)
41	OrigClOrdID	C	ClOrdID of the previous order when canceling or replacing an order.
44	Price	Y	Price per unit of quantity.
47	Rule80A	Y	Order Capacity

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
48	SecurityID	C	Sending of this tag is configurable, and is set to the ISIN or RIC of the security, dependent on the IDSource type (tag 22) chosen.
54	Side	Y	Only 1=Buy, 2=Sell and 5=Sell Short are currently supported
55	Symbol	Y	Either a listed or OTC instrument.
58	Text	C	Free format text string.
59	TimeInForce	Y	Time in force 0 = Day Order 3 = IOC – Immediate or Cancel 6 = GTD – Good til Date (requires use of ExpireTime (tag 126)
60	TransactTime	Y	Time the transaction represented by this ExecutionReport occurred
65	SymbolSfx	C	Depends on gateway configuration, it can with dot or without dot, or not present
76	ExecBroker	Y	Used if the submitted order is being submitted for another broker
109	ClientID	Y	Mnemonic used to identify the sponsored user to the sponsoring broker.
110	MinQty	Y	Minimum quantity of an order to be executed.
114	LocateReqd	C	Always set to N if LocateInfo is provided
126	ExpireTime	C	Order expiration time (required if TimeInForce (tag 59) = 6 (GTD))
150	ExecType	Y	Describes the type of execution report. 0 = New 1 = Partial fill 2 = Fill 4 = Cancelled 5 = Replace C = Expired
151	LeavesQty	Y	Quantity open for further execution. LeavesQty = OrderQty (38) – CumQty (14).
168	EffectiveTime	Y	Time the details within the message should take effect.
207	SecurityExchange	C	Sending of this tag is configurable, and is set to the Listing market of the security. This follows the FIX 4.4 style MIC code
211	PegDifference	C	Amount (signed) added to the price of the peg Provided on Pegged Order
375	ContraBroker	C	Depends on gateway setting, contra (the firm or broker) on the other side of the trade) is reported. Applies to AIOI Workflow (AWF) trades only. Provided on Fill/Partially Fill (OrdStatus tag39 = 1/2).

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
388	DiscretionInst	C	Code to identify the price a DiscretionOffset is related to and should be mathematically added to. Required if DiscretionOffset is specified. Valid value: 0 – Related to the display price
389	DiscretionOffset	C	The amount added to the limit price – Price (tag 44). DiscretionOffset can be either negative or positive. Discretionary price = Price (tag 44) + DiscretionOffset (tag 389) For Sell orders the DiscretionOffset should be negative
439	ClearingFirm		In the case of Give up the MPID for the give up Clearing Firm.
Repeating Group 453	NoPartyIDs	G	Repeating group below should contain unique combinations of PartyID, PartyIDSource, and PartyRole It is a configurable setting.
448	PartyID	G	Required if NoPartyIDs(453) > 0. Identification of the party.
447	PartyIDSource	G	Required if NoPartyIDs(453) > 0. Used to identify classification source. N = Legal Entity Identifier (ISO 17442) LEI
452	PartyRole	G	Required if NoPartyIDs(453) > 0. Identifies the type or role of the PartyID (448) specified. 13 = Order Origination Firm
End Repeating Group			
528	OrderCapacity	Y	Capacity of Firm placing order. If set to Riskless Principal tag 47 will be set to 'A'
769	TrdRegTimestamp	C	Time the trade occurred at the trading venue.
775	BookingType	Y	Method used for booking, used to notify a broker that the Firm-up is to be booked out as a Contract for Difference (CFD). 0 = Cash/Regular 1 = Contract for Difference (CFD)
851	LastLiquidityInd	C	Indicator to identify whether fill was result of a liquidity provider providing or liquidity taker taking liquidity Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
1903	RegulatoryTradeID	G	Populated if the trade was done by an external venue. Uniquely identifies the trade by the external venue where the trade was done. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2).
1906	RegulatoryTradeIDType	G	Indicates the type of trade identifier provided in RegulatoryTradeID. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). 5=Trading venue transaction identification

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
1907	NoRegulatoryTradeIDs	G	Number of regulatory IDs in the repeating group. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2).
5700	LocateBroker	C	FINRA rule 3370 (Short Sell Rule) requires that every short sell order specify a Locate (Tag 114=Y), identifying which broker has loaned the stock to settle the short sale
5701	Locate Identifier	C	The actual locate identifier/reference provided by the LocateBroker (5700).
8017	BIDSPriceProtection	G	Indicates the trader's willingness to trade inside NBBO or not.
8016	TradingVenueRegulatoryTradeID	G	Uniquely identifies the trade. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2).
8026	BIDSTradeId	C	Uniquely identifies the trade. Provided on Fill/Partially Fill (OrdStatus tag39 = 1/2).
8052	BIDSReportingType	Y	Indicate the type of drop copy execution
8063	BIDSUniqueClOrdID	G	Combine ClOrdID(tag11) with source gateway ID to make a unique ClOrdID
8067	BIDSSponsoredTraderName	C	Sponsored trader's real name in the form of <first name>.<last name> Provided if gateway is configured to include sponsored trader name in the drops This is only available for report version 1.3 or higher.
8069	BIDSCentralCounterparty	C	The CCP handling the trade. Provided on IOIFilled.
8070	TargetContraFirm	C	Depends on gateway setting, contra firm (the firm on the other side of the trade) is reported in either tag375 or tag8070. Applies to AIOI Workflow (AWF) trades only. Provided on Fill/Partially Fill (OrdStatus tag39 = 1/2).
Repeating Group 8080	NoBIDSAllotmentEntitiesGroup	G	Number of AllotmentEntities in the repeating group. Applicable to Externalized desks/merged entries only. It is a configurable setting. A single FIX tag can be specified to report allotment entities or will default to allotment group.
8082	BIDSAEFirm	G	Indicates the Firm
8086	BIDSAEVolume	G	Quantity of Allotment.
8088	BIDSAEBookingType	G	Method used for booking, used to notify a broker that the Allotment is to be booked out as a Contract for Difference (CFD). 0 = Cash/Regular 1 = Contract for Difference (CFD)

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
8089	BIDSAEFilledVolume	G	Quantity of shares bought/sold on this (last) fill for this Allotment. Not present on New, Cancelled, Replace, Expire
9730	LastLiquidityInd	C	Indicator to identify whether fill was result of a liquidity provider providing or liquidity taker taking liquidity Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
End Repeating Group			
20013	PartyIDOrderOriginationFirm	G	LEI of Order Origination Firm. It is a configurable setting.
	Standard Trailer	Y	

4.6. Outbound Messages – Execution Report - Canada

4.6.1. Type of Execution Report:

Please refer to 4.5.1 Types of Execution Report, plus the following.

Order Event	ExecTransType	ExecType	OrdStatus
Trade Correction	2 = Correct	Same as OrdStatus	Describes the current state of order

4.6.2. Message Template

C in the Prov'd column means conditionally provided. A Tag is sent out based on certain conditions, described in the Comments column.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
	Standard Message Header	Y	MsgType = 8
	4.5.2 Message Template	Y	Outbound Message Template – Exeuction Report from 4.5.2
20	ExecTransType	Y	0 = New 1 = Cancel (when a trade cancellation occurs) 2 = Correct (when a trade correction occurs)
47	Rule80A	Y	Order Capacity Valid values: • IN = Inventory • NC = Non-Client • CL = Client • MC = Multi Client • ST = Specialist • MP = ME Pro Order • OF = Options Firm Account • OT = Options Market Maker • BU = Bundled
375	ContraBroker	C	Depends on gateway setting, contra (the firm or broker) on the other side of the trade) is reported. Provided on Fill/Partially Fill (OrdStatus tag39 = 1/2).
851	LastLiquidityInd	C	Indicator to identify whether fill was result of a liquidity provider providing or liquidity taker taking liquidity Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2) 1 =Added Liquidity 2 = Removed Liquidity 8 = As a result of conditional order execution
1724	LEI_OrderOrigination	C	Identify the type of customer sending the order.
2883	LEI_RoutingArrangementIndicator	C	Routing arrangement is in place (1 or 0, meaning yes or no, respectively).
6763	UMIRRegulationID	C	SS = Significant Shareholder IA = Insider
6776	PrincipalTrade	C	Present on executions where Broker executed a Principal trade. If present, value is Y. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
6777	WashTradeIndicator	C	Indicates a wash trade. Y = wash trade Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
7003	ProgramTrade	C	Identify this order as part of a program trade (Y or N).
7012	Anonymous	C	Anonymize this order when trade reporting (Y or N).
7013	RegulationID	C	Does not affect order handling but is reported to feeds.
7713	NoTradeFeat	C	Defines how to prevent a self-trade.
7714	NoTradeKey	C	Identifier for self-trade prevention.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
7729	ShortMarkingExempt	C	Used by regulators to identify directional neutral accounts.
8073	BIDSOriginatingBroker (aka Jitney)	C	Broker on whose behalf this order is being submitted if different than the executing broker.
8090	BIDSExecBroker	C	Executing broker.
8091	BIDSContraExecBroker	C	Contra executing broker (the broker on the other side of the trade). Provided in OrderFilled(tag150=1/2) only.
9882	FeeCode	C	Fee code associated with an execution. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
9883	PrintFeeCode	C	Fee code associated with an execution that is printed back to the customer. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
18025	LEI_CustomerAccount	C	Account number for clients not eligible to obtain an LEI.
18026	LEI_AlgorithmID	C	Unique identifier for the end-client orders automatically generated on a predetermined basis.
18027	CustomerLEI	C	LEI for clients eligible to obtain an LEI including LEI of the foreign dealer equivalent (Encryption Required).
18028	BrokerLEI	C	Non-PO IIROC Dealer Member (Correspondent Broker).
22010	TraderID	Y	Identifies the broker trader responsible for the order.
	Standard Trailer	Y	

4.7. Outbound Messages – Execution Report – Australia

4.7.1. Type of Execution Report:

Please refer to 4.5.1 Types of Execution Report

4.7.2. Message Template

C in the Prov'd column means conditionally provided. A Tag is sent out based on certain conditions, described in the Comments column.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
	Standard Message Header	Y	MsgType = 8
	4.5.2 Message Template	Y	Outbound Message Template – Exeuction Report from 4.5.2
29	LastCapacity	C	Broker capacity in order execution. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). Valid values: 1 = Agent 2 = Cross as agent 3 = Cross as principal 4 = Principal 5 = Mixed 6 = Cross as Mixed
47	Rule80A	Y	Order Capacity Valid values: • A = Agency single order • P = Principal • X = Mixed
851	LastLiquidityInd	C	Indicator to identify whether fill was result of a liquidity provider providing or liquidity taker taking liquidity Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2) 1 =Added Liquidity 2 = Removed Liquidity C = As a result of conditional order execution 8 = As a result of conditional order execution
6802	ClientCrossRef	C	Can be used to provide additional client side cross reference information. Max length is 15 characters.
6803	ShortSellNakedQty	C	For a short sell order, this field defines the portion of order quantity that is naked. It is assumed 0 if it is not specified with a short sell order. For non-short sell order, this field is not included.
6804	ShortSellCoveredQty	C	For a short sell order, this field defines the portion of order quantity that is covered. It is assumed 0 if it is not specified with a short sell order. For non-short sell order, this field is not included.
6805	ShortSellLongQty	C	For a short sell order, this field defines the portion of order quantity that is owned by the participant who places the order. It is assumed 0 if it is not specified with a short sell order. For non-short sell order, this field is not included. The sum of ShortSellNakedQty, ShortSellCoveredQty and ShortSellLongQty should equal to the OrderQty for a short sell order. The ShortSellLongQty itself should not be equal to the OrderQty.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
6807	TransactID	C	A unique identifier assigned by CBOE Australia for each trade that can be cross referenced against CHESS messaging for post trade processing. It contains 10 characters in the format XXXXYYYYYY where X = the Serial Trade Qualifier and Y = the Trade Serial Number. The first character of the Serial Trade Qualifier identifies the trading venue. CHESS has allocated "C" to identify CBOE Australia trades. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
8138	OriginOfTrans	C	Market Integrity Rule defined field for Origin of Order e.g. ACN, ABN, CHESS HIN, or other internal client identifier. Max 20 characters.
8139	IntermediaryID	C	Market Integrity Rule defined field for Intermediary Identifier – may be populated with AFS licence number. Max 10 characters.
8140	DirectedWholesaleIndic	C	Market Integrity Rule defined field to identify wholesale client Y/N value. Default = N
8177	RemoveCrossingFromClearing	C	Boolean field that instructs BIDS not to send a crossing to the clearing house.
8182	OrderRestrictions	C	Broker Preferencing logic can ONLY be enabled/disabled by contacting Market Operations to request that it be configured as a default setting on a per FIX Gateway basis. If a participant elects to have broker preferencing enabled, this tag <8182> permits the default setting to be overridden. I = Override broker preference default setting
8183	CrossType	C	Defines the matching logic applied for this trade if it was an on-market crossing. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). Valid values are: 101 = trade was the result of a broker preferenced crossing 102 = other
9882	FeeCode	C	Fee code associated with an execution. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
	Standard Trailer	Y	

4.8. Outbound Messages – Execution Report – Japan

4.8.1. Type of Execution Report:

Please refer to 4.5.1 Types of Execution Report.

4.8.2. Message Template

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

C in the Prov'd column means conditionally provided. A Tag is sent out based on certain conditions, described in the Comments column.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
	Standard Message Header	Y	MsgType = 8
	4.5.2 Message Template	Y	Outbound Message Template – Execution Report from 4.5.2
20	ExecTransType	Y	0 = New 1 = Cancel (when a trade cancellation occurs)
29	LastCapacity	C	Broker capacity in order execution. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). Valid values: 1 = Agent 2 = Cross as agent 3 = Cross as principal 4 = Principal
47	Rule80A	Y	Order Capacity Valid values: • A = Agency single order • P = Principal
544	CashMargin	C	"1" = Cash Absence of this field indicates Cash order.
851	LastLiquidityInd	C	Indicator to identify whether fill was result of a liquidity provider providing or liquidity taker taking liquidity Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2) 1 = Added Liquidity 2 = Removed Liquidity 8 = As a result of conditional order execution
7714	NoTradeKey	C	Orders with the same value in NoTradeKey will not be matched against each other, regardless of participant.
8019	BIDSNBBPrice	C	Bid Price.
8020	BIDSNBOPrice	C	Ask Price.
8021	BIDSNBBOTimestamp	C	Time of the NBBO.
8031	PrimaryLastPx	C	Primary exchange last traded price at the time of fill. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
8093	OrderClassification	C	Specify the Order Classification. Supported values: 1 = Non Low Latency Trading (Auto) 2 = Non Low Latency Trading (Manual) 3 = Market Making Strategy 4 = Arbitrage Strategy 5 = Directional Strategy 6 = Other Strategy
8101	ToSTNeTOrderID	C	Order Acceptance Number in ToSTNeT Provided in OrderFilled(tag150=1/2) only.
8102	ToSTNeTExecutionID	C	Execution Notice number in ToSTNeT Provided in OrderFilled(tag150=1/2) only.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Prov'd	Comments
8106	ToSTNeTTransactTime	C	Transaction time in ToSTNeT Provided in OrderFilled(tag150=1/2) only.
8174	NoSelfTrade	C	Identified as Self-Trade Prevention (STP) order. Orders from the same participant with the same NoSelfTrade key will not be allowed to match with each other.
8182	OrderRestrictions	C	Broker Preferencing logic can ONLY be enabled/disabled by contacting Market Operations to request that it be configured as a default setting on a per FIX Gateway basis. If a participant elects to have broker preferencing enabled, this tag <8182> permits the default setting to be overridden. I = Override broker preference default setting
9882	FeeCode	C	Fee code associated with an execution. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2)
	Standard Trailer	Y	

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

5. Data Dictionary

5.1. BIDS Trading FIX Standard Tag Definitions

Lengths are provided for outbound string fields. Numeric fields and output fields comply with FIX datatype definitions.

Tag	Field Name	Format	Length	Description	Found in msgs
1	Account	String	30	Account mnemonic as agreed between buy and sell sides.	Execution Report
6	AvgPx	Price		Calculated average price of all fills on this order.	Execution Report
11	ClOrdId	String	30	Unique identifier of the order as assigned by firm. Must be <= 30 characters.	Execution Report
14	CumQty	Qty		Total quantity (e.g. number of shares) filled.	Execution Report
15	Currency	Currency		Symbol's base currency. Prices and values are expressed in this currency.	Execution Report
17	ExecID	String		Unique identifier of each Execution Report message.	Execution Report
18	ExecInst	String		Can contain multiple instructions, space delimited. Required if OrdType = P, and must contain only one of the following M, P or R	Execution Report
19	ExecRefID	String		Reference identifier used with Cancel and Correct transaction types	Execution Report
20	ExecTransType	char		Identifies transaction type. Valid values: 0 = New 1 = Cancel 2 = Correct (when a trade correction occurs, Canada Only)	Execution Report
22	IDSource	String		Identifies class of alternative SecurityID Valid values: 4 = ISIN 5 = RIC code	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
29	LastCapacity	char		Broker capacity in order execution. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). Valid values: 1 = Agent 2 = Cross as agent 3 = Cross as principal 4 = Principal 5 = Mixed (Australia only) 6 = Cross as Mixed (Australia only) Australia only and Japan only	Execution Report
30	LastMkt	Exchange		Market of Execution for last fill	Execution Report
31	LastPx	Price		Price of this (last) fill.	Execution Report
32	LastShares	Qty		Quantity of shares bought/sold on this (last) fill.	Execution Report
37	OrderId	String		Unique identifier for Order. Includes BIDSOrderId and omsSequenceNo	Execution Report
38	OrderQty	Qty		Quantity ordered.	Execution Report
39	OrdStatus	char		Identifies current status of order. Valid values: 0 = New 1 = Partially filled 2 = Filled 4 = Cancelled 5 = Replaced C = Expired	Execution Report
40	OrdType	char		Order type. Valid values: 1 = Market 2 = Limit P = Pegged (requires ExecInst)	Execution Report
41	OrigClOrdID	String	30	ClOrdID of the previous order when canceling or replacing an order.	Execution Report
44	Price	Price		Price per unit of quantity.	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
47	Rule80A	char		Order Capacity. Valid values: A = Agency single order C = Program Order, non-index arb, for Member firm/org D = Program Order, index arb, for Member firm/org E = Registered Equity Market Maker trades I = Individual Investor, single order J = Program Order, index arb, for individual customer K = Program Order, non-index arb, for individual customer M = Program Order, index arb, for other member N = Program Order, non-index arb, for other member O = Competing dealer trades P = Principal R = Competing dealer trades S = Specialist trades T = Competing dealer trades U = Program Order, index arb, for other agency W = All other orders as agent for other member X = Short exempt transaction for member competing market-maker not affiliated with the firm clearing the trade (refer to W and T types) Y = Program Order, non-index arb, for other agency **Suggest extracting capacity information out of tag 528. This tag treats Riskless Principal as Agency.	Execution Report
48	SecurityID	String		Security identifier value of IDSource (22) type i.e. ISIN, RIC code	Execution Report
54	Side	char		Side of order. Valid values 1=Buy 2=Sell 5=Sell Short	Execution Report
55	Symbol	String	15	Either a listed or OTC instrument	Execution Report
58	Text	String	50	Free format text string.	Execution Report
59	TimeInForce	char		Absence of this field indicates Day order. 0 = Day Order (default if field not specified) 3 = IOC – Immediate Or Cancel 6 = GTD – Good Til Date (requires use of ExpireTime (tag 126))	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
65	SymbolSfx	String		Additional information about the security (e.g. preferred, warrants, etc.). Note also see SecurityType. Valid values: As defined in the NYSE Stock and bond Symbol Directory and in the AMEX Fitch Directory	Execution Report
76	ExecBroker	String	12	Used if the submitted order is being submitted for another broker	Execution Report
110	MinQty	Qty		Minimum quantity of an order to be executed.	Execution Report
114	LocateReqd	Boolean		Indicates if locates are required for a short sell order	Execution Report
126	ExpireTime	UTCTimestamp		Order expiration time (required if TimeInForce (tag 59) = 6 (GTD) This field includes millseconds for version 1.4 or higher. Format: yyyy-MM-dd-HH:mm:ss.SSS	Execution Report
150	ExecType	char		Describes the type of execution report. Valid values: 0 = New 1 = Partial Fill 2 = Fill 4 = Cancelled 5 = Replace C = Expired	Execution Report
151	LeavesQty	Qty		Quantity open for further execution.	Execution Report
168	EffectiveTime	UTCTimestamp		Time the details within the message should take effect. This field includes millseconds for version 1.4 or higher. Format: yyyy-MM-dd-HH:mm:ss.SSS	Execution Report
207	SecurityExchange	String	4	MIC of listing market of the Security. This follows the FIX 4.4 style MIC code	Execution Report
211	PegDifference	PriceOffset		Amount (signed) added to the price of the peg for a pegged order. Valid values for BIDS Trading is 211=0.	Execution Report
375	ContraBroker	String		Depends on gateway setting, contra (the firm or broker) on the other side of the trade) is reported. Applies to AIOI Workflow (AWF) trades only.	Execution Report
388	DiscretionInst	char		Code to identify the price a DiscretionOffset is related to and should be mathematically added to: Valid values for BIDS: 0=Related to displayed price – Price (tag 44)	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
389	DiscretionOffset	PriceOffset		The amount added to the limit price – Price (tag 44). DiscretionOffset can be either negative or positive. Discretionary price = Price (tag 44) + DiscretionOffset (tag 389) For Sell orders the DiscretionOffset should be negative	Execution Report
439	ClearingFirm	char		In the case of Give up the MPID for the give up Clearing Firm.	Execution Report
447	PartyIDSource	char		Identifies class or source of the PartyID (448) value. Required if PartyID is specified. Note: applicable values depend upon PartyRole (452) specified. N = Legal Entity Identifier (ISO 17442) LEI	Execution Report
448	PartyID	String		Party identifier/code.	Execution Report
452	PartyRole	int		Identifies the type or role of the PartyID (448) specified. 13 = Order Origination Firm	Execution Report
453	NoPartyIDs	NumInGroup		Number of PartyID (448), PartyIDSource (447), and PartyRole (452) entries	Execution Report
528	OrderCapacity	char		Capacity of Firm placing order. Valid values are: A = Agency G = Proprietary I = Individual P= Principal R= Riskless Principal W= Agent for other Member M = Mixed Capacity	Execution Report
544	CashMargin	char		"1" = Cash Japan only.	Execution Report
769	TrdRegTimestamp	UTC Timestamp		Time the trade occurred at the trading venue.	Execution Report
775	BookingType	int		Method used for booking, used to notify a broker that the Firm-up is to be booked out as a Contract for Difference (CFD). 0 = Cash/Regular 1 = Contract for Difference (CFD)	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
851	LastLiquidityInd	char		Indicator to identify whether fill was result of a liquidity provider providing or liquidity taker taking liquidity 1 =Added Liquidity 2 = Removed Liquidity 3 = Liquidity routed out C = As a result of conditional order execution 8 = As a result of conditional order execution In Canada, BIDS only provides 1, 2 or 8. In Australia, BIDS only provides 1, 2, C or 8.	Execution Report
1724	LEI_OrderOrigination	int		Identify the type of customer sending the order. 5 = Direct access client 6 = Foreign dealer equivalent 7 = Order execution only service Canada only.	Execution Report
1903	RegulatoryTradeID	String	20	Uniquely identifies the trade by the external venue where the trade was done. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2).	Execution Report
1906	RegulatoryTradeIDType	String		Indicates the type of trade identifier provided in RegulatoryTradeID. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). 5=Trading venue transaction identification	Execution Report
1907	NoRegulatoryTradeIDs	NumInGroup		Number of regulatory IDs in the repeating group. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2).	Execution Report
2883	LEI_RoutingArrangementIndicator	int		Routing arrangement is in place (1 or 0, meaning yes or no, respectively). Canada only.	Execution Report

5.2. BIDS FIX User Defined Tag Definitions

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
5700	LocateBroker	String		FINRA Rule 3370 (Short Sell Rule) requires that every short sell order specify a Locate (Tag 114=Y), identifying which broker has loaned the stock to settle the short sale.	Execution Report
5701	LocateIdentifier	String		The actual locate identifier/reference provided by the LocateBroker (5700).	Execution Report
6763	UMIRRegulationID	String		Does not affect order handling but is reported to feeds. SS = Significant Shareholder IA = Insider Canada only.	Execution Report
6776	PrincipalTrade	Boolean		Present on executions where Broker executed a Principal trade. If present, value is Y. Canada only.	Execution Report
6777	WashTradeIndicator	Boolean		Indicates a wash trade. Canada only.	Execution Report
6802	ClientCrossRef	String		Can be used to provide additional client side cross reference information. Max length is 15 characters. Australia only.	Execution Report
6803	ShortSellNakedQty	Qty		For a short sell order, this field defines the portion of order quantity that is naked. It is assumed 0 if it is not specified with a short sell order. For non-short sell order, this field is ignored. Australia only.	Execution Report
6804	ShortSellCoveredQty	Qty		For a short sell order, this field defines the portion of order quantity that is naked. It is assumed 0 if it is not specified with a short sell order. For non-short sell order, this field is ignored. Australia only.	Execution Report
6805	ShortSellLongQty	Qty		For a short sell order, this field defines the portion of order quantity that is naked. It is assumed 0 if it is not specified with a short sell order. For non-short sell order, this field is ignored. The sum of ShortSellNakedQty, ShortSellCoveredQty and ShortSellLongQty should equal to the OrderQty for a short sell order. The ShortSellLongQty itself should not be equal to the OrderQty. Australia only.	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
6807	TransactID	String		A unique identifier assigned by CBOE Australia for each trade that can be cross referenced against CHESS messaging for post trade processing. It contains 10 characters in the format XXXXYYYYYY where X = the Serial Trade Qualifier and Y = the Trade Serial Number. The first character of the Serial Trade Qualifier identifies the trading venue. CHESS has allocated "C" to identify CBOE Australia trades. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). Australia only.	Execution Report
7003	ProgramTrade	Boolean		Identify this order as part of a program trade (Y or N). Canada only.	Execution Report
7012	Anonymous	Boolean		Anonymize this order when trade reporting (Y or N). Canada only.	Execution Report
7013	RegulationID	String		Does not affect order handling but is reported to feeds. SS = Significant Shareholder IA = Insider Canada only.	Execution Report
7713	NoTradeFeat	String		Defines how to prevent a self-trade. IB = Ignore match (do not trade) EB = Suppress from Tape Canada only.	Execution Report
7714	NoTradeKey	String		Identifier for self-trade prevention. Canada and Japan only.	Execution Report
7729	ShortMarkingExempt	int		Used by regulators to identify directional neutral accounts. Canada only.	Execution Report
8016	TradingVenueRegulatoryTradeID	String		Trading Venue Transaction Identification Code. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2).	Execution Report
8017	BIDSPriceProtection	char		Indicates the trader's willingness to trade inside NBBO or not 0 = At or Between 1 = Midpoint or better 2 = Primary 3 = Allow Outside	Execution Report
8019	BIDSNBBPrice	Price		Bid Price. Japan only.	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
8020	BIDSNBOPrice	Price		Ask Price. Japan only.	Execution Report
8021	BIDSNBBOTimestamp	UTCTimestamp		Time of the NBBO. Japan only.	Execution Report
8026	BIDSTradeId	String	9	Uniquely identifies the trade.	Execution Report
8052	BIDSReportingType	char		Indicate the type of drop copy exeuction. 0 = Intraday 1 = End of Day(EOD) 2 = Real Time	Execution Report
8063	BIDSUniqueClOrdID	String		Combine ClOrdID(tag11) with source gateway ID to make a unique ClOrdID.	Execution Report
8067	BIDSSponsoredTraderName	String		Sponsored trader's real name in the form of <first name>.<last name> This is only available for report version 1.3 or higher.	Execution Report
8069	BIDSCentralCounterparty	String		The CCP handling the trade	Execution Report
8070	TaregetContraFirm	String		Depends on gateway setting, contra firm (the firm on the other side of the trade) is reported in either tag375 or tag8070. Applies to AIOI Workflow (AWF) trades only.	Execution Report
8071	SenderTime	UTCTimestamp		Time the transction is sent. Dependant on gateway setting	Execution Report
8073	BIDSOriginatingBroker (aka Jitney)	String		Broker on whose behalf this order is being submitted if different than the executing broker. Applies to AIOI Workflow (AWF) trades and Canada only.	Execution Report
8080	NoBIDSAllotmentEntitiesGroup	NumInGroup		Number of AllotmentEntities in the repeating group. Applicable to Externalized desks/merged entries only.	Execution Report
8082	BIDSAEFirm	char		Indicates the Firm	Execution Report
8088	BIDSAEVolume	int		Quantity of Allotment.	Execution Report
8086	BIDSAEBookingType	int		Method used for booking, used to notify a broker that the Allotment is to be booked out as a Contract for Difference (CFD). 0 = Cash/Regular 1 = Contract for Difference (CFD)	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
8089	BIDSAEFilledVolume	int		Quantity of shares bought/sold on this (last) fill for this Allotment. Not present on New, Cancelled, Replace, Expire	Execution Report
8090	BIDSExecBroker	String		Executing broker. Canada only. Japan?	Execution Report
8091	BIDSContraExecBroker	String		Contra executing broker (the broker on the other side of the trade). Provided in OrderFilled(tag150=1/2) only. Canada only. Japan?	Execution Report
8093	OrderClassification	char		Specify the Order Classification. Supported values: 1 = Non Low Latency Trading (Auto) 2 = Non Low Latency Trading (Manual) 3 = Market Making Strategy 4 = Arbitrage Strategy 5 = Directional Strategy 6 = Other Strategy Japan only.	Execution Report
8101	ToSTNeTOrderID	String		Order Acceptance Number in ToSTNeT Provided in OrderFilled(tag150=1/2) only. Japan only.	Execution Report
8102	ToSTNeTExecutionID	String		Execution Notice number in ToSTNeT Provided in OrderFilled(tag150=1/2) only. Japan only.	Execution Report
8106	ToSTNeTTransactTime	UTCTimestamp		Transaction time in ToSTNeT Provided in OrderFilled(tag150=1/2) only. Japan only.	Execution Report
8138	OriginOfTrans	String		Market Integrity Rule defined field for Origin of Order e.g. ACN, ABN, CHESS HIN, or other internal client identifier. Max 20 characters. Pass-thru tag. Australia only.	Execution Report
8139	IntermediaryID	String		Market Integrity Rule defined field for Intermediary Identifier – may be populated with AFS licence number. Max 10 characters. Pass-thru tag. Australia only.	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
8140	DirectedWholesaleIndic	Boolean		Market Integrity Rule defined field to identify wholesale client Y/N value. Default = N Pass-thru tag. Australia only.	Execution Report
8174	NoSelfTrade	String		Identified as Self-Trade Prevention (STP) order. Orders from the same participant with the same NoSelfTrade key will not be allowed to match with each other. If the order is not fully-filled, the order will rest on the book. Japan only.	Execution Report
8177	RemoveCrossingFromClearing	Boolean		Boolean field that instructs BIDS not to send a crossing to the clearing house. Australia only.	Execution Report
8182	OrderRestrictions	char		Broker Preferencing logic can ONLY be enabled/disabled by contacting Market Operations to request that it be configured as a default setting on a per FIX Gateway basis. If a participant elects to have broker preferencing enabled, this tag <8182> permits the default setting to be overridden. I = Override broker preference default setting Australia and Japan only.	Execution Report
8183	CrossType	int		Defines the matching logic applied for this trade if it was an on-market crossing. Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). Valid values are: 101 = trade was the result of a broker preferenced crossing 102 = other Australia only.	Execution Report
9730	TradeLiquidityIndicator	char		Provided on Fill/Partial Fill (OrdStatus tag 39 = 1 /2). 1 = Added Liquidity (maker) 2 = Removed Liquidity (taker) 3 = Liquidity Routed out 8 = As a result of conditional order execution (firm up) C = As a result of conditional order execution (firm up) Dependant on gateway configuration.	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

Tag	Field Name	Format	Length	Description	Found in msgs
9882	FeeCode	String		Specific fee code associated with the trade. Canada, Australia and Japan only.	Execution Report
9883	PrintFeeCode	String		Specific fee code associated with the trade that is printed back to the customer. Canada only.	Execution Report
18025	LEI_CustomerAccount	String		Account number for clients not eligible to obtain an LEI. Canada only.	Execution Report
18026	LEI_AlgorithmID	String		Unique identifier for the end-client orders automatically generated on a predetermined basis. Canada only.	Execution Report
18027	CustomerLEI	String		LEI for clients eligible to obtain an LEI including LEI of the foreign dealer equivalent (Encryption Required). Canada only.	Execution Report
18028	BrokerLEI	String		Non-PO IIROC Dealer Member (Correspondent Broker). Canada only.	Execution Report
20013	PartyIDOrderOriginationFirm	String		LEI of Order Origination Firm.	ExecutionReport
22010	TraderID	String		Identifies the broker trader responsible for the order.	Execution Report

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

6. Additional Settings and Parameters

There are multiple settings that the BIDS makes available to users. Your BIDS Operations rep can discuss these settings with you prior to enabling your activity in BIDS and at anytime thereafter if you request help. The following settings and parameters are server-side settings and must be set/changed by BIDS personnel on the user's behalf. Please consult your BIDS Operations representative for assistance.

1. Whether or not to include tag 8063 in TBR drop which contains a synthetic client order id guaranteed to be unique.

2. Enable sending sponsor alerts via this TBRGW?

3. Whether or not to include tag 8067 (trader name) in drops.

4. Set order status to DFD in ERs for order cancels/expires?

5. When dropping an order, tag value pairs in the incoming FIX message found in this list will be included in the drop.

6. If such a tag is set, TBR drop will include this tag, setting it to the gateway id where the order came from.

7. Whether and how to report liquidity indicator information in fills and TBR drops

8. Whether to include Trading Venue Txn Identification Code (tag 8016 or tradeId group) in fills and TBR drops

9. Whether to include client transaction time in tag 8071 in TBR drops.

10. Whether to set tag 38 to filled volume (aka tag 32) in TBR fill drops in Fill-on-terminate mode.

11. Whether to report CCP tag (8069) in fill ER drops by OMS and TBR.

12. Precision used for outbound timestamps i.e.) milliseconds, microseconds and nanoseconds or legacy

13. Sponsor this drop line applies to.

14. Sponsored firm this drop line applies to.

15. Accept intraday drop and if so, sponsored and/or own flow?

16. Accept EOD drop and if so, sponsored and/or own flow?

17. If specified, broker tag will be set to this instead of the internal broker MPID

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

18. If specified and the trading broker is set to anonymizeETR, tag 109 will be set to this value instead of matching tag 76.

19. Whether and how to include Client LEI in drops.

20. Must be set to True if the TBRGW is configured to report price protection in BIDSPriceProtection (tag 8017) in outbound drops.

21. Whether to include BIDSTradeId tag 8026 in fills and TBR drops.

22. Whether to include TrdRegTimestamp (tag 769) in TBR drops.

23. Whether and How to report Target Contra Firm when sending fill ERs.

24. Whether to send Allotment Entities data via the single specified tag, or use group tags. When set up to send data via a single specified tag, it will be populated in the outbound ER as a pipe separated list of allotment entity information, ie) <firm>:<booking type>:<volume>:<fill volume>.
The Fill Volume fields are set to 0 for non-fill ERs.

25. Must be set to True if the gateway is configured to report target contra firm in TargetContraFirm (tag 8070) in outbound fills

26. If set, populate all sell-side broker tags with a value copied from the native MPID attribute of firm jurisdiction config

27. Whether or not to report SenderTime (tag 8071) in TBR drops

28. Whether to echo AIOI qualifier and IOINaturalFlag tags in ERs

29. Whether to set broker AIOI Qualifier tags for sponsored firm AIOI fills.

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.

© 2009-2023 BIDS Holdings L.P. All rights reserved.
This document contains proprietary information, and is not intended for public distribution. No part of this document may be reproduced, nor transmitted or translated, by any means, in whole or in part without written permission from BIDS Holdings L.P.
All reasonable care has been taken in the preparation of this document. No liability is accepted by the author or authors for any errors, omissions or misstatements it may contain, or for any loss or damage, howsoever occasioned, to any person relying on any statement or omission from this document.
Questions regarding this document can be sent to:

BIDS Trading L.P.
One Liberty Plaza
165 Broadway, 23rd Floor
New York, NY 10006
USA

Phone: (212) 618 2060
Fax: (212) 618 2031
E-mail: info@bidstrading.com
Website: www.bidstrading.com

Copyright © 2009-2023 BIDS Holdings L.P. All Rights Reserved.