Nasdaq Nordic - FIX On-Exchange Trade Reporting

INET Nordic

Nordic Equities Market

Revision 2.01.2
08 Dec 2023
Approved

© 2023 Nasdaq, Inc. All Rights Reserved.

Copyright © 2023, Nasdaq, Inc. All rights reserved.

Confidentiality/Disclaimer

This specification is being forwarded to you strictly for informational purposes and solely for the purpose of developing or operating systems for your use that interact with systems of Nasdaq, Inc. and its affiliates (collectively, Nasdaq). This specification is proprietary to Nasdaq.

Nasdaq reserves the right to withdraw, modify, or replace this specification at any time, without prior notice. No obligation is made by Nasdaq regarding the level, scope or timing of Nasdaq's implementation of the functions or features discussed in this specification. The specification is provided "AS IS," "WITH ALL FAULTS". Nasdaq makes no warranties to this specification or its accuracy, and disclaims all warranties, whether express, implied, or statutory related to the specification or its accuracy. This document is not intended to represent an offer of any terms by Nasdaq. Whilst all reasonable care has been taken to ensure that the details contained herein are true and not misleading at the time of publication, no liability whatsoever is assumed by Nasdaq for any incompleteness or inaccuracies. By using this specification you agree that you will not, without prior written permission from Nasdaq, copy or reproduce the information in this specification except for the purposes noted above. You further agree that you will not, without prior written permission from Nasdaq, store the information contained in this specification in a retrieval system, or transmit it in any form or by any means, whether electronic, mechanical, or otherwise except for the purposes noted above. In addition you agree that you will not, without prior written permission from Nasdaq, permit access to the information contained herein except to those with a need-to-know for the purposes noted above.

Nasdaq® is a registered trademark, or service mark, of Nasdaq, Inc. in the United States and other countries.

Document History

Revision	Published	Author(s)	Summary of Changes
2.00	06 Dec 2016		Initial version
2.00.1	12 Dec 2016		Removed enum value 54=OTC from Trade Type [20202] in section 4.1.4 Message Format
2.00.2	23 Jan 2017		Corrected enum values in FIX Tag [2670] – TrdRegPublicationReason, section 4.1.4, 4.2.7 and 4.2.8. Added enum values and corrected the comment text in FIX Tag [20205] – DelayedDisseminationInst. This field will be deprecated on Inbound messages with MiFID II, on Outbound messages enum values 2, 6 and 7 will be deprecated from this field.
2.00.3	13 Mar 2017		DelayedDisseminationInst [20205] moved to root of TCR Use TrdRegTimestamp [769] instead of SideTrdRegTimestamp [1012] as agreement time. FIX Tag [1016], [1012], [1013] replaced with [768], [769], [770]. VenueType [1430] and MatchType [574] added for correct FIX semantics. TradeType [20202] moved to root of TCR and new enum values correlating to NLS. TradeClearingInstruction [1925] moved to root of TCR for correct FIX semantics. Corrected Reject Reason field "Text" FIX Tag number to [58]. Explaining when MMT FIX tags are set based on TradeType by Nasdaq.
2.00.4	06 Jul 2017		LastPx [31] updated to clearly state it is limited to six decimals Corrected enum value for Non-Price Forming Trade in TradePriceCondition [1839]
2.00.5	11 Sep 2017		Added MMT mappings to TrdType [828], SecondaryTrdType [855], TradePriceCondition [1839], TrdRegPublicationReason [2670], RegulatoryReportType [1934], TradePriceCondition [1839] Added trading capacity mapping to OrderCapacity [528] Deprecated values updated for DelayedDisseminationInst [20205] Trade Break scenarios in Appendix A: FIX Message Flow Scenarios updated to clarify the usage of TradeReportRefID [572] for exchange initiated trade breaks.
2.00.6	25 Sep 2017		Removed default from TradeReportType [856] Added pre-MiFID II usage notes in section 4.1.6 Removed ExecID from Usage Notes, 4.2.9
2.00.7	04 Oct 2017		Added Dark Trade to TrdType[828] Added 9 as valid value to TrdRegPublicationReason[2670] Removed regulatoryReportType [1934]
2.00.8	14 Nov 2017		Update to reflect that TradeHandlingInstr [1123] will always be set to 0 (confirmation) for rejects

Revision	Published	Author(s)	Summary of Changes
			Updated TrdRegPublicationReason [2670] removing value 7 and 8
2.00.9	16 Nov 2017		Appendix A: FIX Message Flow Scenarios updated to correctly reflect how TradeHandlingInstr [1123] is handled for rejects
2.00.10	01 Feb 2018		Removed section 4.1.6 (only relevant prior to MiFID II go-live) Removed DelayedDisseminationInst [20205] from inbound (only relevant prior to MiFID II go-live) Updated DelayedDisseminationInst [20205] to reflect post MiFID II world on outbound messages. Updated descriptive text for OrderRef [20206] to correctly reflect tag length of 20 Added information to ClientRef [20204] and OrderRef [20206] regarding behavior when used in conjunction with two-sided reports.
2.00.11	22 May 2018		Updated mapping of values for OrderRestrictions [529] Updated DelayedDisseminationInst [20205] in section 4.1.5
2.00.12	15 Jun 2018		Trade types added and updated in section 3.6 (Trade Types) Trade types added and updated for Trade Type [20202] in section 4.1.4 Updated default mappings for TrdRegPublicationReason [2670] Added new reject reason to section 8 (Reject Reasons)
2.00.13	26 Oct 2020		Updated NoTrdRegPublications [2668] in 4.2.7 and 4.2.8. Updated TrdRegPublicationType [2670] in section 4.1.4, 4.2.7and 4.2.8
2.01.0	11 Oct 2023		New specification format. Updated section 3.6 Trade Types, and FIX Tags 20202, 828, 855 and 1839, 2670 and 20205 in 4.1.4, 4.2.7 and 4.2.8 Added TertiaryTrdType 2896 in section 4.1.4, 4.2.7 and 4.2.8 Updated MMT Level references to MMT 4.1
2.01.1	29 Nov 2023		Corrected section 3.1.2, 3.1.3 and references in the document
2.01.2	8 Dec 2023		Updated description for TrdType, tag 828, in 4.1.4, 4.2.7 and 4.2.8 (removed values 2 - XFPH and 65 - TPAC) and updated NoTradePriceCondition [1838] in 4.1.4 and 4.2.8 (=2).

Table of Contents

1 Overview 7
1.1 Related Documentation 7
2 Session Overview 8
2.1 Connectivity 8
3 Trade Reporting Overview 9
3.1 Data Types 9
3.1.1 Date and Time fields 9
3.1.2 Price Fields 9
3.1.3 Quantity Fields 9
3.1.4 A Note about Special Characters 9
3.2 Symbologies 9
3.3 Trade Matching 10
3.4 Clearing Information 10
3.5 Message Interaction 11
3.6 Trade Types 12
4 Application Messages 13
4.1 Inbound to Nasdaq 13
4.1.1 Trade Report Entry 13
4.1.2 Trade Report Cancel 13
4.1.3 Locked-in Trade Break 13
4.1.4 Trade Capture Report Message 13
4.1.5 Usage Notes 19
4.2 Outbound from Nasdaq 20
4.2.1 Acknowledgements 20
4.2.2 Alleged Messages to Contra 20
4.2.3 Trade Confirmations 20
4.2.4 Break Confirmations 20
4.2.5 Cancel Notification 20
4.2.6 Rejects 20
4.2.7 Trade Capture Report Ack Message 21
4.2.8 Trade Capture Report Message 25
4.2.9 Usage Notes 30
5 Appendix A: FIX Message Flow Scenarios 32
5.1 One-party reporting (for matching) 32
5.1.1 New trade scenario 32
5.1.2 Trade Report Cancel (before matching) 34
5.1.3 Trade break scenario 35
5.2 Two-party reporting (Locked-in trades) 37

5.2.1 New trade scenario....37
5.2.2 Trade break scenario....39

6 Appendix B: Max Lengths 40

7 Appendix C: Data Types 41

8 Reject Reasons 42

1 Overview

This document contains the FIX 5.0 SP2 protocols used by Nasdaq Nordic and Nasdaq Baltic[1], the functionality of FIX, and the user requirements for reporting manual on-exchange trades. This document does not consider messages transmitted via other entry points into Nasdaq Nordic.

Users should be familiar with the FIX 5.0 SP2 EP228 specifications, as this document supplements those specifications.

References to MMT Levels are based on MMT version 4.1.

1.1 Related Documentation

Specification documents can be located at:

https://www.nasdaq.com/solutions/european-trading-services

It is assumed that the user of this manual is familiar with FIX 5.0 SP2 standard, which may be found at http://www.fixtradingcommunity.org/.

Session level considerations and messages are found in the Nasdaq Nordic FIXT 1.1 Transport Layer protocol specification, which can be found at https://www.nasdaq.com/solutions/european-trading-services.

MMT 4.1 information can be found at https://www.fixtrading.org/mmt/

[1] Nasdaq Copenhagen, Nasdaq Helsinki, Nasdaq Iceland, Nasdaq Riga, Nasdaq Stockholm, Nasdaq Tallinn and Nasdaq Vilnius are respectively brand names for Nasdaq Copenhagen A/S, Nasdaq Helsinki Ltd, Nasdaq Iceland hf., Nasdaq Riga AS, Nasdaq Stockholm AB, Nasdaq Tallinn AS and AB Nasdaq Vilnius. Nasdaq Nordic represents the common offering by Nasdaq Copenhagen, Nasdaq Helsinki, Nasdaq Iceland and Nasdaq Stockholm. Nasdaq Baltic represents the common offering by Nasdaq Tallinn, Nasdaq Riga and Nasdaq Vilnius.

2 Session Overview

Please refer to the **Nasdaq Nordic FIXT 1.1 Transport Layer** specification for Session level considerations and messages. Note that the BeginString [8] = “FIXT.1.1” is expected for this protocol.

2.1 Connectivity

A separate connection is needed to send Nasdaq Nordic FIX trade reporting and Nasdaq Nordic FIX order messages. The same connection can be used to send manual (on-exchange) trade reports and APA trade reports.

The FIX client shall set:

- TargetCompID [56] = INORD
- TargetSubID [57] = T

The Nasdaq FIX server will relay SenderSubID [50] = T.

3 Trade Reporting Overview

3.1 Data Types

3.1.1 Date and Time fields

All date and time fields for Nasdaq Nordic are to be sent in UTC (Universal Timestamp Coordinated) physical format expressed as GMT.

UTC Format is:

- YYYYMMDD-HH:MM:SS (whole seconds) format, colons, dash, and period required;

or

- YYYYMMDD-HH:MM:SS.sssssssss (subseconds down to nanoseconds) format, colons, dash, and period required. Although you may send subseconds, this is optional.

3.1.2 Price Fields

All price fields will be returned with six places after the decimal.

3.1.3 Quantity Fields

Our FIX implementation varies from the FIX 5.0 standard in that we expect all quantity fields shall be submitted as whole numbers. Decimals are not allowed and will be rejected.

3.1.4 A Note about Special Characters

Special characters (non-alphanumeric characters) should not be used in any fields (with the exception of the decimal point, in price fields). If special characters are used, Nasdaq reserves the right to replace these characters with a space. As a result, your outbound messages might contain values other than what you sent in. To avoid this occurrence, customers are advised to refrain from using any non-alphanumeric characters.

3.2 Symbologies

Users have the option of sending either the OrderBookID or the ISIN to identify the instrument they wish to trade. They cannot enter both, and any attempts to provide both will be rejected by the system.

If users wish to provide the ISIN, they should put the ISIN value into the SecurityID [48] field, 4 (ISIN) into the SecurityIDSource [22], use the Currency field [15] to identify the currency being traded in, and use the SubMktID [20201] field to identify the market segment being traded on. Set Symbol [55] = [N/A].

If users wish to provide the OrderBookID, they should put the OrderBookID into the Symbol field [55]. They do not need to enter currency or submarket.

3.3 Trade Matching

Trade entries can be reported as one-party (for matching) or as two-party (pre-locked-in) reports:

1. **One-Party Report for Matching**: Firm A sends in a trade entry message for 1000 shares of XYZ at €10 alleging Firm B. This entry initiates the trade matching process, which compares trades one-to-one. The system attempts to match the Firm A trade entry with an identical Firm B trade entry. The system finds an identical Firm B trade entry for 1000 shares of XYZ at €10 and locks it in. Matching considers the following fields:
    a. Symbol
    b. Trade date
    c. Firm / Contra
    d. Price
    e. Quantity
    f. Settlement date (if specified)
    g. Clearing indicator
    h. Trade type / MMT
2. **Two-Party Pre-Locked-In Report (no match process)**. Firm A sends in a two-party trade entry message. If the same party is not on both sides, this entry method requires a pre-existing agreement between the parties, and allow for one party to enter a locked-in trade.

3.4 Clearing Information

Central Counterparty (CCP) clearing is enabled for a subset of all security. When CCP clearing is disabled, the below mentioned CCP fields are ignored.

In certain markets it is always the members' responsibility to report the trades to the Central Securities Depository (CSD). Please note that it is the member's responsibility to know and follow the correct reporting rules.

Users may opt to have their trades forwarded automatically to a CCP or (for internalized trades only) they may opt to deliver their trade reports on their own.

To indicate these options, the TradeClearingInstruction [1925] field is used. TradeClearingInstruction [1925] values:

- 6 - Clear against central counterparty
- 7 - Exclude from central counterparty

The ClearingAccountType [1816] specifies whether the trade should be assigned to the customer or firm account. Optionally, a specific clearing account can be provided through the repeating group of Parties (note that the CCP will require a pre-arrangement to act on this).

3.5 Message Interaction

Nasdaq Nordic FIX for Trade Reporting supports the **Trade Capture Report [AE]** (TCR) and **Trade Capture Report Ack [AR]** (TCR Ack) messages.

- The TCR message is used by clients submitting trade reports (and cancel/break requests) to Nasdaq Nordic.
- A client sent TCR will be accepted or rejected by a TCR Ack from Nasdaq Nordic.
- When Nasdaq Nordic accepts a one-party TCR from a client, it will forward a separate TCR to the contra side, a so called “alleged trade”. The contra can wait for this to appear or submit its side immediately.
- The TCR message is also used by Nasdaq Nordic to relay confirmed trades and trade cancels (breaks).

As the FIX TCR messages are being used for different types of application messages, consider the following field usage notes:

- **TradeReportID [571]**. The client submits a unique value for each message sent. In cases Nasdaq Nordic generates a TCR, e.g. a trade confirmation; it will also provide a unique value.
- **TradeReportRefID [572]**. This field will be included in trade confirmations and trade cancellations and then refer to the trade report the client sent.
- **TradeReportType [856]**. This field defines the type of trade report. Values 0, 6 and 7 are used by the client when requesting a certain action. Values 11 and 15 are used by Nasdaq Nordic when forwarding to the contra.
    - 0 - Submit
    - 6 - Trade Report Cancel
    - 7 - (Locked-in) Trade Break
    - 11 – Alleged New
    - 15 – Alleged Trade Break
- **TradeHandlingInstr [1123]**. This field specifies how the receiver should handle the trade report. Values 1 and 2 are used by the client to specify the reporting model. Values 0 and 7 are used by Nasdaq Nordic to identify the ultimate actions of confirming a trade (or breaking a previously confirmed one).
    - 0 - Trade confirmation
    - 1 - Two-party report
    - 2 - One-party report for matching
    - 7 – Trade Break

- **TradeID [1003]**. The Nasdaq Nordic generated unique trade identifier is included in confirmed trades and must be provided by clients if they request cancellation of previously confirmed trade.
- **ExecType [150]**. For Nasdaq Nordic generated tade confirmations and trade breaks, identifies the action taken.
    - F – Trade
    - H – Trade cancel

For further details, refer to Appendix A: FIX Message Flow Scenarios

3.6 Trade Types

The Trade Type (20202) is mandatory for trade reporting.

Trade Type	Value
Standard Trade	1
Non-Standard Settlement	2
Exchange Granted Trade	3
Portfolio Trade	5
Volume Weighted Average Price Trade	6
Pre-Opening Trade	8
Contingent Trade	I
Non-Price Forming Trade	N

4 Application Messages

4.1 Inbound to Nasdaq

4.1.1 Trade Report Entry

Firms use a Trade Capture Report (TCR) message to enter either a same-day (T) or an as-of (T+n) trade.

When a user, via this message, enters a one-party trade report for matching it will cause an allege message to be sent to the firm specified as Contra Broker. The alleged party can submit the other side of the trade report for matching, locking-in the trade. If a trade report is not locked-in on the day it was entered, it will be cancelled at the end of the day and a cancel notification will be sent out to both parties on the trade.

The entry message initiates the trade matching process. This process matches trade reporting firm entries, which results in a locked-in trade. The entries are matched one-to-one and must therefore have matching information in order for the trade to be locked-in.

Two-party, pre-locked-in, trade reports do not require acceptance or a match processing. See the scenarios for related outbound messages.

4.1.2 Trade Report Cancel

A user who has entered a one-sided trade report will use the Cancel message to cancel a previously entered trade report that is not yet locked in. (If a trade is already locked in, the Locked-in Trade Break message is needed to effectively cancel the locked in trade.)

Once a trade has been cancelled, it is no longer eligible for matching and no further actions are allowed on the trade.

4.1.3 Locked-in Trade Break

A user who has submitted a trade report may submit this message to break (cancel) a locked-in trade. For a matched trade to be broken by the individual parties, **both** parties must submit the request. (Two-party, pre-locked-in, trades are broken by the single, entering, party).

User initiated Locked-in Trade Breaks are not available in all markets.

4.1.4 Trade Capture Report Message

Tag	Field	Reqd	Comments
	StandardHeader	Y	MsgType = AE

571	TradeReportID	Y	Unique identifier of a trade capture report. Must be unique per day per connector across all messages. 20-character alphanumeric.
572	TradeReportRefID	N	Required for Trade Report Cancel Requests ([856] = 6). Contains the value indicated in TradeReportID [571] in the original trade entry message.
856	TradeReportType	Y	Used to identify message type, type of trade report. Valid values: 0 - Submit 6 - Trade Report Cancel 7 - (Locked-in) Trade Break
1123	TradeHandlingInstr	Y	Specified how the TradeCaptureReport should be handled by the respondent. Inbound to Nasdaq Nordic limited to 1 and 2. Valid values: 1 - Two-party report 2 - One-party report for matching
1003	TradeID	N	Required for trade break requests, [856] = 7 and not applicable in other cases. Specifies the identifier of the locked-in trade to be broken.
55	Symbol	Y	OrderBookID or [N/A]
22	SecurityIDSource	N	Required if identifying the security with ISIN (SecurityID [48]) instead of OrderBookID (Symbol [55]). Valid values: 4 - ISIN
48	SecurityID	N	ISIN code for the instrument.
15	Currency	N	Required if identifying security with ISIN (SecurityID [48]) instead of OrderBookID (Symbol [55]).
20201	SubMktID	N	Market Segment number. Required if identifying security with ISIN (SecurityID [48]) instead of OrderBookID (Symbol [55]).
31	LastPx	Y	Price of this fill. Limited to six digits and six decimals (999 999.999999).

32	LastQty	Y	Quantity bought/sold on this fill. If the trade is for clearing, limited to ten digits.
1925	TradeClearingInstruction	Y	Valid values: 6 - Clear against central counterparty 7 - Exclude from central counterparty
64	SettleDate	N	Specific date of trade settlement (settlement date).
60	TransactTime	N	Time when the message was initiated/released by the trader or the trading system.
20202	TradeType	Y	Required for Trade Entry. Valid values: 1 = Standard Trade 2 = Non-Standard Settlement 3 = Exchange Granted Trade 5 = Portfolio Trade 6 = Volume Weighted Average Price Trade 8 = Pre-Opening Trade I = Contingent Trade N = Non-Price Forming Trade
>768	NoTrdRegTimestamps	Y	Allowed values: 1
>>769	TrdRegTimestamp	Y	Time of trade agreement
>>770	TrdRegTimestampType	N	Allowed value: 1 – Execution Time (default)
1430	VenueType	N	Allowed value: O = Off Book (default) Corresponds to **MMT Level 1** – Market Mechanism
574	MatchType	N	Allowed value: 3 - Trade Reporting (On Exchange) (default) Corresponds to **MMT Level 2** – Trading Mode
828	TrdType	N	Type of trade. Valid values: 0 - Regular Trade (default) 50 – Portfolio Trade (PORT) Corresponds to **MMT Level 3.11** – Transaction Type: Portfolio

855	SecondaryTrdType	N	Type of trade. Used in addition to TrdType [828]. Valid values: 64 - Benchmark (default for TradeType = 6 (BENC)) Corresponds to **MMT Level 3.5** – Transaction Type: Benchmark or Reference Price Indicator 65 – Contingent Transaction (CONT) Corrresponds to **MMT Level 3.12** – Transaction Type: Contingent
2896	TertiaryTrdType	N	Type of trade. Used in addition to TrdType [828] and SecondaryTrdType [855]. Valid values: 50 – Portfolio Trade (PORT) Corresponds to **MMT Level 3.11** – Transaction Type: Portfolio 65 – Contingent Transaction (CONT) Corrresponds to **MMT Level 3.12** – Transaction Type: Contingent
1838	NoTradePriceConditions	N	Allowed values: 2
>1839	TradePriceCondition	N	Valid value: 13 - Special Dividend Trade (SDIV) Corresponds to **MMT Level 3.6** – Transaction Type: Special Dividend Indicator 15 – Non-Price Forming Trade (NPFT) Corresponds to **MMT Level 3.8** – Transaction Type: Ordinary/Standard Trades Or Trades Outside Price Formation/Discovery Process
2405	ExecMethod	N	Specifies how the transaction was executed. Valid values: 0 - Unspecified or does not apply (default) 1 - Off Book Non-Automated 2 - Off Book Automated Corresponds to **MMT Level 3.7** – Transaction Type: Off-Book Automated Indicator
1390	TradePublishIndicator	N	Valid values: 1 - Publish Trade (default) 2 - Deferred Publication

			Corresponds to **MMT Level 4.1** – Publication Mode / Post-Trade Deferral: Reason
2668	NoTrdRegPublications	N	Allowed values: 1
>2669	TrdRegPublicationType	N	Valid value: 1 - PostTradeDeferral
>2670	TrdRegPublicationReason	N	Valid values: 6 - Deferral due to "Large in Scale" (LRGS) Corresponds to **MMT Level 4.1**– Publication Mode / Post-Trade Deferral: Reason 7 – Deferral due to "Illiquid instrument" (ILQD) Corresponds to **MMT Level 4.3**– Publication Mode / Post-Trade Deferral: Illiquid Instrument
552	NoSides	Y	Allowed values: 1 - for one-sided trade reports (new, alleged, etc); 2 - for two-sided trade reports.
>54	Side	Y	Valid values: 1 - Buy 2 - Sell
>453	NoPartyIDs	Y	Allowed values: 1 - 4
>>448	PartyID	Y	The MPID in the case of client (executing firm) and contra broker, unspecified format in the case of clearing firm and clearing account
>>447	PartyIDSource	Y	Allowed values: C - Generally accepted market participant identifier (MPID) when providing a counterparty identifier D - Proprietary / Custom code when providing a clearing firm or account identifier

>>452	PartyRole	Y	Executing firm is mandatory. Contra Firm is required for one-sided reports. Clearing Firm is a pass-through field. (Note that the field is not forwarded to the CCP). Clearing Account is supplemental accounting information that is forwarded to the CCP. Field will only be used by the CCP if there is a bilateral agreement in place. Allowed values: 1 – Executing Firm (“Client ID” MPID) 17 – Contra Firm (MPID) 4 – Clearing Firm 83 - Clearing Account
>1816	ClearingAccountType	N	Designates the account type to be used for the trade when submitted to clearing. Valid values: 1 - Customer (Client) - default 2 - Firm (House)
>528	OrderCapacity	N	See OrderRestrictions [529] for additional designations. Valid values: A - Agent (default) (maps to AOTC) P – Principal (maps to DEAL) R – Riskless (maps to MTCH)
>529	OrderRestrictions	N	The following designations may be used in conjunction with [528] if applicable. Valid values: 5 - Acting as Market Maker or Specialist in the security (528=P) B - Issuer Holding (528=A or P) C - Issue Price Stabilization (528=A or P)
>20203	Memo	N	User Memo.
>20204	ClientRef	N	User-supplied client reference to be returned unchanged in the private order/trade messages. Maximum 15 characters. For two-sided reporting only the information from the first leg will be retained.
>20206	OrderRef	N	User-supplied order reference to be returned unchanged in the private order/trade messages. Maximum 20 characters. For two-sided

			reporting only the information from the first leg will be retained.

4.1.5 Usage Notes

The below table provides considerations for fields subject to the type of message (as defined in the TradeReportType [856] field).

Tag	Field	Entry	Cancel	Break
64	SettDate		N/A	N/A
various	ContraFirm		N/A	N/A
769	TrdRegTimestamp	Required	N/A	N/A
572	TradeReportRefID	N/A	Required	
1925	TradeClearingInstruction	Required	N/A	N/A
20202	TradeType	Required	N/A	N/A
1003	TradeID	N/A	N/A	Required
20205	DelayedDisseminationInst	N/A	N/A	N/A

4.2 Outbound from Nasdaq

Acknowledgement messages (acks) and rejects are sent only to the originator of an inbound message. All other parties associated with the trade receive unsolicited messages.

4.2.1 Acknowledgements

When a firm submits a trade report, Nasdaq Nordic will respond with a **Trade Capture Report Ack [AR]** message (section 4.2.7) acknowledging or rejecting the entry.

4.2.2 Alleged Messages to Contra

When a firm enters a new trade report for matching or a trade break request and Nasdaq Nordic accepts the entry, a **Trade Capture Report [AE]** (section 4.2.8) is sent to contra informing it that there is an alleged trade (or break) and that it is expected to provide its side of this trade.

4.2.3 Trade Confirmations

If two trade reports are matched or a two-party report is accepted, then the trade is considered locked-in and a **Trade Capture Report [AE]** message (section 4.2.8) confirming the trade will be forwarded to both parties. The trade confirmation will include the TradeID [1003] and ExecType [150] = “F”.

(INET does not send a separate trade confirmation when a deferred publication trade is disseminated.)

4.2.4 Break Confirmations

A trade can be broken either by Nasdaq Nordic or by the individual parties to the trade submitting Locked-in Trade Break messages.

When a previously confirmed trade is broken, Nasdaq Nordic will send **Trade Capture Report [AE]** (section 4.2.8) confirming the trade break/cancel to both parties. The break includes the original TradeID [1003] and ExecType [150] = “H”.

4.2.5 Cancel Notification

If a user cancels a trade report that has not yet become locked-in, Nasdaq Nordic will forward a **Trade Capture Report Ack [AR]** (section 4.2.7) confirming this cancelation to the initiator and a **Trade Capture Report [AE]** (section 4.2.8) to the contra.

4.2.6 Rejects

If message content validation fails, you will receive a reject message (MsgType [35] = AR) that includes:

- the reject reason, TradeReportRejectReason [751]
- a detailed, specific causes of the reject, Text [58]
- a trade report status of rejected, TrdRptStatus [939] = 1
- TradeHandlingInstr [1123] will be set to 0

4.2.7 Trade Capture Report Ack Message

Tag	Field	Reqd	Comments
	StandardHeader	Y	MsgType = AR
939	TrdRptStatus		Status of Trade Report. Only applicable when the venue confirms the receipt of a TCR sent by the client. Valid values: 0 – Accepted (new) 1 - Rejected
751	TradeReportRejectReason	N	Reason inbound message was rejected. Valid values: 1 = Invalid party information 2 = Unknown instrument 3 = Unauthorized to report trades 4 = Invalid trade type 6 = Incorrect data format for value 99 = Other
58	Text	N	In applicable cases, specifies the cause of the reject
487	TradeReportTransType	N	Transaction type. Valid values: 0 – New (default) 1 – Cancel Corresponds to **MMT Level 3.4** – Transaction Type: Modification Indicator
571	TradeReportID	Y	As per the Trade Report
572	TradeReportRefID	N	As per the Trade Report
856	TradeReportType	Y	As per the Trade Report
1123	TradeHandlingInstr	Y	As per the Trade Report
1003	TradeID	N	As per the Trade Report
55	Symbol	Y	As per the Trade Report

22	SecurityIDSource	N	As per the Trade Report
48	SecurityID	N	As per the Trade Report
15	Currency	N	As per the Trade Report
20201	SubMktID	N	As per the Trade Report
31	LastPx	N	As per the Trade Report
32	LastQty	N	As per the Trade Report
1925	TradeClearingInstruction	N	As per the Trade Report
64	SettleDate	N	As per the Trade Report
60	TransactTime	N	As per the Trade Report
20202	TradeType	N	As per the Trade Report
>768	NoTrdRegTimestamps	N	As per the Trade Report
>>769	TrdRegTimestamp	N	As per the Trade Report
>>770	TrdRegTimestampType	N	As per the Trade Report
1430	VenueType	N	As per the Trade Report
574	MatchType	N	As per the Trade Report
828	TrdType	N	Type of trade Valid values: 0 - Regular Trade (default) 62 - Dark Trade (D) Corresponds to **MMT Level 3.1** – Transaction Type: Transaction Category 50 – Portfolio Trade (PORT) Corresponds to **MMT Level 3.11** – Transaction Type: Portfolio
855	SecondaryTrdType	N	Type of trade. Used in addition to TrdType [828]. Valid values: 64 - Benchmark (default for TradeType = 6 (BENC)) Corresponds to **MMT Level 3.5** – Transaction Type: Benchmark or Reference Price Indicator 65 – Contingent Transaction (CONT) Corrresponds to **MMT Level 3.12** – Transaction Type: Contingent

2896	TertiaryTrdType	N	Type of trade. Used in addition to TrdType [828] and SecondaryTrdType [855]. Valid values: 50 – Portfolio Trade (PORT) Corresponds to **MMT Level 3.11** – Transaction Type: Portfolio 65 – Contingent Transaction (CONT) Corrresponds to **MMT Level 3.12** – Transaction Type: Contingent
1838	NoTradePriceConditions	N	Allowed values: 2
>1839	TradePriceCondition	N	Valid values: 13 - Special Dividend Trade (SDIV) Corresponds to **MMT Level 3.6** – Transaction Type: Special Dividend Indicator 15 - Non-Price Forming Trade (default for TradeType = N (NPFT)) Corresponds to **MMT Level 3.8** – Contribution to Price Formation or Price Discovery Process
2405	ExecMethod	N	As per the Trade Report
1390	TradePublishIndicator	N	As per the Trade Report
2668	NoTrdRegPublications	N	Number of regulatory publication rules in repeating group. Allowed values: 3 Corresponds to **MMT Level 3.2** Transaction Type: Negotiation Indicator or Pre-Trade Transp. Waiver and **MMT Level 4.1** – Publication Mode / Post-Trade Deferral: Reason
>2669	TrdRegPublicationType	N	Valid values: 0 – PreTradeTransperancyWaiver 1 - PostTradeDeferral
>2670	TrdRegPublicationReason	N	Valid values: 0 - Negotiated Trade in liquid financial instruments (default for TradeType = 1,2 (NLIQ)) 1 - Negotiated Trade in illiquid financial instruments (default for TradeType = 1,2 (OILQ))

			2 - Negotiated Trade Subject to conditions other than the current market price (default for TradeType = 3,5,6,8,I,N (PRIC)) Corresponds to **MMT Level 3.2** – Transaction Type: Negotiation Indicator or Pre-trade Transparency Waiver 6 - Deferral due to "Large in Scale" (LRGS) Corresponds to **MMT Level 4.1** – Publication Mode / Post-Trade Deferral: Reason 7 – Deferral due to "Illiquid instrument" (ILQD Corresponds to **MMT Level 4.3** – Publication Mode / Post-Trade Deferral: Illiquid Instrument 9 - No public price and/or size quoted as transaction is "large in scale"
20205	DelayedDisseminationInst	N	Used to indicate the length of time this trade should beheld prior to dissemination. The longest allowed delay will be selected if TradePublishIndicator [1390] is set to Deferred Publication. Valid values: 1 - 60 minutes 2 - 120 minutes 4 - Until the end of the trading day. In case the trade happened less than two hours prior to close, until the pre-open the following trading day 5 - Until the end of the following trading day 6 - Until the end of the second following trading day
552	NoSides	N	As per the Trade Report
>54	Side	N	
>1115	OrderCategory	N	Set by Nasdaq for TradeType = 1,2,8. Valid value: 3 - Privately Negotiated Trade Corresponds to **MMT Level 3.2** – Transaction Type: Negotiation Indicator or Pre-Trade Transparency Waiver

>453	NoPartyIDs	Y	
>>448	PartyID	Y	As per the Trade Report
>>447	PartyIDSource	Y	As per the Trade Report
>>452	PartyRole	Y	As per the Trade Report
>1816	ClearingAccountType	N	As per the Trade Report
>528	OrderCapacity	N	As per the Trade Report
>529	OrderRestrictions	N	As per the Trade Report
>20203	Memo	N	As per the Trade Report
>20204	ClientRef	N	As per the Trade Report
>20206	OrderRef	N	As per the Trade Report

4.2.8 Trade Capture Report Message

Tag	Field	Reqd	Comments
	StandardHeader	Y	MsgType = AE
150	ExecType	N	Type of execution being reported Valid values: F – Trade H – Trade cancel
30	LastMkt	N	The MIC code of the venue for the trade. Only applicable when Nasdaq Nordic relays confirmations.
487	TradeReportTransType	N	Transaction type. Valid values: 0 – New (default) 1 – Cancel Corresponds to **MMT Level 3.4** – Transaction Type: Modification Indicator
571	TradeReportID	Y	As per the Trade Report or venue assigned
572	TradeReportRefID	N	As per the Trade Report or venue assigned
856	TradeReportType	Y	Valid values:

			0 – Submit (default) 6 – Trade Report Cancel 7 – (Locked-in) Trade Break 11 – Alleged New 15 – Alleged Trade Break
1123	TradeHandlingInstr	Y	Valid values: 0 – Trade confirmation 1 – Two-party report 2 – One-party report for matching 7 – Trade Break
1003	TradeID	N	As per the Trade Report
55	Symbol	Y	As per the Trade Report
22	SecurityIDSource	N	As per the Trade Report
48	SecurityID	N	As per the Trade Report
15	Currency	N	As per the Trade Report
20201	SubMktID	N	As per the Trade Report
31	LastPx	Y	As per the Trade Report
32	LastQty	Y	As per the Trade Report
1925	TradeClearingInstruction	Y	As per the Trade Report
64	SettleDate	N	As per the Trade Report
60	TransactTime	N	As per the Trade Report
20202	TradeType	Y	As per the Trade Report
>768	NoTrdRegTimestamps	Y	As per the Trade Report
>>769	TrdRegTimestamp	Y	As per the Trade Report
>>770	TrdRegTimestampType	N	As per the Trade Report
1430	VenueType	N	As per the Trade Report
574	MatchType	N	As per the Trade Report
828	TrdType	N	Type of trade Valid values: 0 - Regular Trade (default) 62 – Dark Trade (D)

			50 – Portfolio Trade (PORT) Corresponds to **MMT Level 3.11** – Transaction Type: Portfolio
855	SecondaryTrdType	N	Type of trade. Used in addition to TrdType [828]. Valid values: 64 – Benchmark (default for TradeType = 6 (BENC)) Corresponds to **MMT Level 3.5** – Transaction Type: Benchmark or Reference Price Indicator 65 – Contingent Transaction (CONT) Corrresponds to **MMT Level 3.12** – Transaction Type: Contingent
2896	TertiaryTrdType	N	Type of trade. Used in addition to TrdType [828] and SecondaryTrdType [855]. Valid values: 50 – Portfolio Trade (PORT) Corresponds to **MMT Level 3.11** – Transaction Type: Portfolio 65 – Contingent Transaction (CONT) Corrresponds to **MMT Level 3.12** – Transaction Type: Contingent
1838	NoTradePriceConditions	N	Allowed values: 2
>1839	TradePriceCondition	N	Valid values: 13 - Special Dividend Trade (SDIV) 15 - Non-Price Forming Trade (default for TradeType = N (NPFT)) Corresponds to **MMT Level 3.6** – Transaction Type: Special Dividend Indicator and **MMT Level 3.8** Contribution to Price Formation or Price Discovery Process
2405	ExecMethod	N	As per the Trade Report
1390	TradePublishIndicator	N	As per the Trade Report
2668	NoTrdRegPublications	N	Allowed values: 3 Corresponds to **MMT Level 3.2** Transaction Type: Negotiation Indicator or Pre-Trade

			Transp. Waiver and **MMT Level 4.1** Non-Immediate Publication
>2669	TrdRegPublicationType	N	Valid values: 0 - PreTradeTransperancyWaiver 1 - PostTradeDeferral
>2670	TrdRegPublicationReason	N	Valid values: 0 - Negotiated Trade in liquid financial instruments (default for TradeType = 1,2 (NLIQ)) 1 - Negotiated Trade in illiquid financial instruments (default for TradeType = 1,2 (OILQ)) 2 - Negotiated Trade Subject to conditions other than the current market price (default for TradeType = 3,5,6,8,I,N (PRIC)) Corresponds to **MMT Level 3.2** – Transaction Type: Negotiation Indicator or Pre-trade Transparency Waiver 6 - Deferral due to “Large in Scale” (LRGS) Corresponds to **MMT Level 4.1**– Publication Mode / Post-Trade Deferral: Reason 7 – Deferral due to “Illiquid instrument” (ILQD) Corresponds to **MMT Level 4.3** – Publication Mode / Post-Trade Deferral: Illiquid Instrument 9 - No public price and/or size quoted as transaction is "large in scale"
20205	DelayedDisseminationInst	N	Used to indicate the length of time this trade should beheld prior to dissemination. The longest allowed delay will be selected if TradePublishIndicator [1390] is set to Deferred Publication. Valid values: 1 - 60 minutes 2 - 120 minutes 4 - Until the end of the trading day. In case the trade happened less than two hours prior to close, until the pre-open the following trading day

			5 - Until the end of the following trading day 6 - Until the end of the second following trading day 7 - Until the end of the third following trading day
552	NoSides	Y	As per the Trade Report
>54	Side	Y	
>1115	OrderCategory	N	Set by Nasdaq for TradeType = 1,2,8. Valid value: 3 - Privately Negotiated Trade Corresponds to **MMT Level 3.2** – Transaction Type: Negotiation Indicator or Pre-Trade Transparency Waiver
>453	NoPartyIDs	Y	
>>448	PartyID	Y	As per the Trade Report
>>447	PartyIDSource	Y	As per the Trade Report
>>452	PartyRole	Y	As per the Trade Report
>1816	ClearingAccountType	N	As per the Trade Report
>528	OrderCapacity	N	As per the Trade Report
>529	OrderRestrictions	N	As per the Trade Report
>20203	Memo	N	As per the Trade Report
>20204	ClientRef	N	As per the Trade Report
>20206	OrderRef	N	As per the Trade Report

4.2.9 Usage Notes

The below table provides considerations for fields subject to the type of message:

Tag	Field	Ack	Alle-ged	Trade Con-firm	Break Con-firm	Cancel Con-firm	Reject
31	LastPx					0 (zero)	0 (zero)
32	LastQty					0 (zero)	0 (zero)
15	Currency						N/A
22	SecurityIDSource						N/A
48	SecurityID						N/A
54	Side						7 (Unknown)
55	Symbol						[N/A]
60	TransactTime					N/A	N/A
64	SettDate					N/A	N/A
various	Firm						N/A
various	Contra Firm						N/A
various	Clearing Firm		N/A			N/A	N/A
various	Clearing Account		N/A			N/A	N/A
769	TrdRegTimestamp					N/A	N/A
528	OrderCapacity		N/A			N/A	N/A
529	OrderRestrictions		N/A			N/A	N/A
572	TradeReportRefID	N/A	N/A	N/A		N/A	N/A
1123	TradeHandlingInstr					N/A	0 (Confirmation)
1925	TradeClearingInstruction					N/A	N/A
751	TradeReportRejectReason	N/A	N/A	N/A	N/A	N/A	

Tag	Field	Ack	Alle-ged	Trade Con-firm	Break Con-firm	Cancel Con-firm	Reject
20202	TradeType					N/A	N/A
856	TradeReportType						N/A
1003	TradeID		N/A			N/A	N/A
1816	ClearingAccountType		N/A			N/A	N/A
20203	Memo			N/A	N/A	N/A	N/A
20201	SubMkt						N/A
20204	ClientRef		N/A				N/A
20205	DelayedDisseminationInst					N/A	N/A
20206	OrderRef		N/A		N/A	N/A	N/A

5 Appendix A: FIX Message Flow Scenarios

The FIX trade reporting scenarios are defined in Volume 5 of the FIX 5.0 SP2 specifications (starting on page 89). Below the INET Nordic adoption of those scenarios are described. It can be noted that those scenarios map well to the interaction model used in earlier Nasdaq Nordic trade reporting protocols, with one exception – the so called "crossed trade" scenario. This is rarely used currently as the pass-through fields are not supported. Clients can instead use the two options described below.

Notes on the scenario tables below:

- Red text indicates reject messages.

5.1 One-party reporting (for matching)

In this scenario, both parties send one trade report message and those are matched by the INET Nordic trade reporting facility. Each party only submits its side of trade the two reports are matched.

5.1.1 New trade scenario

This scenario applies when two parties have agreed to a trade and both reports their side of the transaction.

One-Party Reporting (for matching) - New trade case								
Action	**In / Out**	**Message Type**	**Trade Report ID [571] (Trade Report Ref ID [572])**	**Trade Report Type [856]**	**Trade Handling Inst [1123]**	**Trd Report Status [939]**	**Trade ID [1003]**	**ExecType [150]**

Initiator submit	in	TCR	Initiator assigned	0 - Submit	2 - One-party	N/A	N/A	N/A
Reject to initiator	out	TCR Ack	Initiators	0 - Submit	0 - Confirmation	1 - Rejected	N/A	N/A
Ack to initiator	out	TCR Ack	Initiators	0 - Submit	2 - One-party	0 - Accepted	N/A	N/A
Alleged to Contra	out	TCR	Venue assigned	11 – Alleged New	2 – One-party	N/A	N/A	N/A
Contra submit	in	TCR	Contra assigned (venues, optional)	0 – Submit	2 – One-party	N/A	N/A	N/A
Reject to contra	out	TCR Ack	Contras	0 – Submit	0 - Confirmation	1 – Rejected	N/A	N/A
Ack to contra	out	TCR Ack	Contras	0 - Submit	2 – One-party	0 - Accepted	N/A	N/A
Confirmation to initiator	out	TCR	Venue assigned (initiators)	0 - Submit	0 – Trade confirmation	N/A	Venue assigned	F - Trade
Confirmation to contra	out	TCR	Venue assigned (contras)	0 - Submit	0 – Trade confirmation	N/A	Venue assigned	F - Trade

Initiator / contra submit example:

- TradeReportID [571] = 1234567
- TradeReportType [856] = 0
- TradeHandlingInstr [1123] = 2
- NoSides [552] = 1
    - Side [54] = 1 (Buy)

- NoPartyIDs [453] = 3
  - PartyID [448] = AAA (own MPID)
  - PartyIDSource [447] = C
  - PartyRole [452] = 1 (executing firm)
  - PartyID [448] = BBB (contra MPID)
  - PartyIDSource [447] = C
  - PartyRole [452] = 17 (contra broker)
  - PartyID [448] = 24680 (clearing account)
  - PartyIDSource [447] = D
  - PartyRole [452] = 83 (clearing account)

5.1.2 Trade Report Cancel (before matching)

This scenario covers a cancel of a previously sent trade report, allowed only before the contra comes in and the INET trade report facility has matched the two. Note that:

- This applies only to one-party trade reports (as two-party ones are matched immediately);
- The first three rows below are exactly the same as in the new trades report scenario.

One-Party Reporting (for matching) – Cancel unmatched trade								
Action	**In / Out**	**Message Type**	**Trade Report ID [571] (Trade Report Ref ID [572])**	**Trade Report Type [856]**	**Trade Handling Inst [1123]**	**Trd Report Status [939]**	**Trade ID [1003]**	**ExecType [150]**
Initiator submit	in	TCR	Initiator assigned	0 - Submit	2 - One-party	N/A	N/A	N/A
Reject to initiator	out	TCR Ack	Initiators	0 - Submit	0 - Confirmation	1 - Rejected	N/A	N/A

Ack to initiator	out	TCR Ack	Initiators	0 - Submit	2 - One-party	0 - Accepted	N/A	N/A
Alleged to Contra	out	TCR	Venue assigned	11 – Alleged New	2 – One-party	N/A	N/A	N/A
Initiator cancel	in	TCR	Initiator assigned (Initiators)	6 – Trade Report Cancel	2 – One-party	N/A	N/A	N/A
Ack to Initator	out	TCR Ack	Initiators	6 – Trade Report Cancel	2 – One-party	0 - Accepted	N/A	N/A
Alleged to Contra	out	TCR	Venue assigned (venues initial assigned)	6 – Trade Report Cancel	2 – One-party	N/A	N/A	N/A

5.1.3 Trade break scenario

This scenario applies when the parties wish to cancel a matched trade and is only allowed for reported trades and for certain markets.

One-Party Reporting - Break trade case								
Action	**In / Out**	**Message Type**	**Trade Report ID [571] (Trade Report Ref ID [572])**	**Trade Report Type [856]**	**Trade Handling Inst [1123]**	**Trd Report Status [939]**	**Trade ID [1003]**	**ExecType [150]**
Initiator submit	in	TCR	Initiator assigned	7 – Trade Break	2 - One-party	N/A	Original ID	N/A

Reject to initiator	out	TCR Ack	Initiators	7 – Trade Break	0 - Confirmation	1 - Rejected	Original ID	N/A
Ack to initiator	out	TCR Ack	Initiators	7 – Trade Break	2 - One-party	0 - Accepted	Original ID	N/A
Alleged to Contra	out	TCR	Venue assigned	15 – Alleged Trade Break	2 – One-party	N/A	Original ID	N/A
Contra submit	in	TCR	Contra assigned (venues, optional)	7 - Trade Break	2 – One-party	N/A	Original ID	N/A
Reject to contra	out	TCR Ack	Contras	7 - Trade Break	0 - Confirmation	1 – Rejected	Original ID	N/A
Ack to contra	out	TCR Ack	Contras	7 - Trade Break	2 – One-party	0 - Accepted	N/A	N/A
Confirmation to initiator	out	TCR	Venue assigned (initiators)	0 - Submit	7 - Trade Break	N/A	Original ID	H – Trade cancel
Confirmation to contra	out	TCR	Venue assigned (contras)	0 - Submit	7 - Trade Break	N/A	Original ID	H – Trade cancel

An exchange trade break is relayed using the same pattern as the last two rows in the above table. The exception being that TradeReportRefID [572] will be created by the exchange.

5.2 Two-party reporting (Locked-in trades)

5.2.1 New trade scenario

This scenario applies when one party reports both sides of the transaction. There is no matching in the INET trade report facility for those, the trade is considered locked-in upon acceptance.

Two-Party Reporting - New trade case								
Action	**In / Out**	**Message Type**	**Trade Report ID [571] (Trade Report Ref ID [572])**	**Trade Report Type [856]**	**Trade Handling Inst [1123]**	**Trd Report Status [939]**	**Trade ID [1003]**	**ExecType [150]**
Initiator submit	in	TCR	Initiator assigned	0 - Submit	1 - Two-party	N/A	N/A	N/A
Reject to initiator	out	TCR Ack	Initiators	0 - Submit	0 - Confirmation	1 - Rejected	N/A	N/A
Ack to initiator	out	TCR Ack	Initiators	0 - Submit	1 - Two-party	0 - Accepted	N/A	N/A
Confirmation to initiator	out	TCR	New Venue assigned (Initiator)	0 - Submit	0 - Trade confirmation	N/A	Venue assigned	F - Trade
Confirmation to contra	out	TCR	New Venue assigned	0 - Submit	0 - Trade confirmation	N/A	Venue assigned	F - Trade

Initiator / contra submit example:

- TradeReportID [571] = 1234567
- TradeReportType [856] = 0

- TradeHandlingInstr [1123] = 1
- NoSides [552] = 2
    - Side [54] = 1 (Buy)
    - NoPartyIDs [453] = 2
        - PartyID [448] = AAA (own MPID)
        - PartyIDSource [447] = C
        - PartyRole [452] = 1 (executing firm)
        - PartyID [448] = 24680 (clearing account)
        - PartyIDSource [447] = D
        - PartyRole [452] = 83 (clearing account)
    - Side [54] = 2 (Sell)
    - NoPartyIDs [453] = 2
        - PartyID [448] = BBB (contra MPID)
        - PartyIDSource [447] = C
        - PartyRole [452] = 1 (executing firm)
        - PartyID [448] = 97531 (clearing account)
        - PartyIDSource [447] = D
        - PartyRole [452] = 83 (clearing account)

5.2.2 Trade break scenario

This scenario applies when the party that has reported a two-sided trade wishes to cancel that trade (only allowed for certain markets).

Two-Party Reporting - Break trade case								
Action	**In / Out**	**Message Type**	**Trade Report ID [571] (Trade Report Ref ID [572])**	**Trade Report Type [856]**	**Trade Handling Inst [1123]**	**Trd Report Status [939]**	**Trade ID [1003]**	**ExecType [150]**
Initiator submit	in	TCR	Initiator assigned	7 - Trade Break	1 - Two-party	N/A	Original ID	N/A
Reject to initiator	out	TCR Ack	Initiators	7 - Trade Break	0 - Confirmation	1 - Rejected	Original ID	N/A
Ack to initiator	out	TCR Ack	Initiators	7 - Trade Break	1 - Two-party	0 - Accepted	Original ID	N/A
Confirmation to initiator	out	TCR	New Venue assigned (Initiator)	0 - Submit	7 - Trade Break	N/A	Original ID	H -Trade cancel
Confirmation to contra	out	TCR	New Venue assigned	0 - Submit	7 - Trade Break	N/A	Original ID	H -Trade cancel

An exchange trade break is relayed using the same pattern as the last two rows in the above table. The exception being that TradeReportRefID [572] will be created by the exchange.

6 Appendix B: Max Lengths

Tag	Field	Max Length
currency	15	3
lastMkt	30	4
lastPx	31	12/6
lastQty	32	12
securityId	48	12
senderCompId	49	4
senderSubId	50	9
symbol	55	6
targetCompId	56	4
targetSubId	57	9
onBehalfOfCompId	115	4
onBehalfOfSubId	116	9
deliverToCompId	128	4
deliverToSubId	129	9
tradeReportId	571	20
tradeReportRefId	572	20
tradeId	1003	10
subMktId	20201	3
memo	20203	10
clientRef	20204	15
orderRef	20206	20

7 Appendix C: Data Types

Tag	Data Type
20201	String
20202	char
20203	String
20204	String
20205	int
20206	String

8 Reject Reasons

TradeReportRejectReason[751]	Text[58]
1	!REJ - INVALID BROKER FIELD
1	!REJ - INVALID CONTRA BROKER FIELD
1	!REJ - INVALID MPID FIELD
1	!REJ - INVALID USER ID FIELD
2	!REJ - INVALID SYMBOL FIELD
2	!REJ - INVALID ISIN FIELD
2	!REJ - INVALID MKT SEGMENT FIELD
2	!REJ - INVALID CURRENCY FIELD
3	!REJ - TWO_PARTY_ENTRY_NOT_AUTHORIZED
3	!REJ - BROKER_NOT_EXCHANGE_MEMBER
3	!REJ - CONTRA_NOT_EXCHANGE_MEMBER
4	!REJ - INVALID TRADE TYPE FIELD
5	!REJ - INVALID PRICE FIELD
5	!REJ - PRICE OUT OF RANGE
6	!REJ - PRICE OUT OF SANITY RANGE
99	!REJ - TRADE NOT FOUND
99	!REJ - WRONG STATUS
99	!REJ - NOT ALLOWED
99	!REJ - MATCH NOT FOUND
99	!REJ - REPEATED ACTION
99	!REJ - PASSED GRACE PERIOD
99	!REJ - EXCHANGE CLOSED
99	!REJ - NOT WITHIN ALLOWABLE TIME
99	!REJ - TRADE REPORTING HALTED
99	!REJ - INVALID CAPACITY FIELD
99	!REJ - INVALID CLEARING ACCT FIELD
99	!REJ - INVALID CLEARING FLAG FIELD
99	!REJ - INVALID CONTRA CAPACITY FIELD
99	!REJ - INVALID CONTRA CLEARING ACCT FIELD
99	!REJ - INVALID CONTRA ORDER RESTRICT FIELD
99	!REJ - INVALID ORDER RESTRICT FIELD
99	!REJ - INVALID DELAYED DISSEM FIELD
99	!REJ - INVALID EXEC TIME FIELD

TradeReportRejectReason[751]	Text[58]
99	!REJ - INVALID EXPIRE TIME FIELD
99	!REJ - INVALID QUANTITY FIELD
99	!REJ - INVALID SETTLE BKR CODE FIELD
99	!REJ - INVALID SETTLE DATE FIELD
99	!REJ - INVALID SIDE FIELD
99	!REJ - INVALID TRADE DATE FIELD
99	!REJ - INVALID TRADE VENUE FIELD
99	!REJ - INVALID TRANSACT TIME FIELD
99	!REJ – BELOW LIS LIMIT