DROP to FIX (OUCH) Format

Version 1.00
Updated February, 2026

Table Of Contents

1. Overview . . . 2
1.1. Architecture . . . 2
1.2. Service Bureau Configuration . . . 2
1.3. OUCH DROP Configuration . . . 2
2. FIX Protocol Messages . . . 2
2.1. Message Header . . . 2
2.2. Logon Message . . . 3
2.3. Order Acknowledgement . . . 3
2.4. Order Replace Message . . . 5
2.5. Order Cancel Message . . . 8
2.6. Execution Report . . . 10
2.6.1. Liquidity Flags . . . 12
2.7. Rejected Order Message . . . 13
2.8. Broken Trade Message . . . 14
2.9. Modify Message . . . 17
2.10. Priority Update Message . . . 19
3. Revision History . . . 21

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

1. Overview

NASDAQ accepts limit orders from subscribers and executes matching orders when possible. Non-matching orders may be added to the NASDAQ Limit Order Book, a database of available limit orders, where they wait to be matched in price-time priority or routed out to an external destination for execution.

OUCH DROP is an application that delivers real-time information about activity that takes place on NASDAQ in FIX format. Each OUCH DROP account is configured to transmit information concerning orders entered by one or more NASDAQ subscriber firms.

Each OUCH DROP host can be configured to send a message anytime an order is entered, canceled, executed or broken – or any combination of these events.

OUCH DROP does not provide the ability to enter orders into NASDAQ. To enter orders into NASDAQ, subscribers should use one of our connectivity protocols available separately.

1.1. Architecture

NASDAQ's CORE OUCH DROP format is transmitted using the Financial Information Exchange (FIX) protocol.

Subscribers are required to log in to the OUCH DROP application using a standard FIX logon message. Once logged in, the subscriber will need to send only a heartbeat message to keep the session active.

In the case where a subscriber loses a connection to the OUCH DROP host, they can reconnect in either NASDAQ's primary or backup data center. When reconnecting, the subscriber should re-login to the session using the next transmitted sequence numbers. In the event that the sequence numbers are out of synch, the subscriber should send a resend request to retransmitted any potentially lost data.

1.2. Service Bureau Configuration

A single OUCH DROP host can deliver information for one or more subscribers, allowing a service bureau configuration. In this case, each subscriber listed on the OUCH DROP account must sign a Service Bureau Agreement providing authorization for the Service Bureau to receive the drop copies.

1.3. OUCH DROP Configuration

Each OUCH DROP port can be configured to include or exclude trades based on the subscriber's MMID, INET port and SenderSubID. Subscribers may receive drop copies for all their execution or limit it to specific ports. Configuration requests for existing ports should be directed to NASDAQ Subscriber Services at subscriber@nasdaq.com.

2. FIX Protocol Messages

2.1. Message Header

Tag	Field Name	Req'd	Comments
8	BeginString	Y	FIX 4.0, 4.1 or 4.2
9	BodyLength	Y	Must be second field in message
35	MessageType	Y	
49	SenderCompID	Y	NASDAQ system/session Identifier
56	TargetCompID	Y	As assigned by NASDAQ
43	PossDupFlag	N	Always required for retransmitted messages.
34	MsgSeqNum	Y	

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
52	SendingTime	Y	Time of message transmission
122	OrigSendingTime	N	Original time of message transmission, required on retransmissions

2.2. Logon Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = A
98	EncryptMethod	N	Not Supported
108	HeartBtInt	Y	
10	FIX Checksum	Y	

2.3. Order Acknowledgement

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
128	DeliverToCompID	N	Account originating the order
57	TargetSubID	Y	First 4 characters of the order entry port token
50	SenderSubID		NASDAQ sub system/Session identifier
1	Account		May be user field, otherwise not present
11	ClOrdID	Y	Client Order ID as specified on the order.
37	OrderID	Y	NASDAQ assigned sequence Number for this order
17	ExecID	Y	For fill and partial-fill execution reports. ExecID is based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID. For other execution reports this is just a unique id of execution report. Uniqueness guaranteed within the session.
20	Exec TransType	Y	Identifies transaction type Valid values: 0 = New
150	Exec Type	Y	Describes the Specific Execution Report Valid Values: 0 = New
39	Order Status	Y	Describes the current state of a CHAIN of orders. Valid Values: 0 = New
109	Client ID	N	Firm Identifier for the order entry firm.
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of the trade Valid Values: "1" = buy order "2" = sell order "5" = sell short, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days "6" = sell short exempt, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days
38	Order Quantity	Y	Shares available
32	Last Shares	Y	"0"
31	Last Price	Y	"0"
151	Leaves Quantity	N	Remaining shares
14	Cumulative Quantity	Y	"0"

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
6	Average Price	Y	"0"
44	Price	N	As specified in the NewOrder
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule 80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal
29	Last Cacacity	N	Broker Capacity In Order Execution Valid Values: <blank> 1 = Agency 4 = Principal
76	Exec Broker	N	"INET"
111	Max Floor	N	"0"
18	Exec Inst	N	“f” = Intermarket Sweep Order (ISO) “y” = Trade-at Intermarket Sweep Order “B” = Reactive Trade Now
59	Time in Force	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 4 = Fill or Kill 5 = Good Till Cancel (GTC) 6 = Good Till Date 7 = At the Close
58	Text		Free format text string. In case of reject will also contain NASDAQ order reject code. See “Reject Reasons” table.
20006	Customer type	N	NOTE: only sent if tag 20006 is set to “R” on enter order message or the firm setting is set to “R” R = Retail designated order
20001	UserRefNum	N	UserRefNum as specified on the order
99	Limit Price	N	Limit price submitted on the order
9140	Display Instruction		Indicates the order display from client
9355	CrossType	N	D = continuous market O = opening cross (Nasdaq only) C = closing cross (Nasdaq only) H = halt/IPO (Nasdaq only) S = supplemental (Nasdaq only) R = retail (BX only) E = extended life (Nasdaq only) A = after hours close (Nasdaq only)
110	MinQty	N	Specifies the minimum acceptable quantity to execute
211	PegOffset	N	Offset amount for the pegged value.
20009	DiscretionPrice	N	Discretion price for Discretionary Order.

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
388	DiscretionPriceType	N	L = limit (default) P = market peg M = midpoint peg R = primary peg
389	DiscretionPegOffset	N	Offset amount for the pegged value of the Discretionary Price
8020	RandomReserves	N	Shares to do random reserve with.
126	ExpireTime	N	Seconds to live.
20003	HandleInst	N	I = imbalance only (CrossType O and C) O = retail order type 1 (CrossType R) T = retail order type 2 (CrossType R) Q = retail price improvement (CrossType R) B = Extended Life + Continuous (CrossType E) D = Direct Listing Capital Raise (CrossType H) R= Retail Price Improvement, Hidden Price Improvement Indicator (CrossType R)
20107	GroupID	N	Customer Group ID – identifies specific entity within customer firm
9883	BBO Weight Indicator	N	"0" = 0-0.2% "1" = 0.2%-1% "2" = 1%-2% "3" = greater than 2% space = unspecified (default) "S" = Sets the QBBO while joining the NBBO "N" = Improves the NBBO upon entry
10	FIX Checksum	Y	
21002	Locate Broker	N	Will only be populated if a single broker is designated per session in the EQRC Shares Located rule.

2.4. Order Replace Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
128	DeliverToCompID	N	Account originating the order
57	TargetSubID	Y	First 4 characters of the order entry port token
50	SenderSubID	Y	NASDAQ sub system/session identifier
1	Account	May be user field, otherwise not present	
11	ClOrdID	Y	Client Order ID as specified on the order.
41	OrigClOrdID	Y	This is your unique id of the original order, the order to be replaced. Limited to 20 characters.
37	OrderID	Y	NASDAQ assigned sequence Number for this order
17	ExecID	Y	For fill and partial-fill execution reports. ExecID is based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID. For other execution reports this is just a unique id of execution report. Uniqueness guaranteed within the session.
20	Exec TransType	Y	Identifies transaction type Valid values: 0 = New

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
150	Exec Type	Y	Describes the Specific Execution Report Valid Values: 5 = Replaced
39	Order Status	Y	Describes the current state of a CHAIN of orders. Valid Values: 5 = Replaced
109	Client ID	N	Firm Identifier for the order entry firm.
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of the trade Valid Values: “1” = buy order "2” = sell order "5" = sell short, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days "6" = sell short exempt, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days
38	Order Quantity	Y	Shares available
32	Last Shares	Y	"0"
31	Last Price	Y	"0"
151	Leaves Quantity	N	Remaining shares
14	Cumulative Quantity	Y	Currently executed shares for chain of orders.
6	Average Price	Y	Calculated average price of all fills on this order.
44	Price	N	As specified in the NewOrder
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule 80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal
29	Last Cacacity	N	Broker Capacity In Order Execution Valid Values: <blank> 1 = Agency 4 = Principal
76	Exec Broker	N	"INET"
111	Max Floor	N	"0"
18	Exec Inst	N	“f” = Intermarket Sweep Order (ISO) “y” = Trade-at Intermarket Sweep Order “B” = Reactive Trade Now
59	Time in Force	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 4 = Fill or Kill 5 = Good Till Cancel (GTC) 6 = Good Till Date 7 = At the Close
58	Text		Free format text string. In case of reject will also contain NASDAQ order reject code. See “Reject Reasons” table.

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
9140	Display Instruction		The accepted display type for the order
9883	BBO Flag		Indicates the Best Bid/Best Off indicator. Valid Values: "0" = 0-0.2% "1" = 0.2%-1% "2" = 1%-2% "3" = greater than 2% space = unspecified "S" = Sets the QBBO while joining the NBBO "N" = Improves the NBBO upon entry
20001	UserRefNum	N	UserRefNum as specified on the order
99	Limit Price	N	Limit price submitted on the order
20007	OrigUserRefNum	N	UserRefNum sent on the Enter Order Message or last Replace Order Message
9355	CrossType	N	D = continuous market O = opening cross (Nasdaq only C = closing cross (Nasdaq only) H = halt/IPO (Nasdaq only) S = supplemental (Nasdaq only) R = retail (BX only) E = extended life (Nasdaq only) A = after hours close (Nasdaq only)
110	MinQty	N	Specifies the minimum acceptable quantity to execute
211	PegOffset	N	Offset amount for the pegged value.
20009	DiscretionPrice	N	Discretion price for Discretionary Order.
388	DiscretionPriceType	N	L = limit (default) P = market peg M = midpoint peg R = primary peg
389	DiscretionPegOffset	N	Offset amount for the pegged value of the Discretionary Price
8020	RandomReserves	N	Shares to do random reserve with.
126	ExpireTime	N	Seconds to live.
20003	HandleInst	N	I = imbalance only (CrossType O and C) O = retail order type 1 (CrossType R) T = retail order type 2 (CrossType R) Q = retail price improvement (CrossType R) B = Extended Life + Continuous (CrossType E) D = Direct Listing Capital Raise (CrossType H) R= Retail Price Improvement, Hidden Price Improvement Indicator (CrossType R)
20107	GroupID	N	Customer Group ID – identifies specific entity within customer firm
10	FIX Checksum	Y	
21002	Locate Broker	N	Will only be populated if a single broker is designated per session in the EQRC Shares Located rule.

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

2.5. Order Cancel Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
128	DeliverToCompID	N	Account originating the order
57	TargetSubID	Y	First 4 characters of the order entry port token
50	SenderSubID	Y	NASDAQ sub system/Session identifier
1	Account	May be user field, otherwise not present	
11	ClOrdID	Y	Client Order ID as specified on the order.
37	OrderID	Y	NASDAQ assigned sequence Number for this order
17	ExecID	Y	For fill and partial-fill execution reports. ExecID is based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID. For other execution reports this is just a unique id of execution report. Uniqueness guaranteed within the session.
20	Exec TransType	Y	Identifies transaction type Valid values: 0 = New
150	Exec Type	Y	Describes the Specific Execution Report Valid Values: 4 = Canceled
39	Order Status	Y	Describes the current state of a CHAIN of orders, same scope as OrderQty, CumQty, LeavesQty, and AvgPx Valid Values: 4 = Canceled
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of the trade Valid Values: “1” = buy order “2” = sell order "5" = sell short, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days "6" = sell short exempt, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days
38	Order Quantity	Y	Shares available
32	Last Shares	Y	Quantity of shares bought/sold on this (last) fill.
31	Last Price	Y	Price of this (last) fill.
151	Leave Quantity	N	Remaining shares
14	Cumulative Quantity	Y	Currently executed shares for chain of orders.
6	Average Price	Y	Calculated average price of all fills on this order.
44	Price	N	As specified in the NewOrder
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule 80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
29	Last Cacacity	N	Broker Capacity In Order Execution Valid Values: <blank> 1 = Agency 4 = Principal
76	Exec Broker	N	"INET"
111	Max Floor	N	"0"
18	Exec Inst	N	“f” = Intermarket Sweep Order (ISO) “y” = Trade-at Intermarket Sweep Order “B” = Reactive Trade Now
59	Time in Force	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 4 = Fill or Kill 5 = Good Till Cancel (GTC) 6 = Good Till Date 7 = At the Close
58	Text		Free format text string. In case of reject will also contain NASDAQ order reject code. See “Reject Reasons” table.
10	FIX Checksum	Y	
99	Limit Price	N	Limit price submitted on the order
20001	UserRefNum	N	UserRefNum must be day-unique and strictly increasing for each OUCH account.
9355	CrossType	N	D = continuous market O = opening cross (Nasdaq only) C = closing cross (Nasdaq only) H = halt/IPO (Nasdaq only) S = supplemental (Nasdaq only) R = retail (BX only) E = extended life (Nasdaq only) A = after hours close (Nasdaq only)
110	MinQty	N	Specifies the minimum acceptable quantity to execute
211	PegOffset	N	Offset amount for the pegged value.
20009	DiscretionPrice	N	Discretion price for Discretionary Order.
388	DiscretionPriceType	N	L = limit (default) P = market peg M = midpoint peg R = primary peg
389	DiscretionPegOffset	N	Offset amount for the pegged value of the Discretionary Price
8020	RandomReserves	N	Shares to do random reserve with.
126	ExpireTime	N	Seconds to live.
20003	HandleInst	N	I = imbalance only (CrossType O and C) O = retail order type 1 (CrossType R) T = retail order type 2 (CrossType R) Q = retail price improvement (CrossType R) B = Extended Life + Continuous (CrossType E) D = Direct Listing Capital Raise (CrossType H) R= Retail Price Improvement, Hidden Price Improvement Indicator (CrossType R)
20107	GroupID	N	Customer Group ID – identifies specific entity within customer firm

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
10	FIX Checksum	Y	
21002	Locate Broker	N	Will only be populated if a single broker is designated per session in the EQRC Shares Located rule.

2.6. Execution Report

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
128	DeliverToCompID	N	Account originating the order
57	TargetSubID	Y	First 4 characters of the order entry port token
Tag	Field Name	Req'd	Comments
50	SenderSubID	Y	NASDAQ sub system/Session identifier
1	Account		May be user field, otherwise not present
11	ClOrdID	Y	Client Order ID as specified on the order.
37	OrderID	Y	NASDAQ assigned sequence Number for this order
17	ExecID	Y	For fill and partial-fill execution reports. ExecID is based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID. For other execution reports this is just a unique id of execution report. Uniqueness guaranteed within the session.
20	Exec TransType	Y	Identifies transaction type Valid values: 0 = New 1 = Cancel 2 = Correct
150	Exec Type	Y	Describes the Specific Execution Report Valid Values: 1 = Partial Fill 2= Filled
39	Order Status	Y	Describes the current state of a CHAIN of orders, same scope as OrderQty, CumQty, LeavesQty, and AvgPx Valid Values: 1 = Partial Fill 2= Filled
109	Client ID	N	Firm Identifier for the order entry firm.
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of the trade Valid Values: “1” = buy order “2” = sell order "5" = sell short, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days "6" = sell short exempt, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days
38	Order Quantity	Y	Shares available
32	Last Shares	Y	Quantity of shares bought/sold on this (last) fill.
31	Last Price	Y	Price of this (last) fill.
151	Leave Quantity	N	Remaining shares
14	Cumulative Quantity	Y	Currently executed shares for chain of orders.
6	Average Price	Y	Calculated average price of all fills on this order.

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
44	Price	N	As specified in the NewOrder
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule 80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal
29	Last Cacacity	N	Broker Capacity In Order Execution Valid Values: <blank> 1 = Agency 4 = Principal
76	Exec Broker	N	"INET"
111	Max Floor	N	"0"
18	Exec Inst	N	“f” = Intermarket Sweep Order (ISO) “y” = Trade-at Intermarket Sweep Order “B” = Reactive Trade Now
59	Time in Force	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 4 = Fill or Kill 5 = Good Till Cancel (GTC) 6 = Good Till Date 7 = At the Close
58	Text	N	Free format text string. In case of reject will also contain NASDAQ order reject code. See “Reject Reasons” table.
75	Trade Date	N	Used when reporting other than current day trades.
60	Transaction Time	N	Time of execution/order creation (expressed in GMT). This field will now appear on all messages; previously this only appeared on execution or break messages.
9882	Liquidity Flag	N	Will be returned within all execution reports that contain a partial or full fill. See Liquidity Flags Table below for values
30	Last Exchange	N	Market of execution for last fill <space> = not provided Q = Nasdaq B = Nasdaq BX X = Nasdaq PSX
20006	Customer type	N	NOTE: only sent if tag 20006 is set to “R” on enter order message or the firm setting is set to “R” R = Retail designated order
99	Limit Price	N	Limit price submitted on the order
20001	UserRefNum	N	UserRefNum must be day-unique and strictly increasing for each OUCH account.

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
9355	CrossType	N	D = continuous market O = opening cross (Nasdaq only) C = closing cross (Nasdaq only) H = halt/IPO (Nasdaq only) S = supplemental (Nasdaq only) R = retail (BX only) E = extended life (Nasdaq only) A = after hours close (Nasdaq only)
110	MinQty	N	Specifies the minimum acceptable quantity to execute
211	PegOffset	N	Offset amount for the pegged value.
20009	DiscretionPrice	N	Discretion price for Discretionary Order.
388	DiscretionPriceType	N	L = limit (default) P = market peg M = midpoint peg R = primary peg
389	DiscretionPegOffset	N	Offset amount for the pegged value of the Discretionary Price
8020	RandomReserves	N	Shares to do random reserve with.
126	ExpireTime	N	Seconds to live.
20003	HandleInst	N	I = imbalance only (CrossType O and C) O = retail order type 1 (CrossType R) T = retail order type 2 (CrossType R) Q = retail price improvement (CrossType R) B = Extended Life + Continuous (CrossType E) D = Direct Listing Capital Raise (CrossType H) R= Retail Price Improvement, Hidden Price Improvement Indicator (CrossType R)
20107	GroupID	N	Customer Group ID – identifies specific entity within customer firm
10	FIX Checksum	Y	
21002	Locate Broker	N	Will only be populated if a single broker is designated per session in the EQRC Shares Located rule.

2.6.1. Liquidity Flags

Liquidity Flags Flag	Value
A	Added
R	Removed
O	Opening Cross
M	Opening Cross (imbalance-only)
C	Closing Cross
L	Closing Cross (imbalance-only)
H	Halt/IPO Cross
K	Halt Cross
J	Non-displayed adding liquidity
N	Passive Midpoint Execution
W	Added post-only
m	Removed liquidity at a midpoint
k	Added liquidity via a midpoint order

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Liquidity Flags Flag	Value
0	Supplemental order execution
7	Displayed, liquidity-adding order improves the NBBO
8	Displayed, liquidity-adding order sets the QBBO while joining the NBBO
d	Retail designated execution that removed liquidity
e	Retail designated execution that added displayed liquidity
f	Retail designated execution that added non-displayed liquidity
j	RPI (Retail Price Improving) order provides liquidity
r	Retail Order removes RPI liquidity
t	Retail Order removes price improving non-displayed liquidity other than RPI liquidity
4	Added displayed liquidity in a Group A symbol
5	Added non-displayed liquidity in a Group A symbol
6	Removed liquidity in a Group A symbol
g	Added non-displayed mid-point liquidity in a Group A symbol
n	Midpoint Extended Life Order Execution

2.7. Rejected Order Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
128	DeliverToCompID	N	Account originating the order
57	TargetSubID	Y	First 4 characters of the order entry port token
50	SenderSubID	Y	NASDAQ sub system/Session identifier
1	Account		May be user field, otherwise not present
11	ClOrdID	Y	Client Order ID as specified on the order.
37	OrderID	Y	NASDAQ assigned sequence Number for this order
17	ExecID	Y	For fill and partial-fill execution reports. ExecID is based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID. For other execution reports this is just a unique id of execution report. Uniqueness guaranteed within the session.
20	Exec TransType	Y	Identifies transaction type Valid values: 0 = New Describes the Specific Execution Report Valid Values:
150	Exec Type	Y	8 = Rejected
39	Order Status	Y	Describes the current state of a CHAIN of orders, same scope as OrderQty, CumQty, LeavesQty, and AvgPx Valid Values: 8 = Rejected
55	Symbol	Y	Ticker Symbol Side of the trade Valid Values: “1” = buy order “2” = sell order
54	Side	Y	"5" = sell short, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days "6" = sell short exempt, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
38	Order Quantity	Y	Shares available
151	Leave Quantity	N	Remaining shares
14	Cumulative Quantity	Y	Currently executed shares for chain of orders.
6	Average Price	Y	Calculated average price of all fills on this order.
44	Price	N	As specified in the NewOrder
76	Exec Broker	N	"INET"
58	Text	N	Free format text string. In case of reject will also contain NASDAQ order reject code. See “Reject Reasons” table.
60	Transaction Time	N	Time of execution/order creation (expressed in GMT). This field will now appear on all messages; previously this only appeared on execution or break messages.
10	FIX Checksum	Y	
99	Limit Price	N	Limit price submitted on the order
59	Time in Force	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 4 = Fill or Kill 5 = Good Till Cancel (GTC) 6 = Good Till Date 7 = At the Close
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
18	Exec Inst	N	“f” = Intermarket Sweep Order (ISO) “y” = Trade-at Intermarket Sweep Order “B” = Reactive Trade Now

2.8. Broken Trade Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
128	DeliverToCompID	N	Account originating the order
57	TargetSubID	Y	First 4 characters of the order entry port token
50	SenderSubID	Y	NASDAQ sub system/Session identifier
1	Account		May be user field, otherwise not present
11	ClOrdID	Y	Client Order ID as specified on the order.
37	OrderID	Y	NASDAQ assigned sequence Number for this order
17	ExecID	Y	For fill and partial-fill execution reports. ExecID is based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID. For other execution reports this is just a unique id of execution report. Uniqueness guaranteed within the session.
20	Exec TransType	Y	Identifies transaction type Valid values: 1 = Cancel Trade breaks will be sent with an ExecTransType of ‘1’. NASDAQ does not support trade corrections.

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
150	Exec Type	Y	Describes the Specific Execution Report Valid Values: 2= Filled
39	Order Status	Y	Describes the current state of a CHAIN of orders, same scope as OrderQty, CumQty, LeavesQty, and AvgPx Valid Values: 2= Filled
109	Client ID	N	Firm Identifier for the order entry firm.
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of the trade Valid Values: "1" = buy order "2" = sell order "5" = sell short, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days "6" = sell short exempt, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days
38	Order Quantity	Y	
32	Last Shares	Y	"0"
31	Last Price	Y	"0"
151	Leave Quantity	N	Amount of shares open for further execution.
14	Cumulative Quantity	Y	"0"
6	Average Price	Y	"0"
44	Price	N	As specified in the NewOrder
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule 80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal
29	Last Cacacity	N	Broker Capacity In Order Execution Valid Values: <blank> 1 = Agency 4 = Principal
76	Exec Broker	N	"INET"
111	Max Floor	N	"0"
18	Exec Inst	N	"f" = Intermarket Sweep Order (ISO) "y" = Trade-at Intermarket Sweep Order "B" = Reactive Trade Now
59	Time in Force	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 4 = Fill or Kill 5 = Good Till Cancel (GTC) 6 = Good Till Date 7 = At the Close

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
19	Exec Ref ID	N	Appears on Breaks only and contains the ExecID of the trade being broken.
58	Text	N	Free format text string. In case of reject will also contain NASDAQ order reject code. See “Reject Reasons” table.
75	Trade Date	N	Used when reporting other than current day trades.
60	Transaction Time	N	Time of execution/order creation (expressed in GMT). This field will now appear on all messages; previously this only appeared on execution or break messages.
9882	Liquidity Flag	N	Will be returned within all execution reports that contain a partial or full fill. E = Erroneous Trade C = Consensus S = Supervisory X = Default
20001	UserRefNum	N	UserRefNum must be day-unique and strictly increasing for each OUCH account.
9355	CrossType	N	D = continuous market O = opening cross (Nasdaq only) C = closing cross (Nasdaq only) H = halt/IPO (Nasdaq only) S = supplemental (Nasdaq only) R = retail (BX only) E = extended life (Nasdaq only) A = after hours close (Nasdaq only)
110	MinQty	N	Specifies the minimum acceptable quantity to execute
211	PegOffset	N	Offset amount for the pegged value.
20009	DiscretionPrice	N	Discretion price for Discretionary Order.
388	DiscretionPriceType	N	L = limit (default) P = market peg M = midpoint peg R = primary peg
389	DiscretionPegOffset	N	Offset amount for the pegged value of the Discretionary Price
8020	RandomReserves	N	Shares to do random reserve with.
126	ExpireTime	N	Seconds to live.
20003	HandleInst	N	I = imbalance only (CrossType O and C) O = retail order type 1 (CrossType R) T = retail order type 2 (CrossType R) Q = retail price improvement (CrossType R) B = Extended Life + Continuous (CrossType E) D = Direct Listing Capital Raise (CrossType H) R= Retail Price Improvement, Hidden Price Improvement Indicator (CrossType R)
20107	GroupID	N	Customer Group ID – identifies specific entity within customer firm
10	FIX Checksum	Y	
21002	Locate Broker	N	Will only be populated if a single broker is designated per session in the EQRC Shares Located rule.

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

2.9. Modify Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
128	DeliverToCompID	N	Account originating the order
57	TargetSubID	Y	First 4 characters of the order entry port token
50	SenderSubID	Y	NASDAQ sub system/session identifier
1	Account		May be user field, otherwise not present
11	ClOrdID	Y	Client Order ID as specified on the order.
37	OrderID	Y	NASDAQ assigned sequence Number for this order
17	ExecID	Y	For fill and partial-fill execution reports. ExecID is based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID. For other execution reports this is just a unique id of execution report. Uniqueness guaranteed within the session.
20	Exec TransType	Y	Identifies transaction type Valid values: 0 = New
39	Order Status	Y	Describes the current state of a CHAIN of orders. Valid Values: 5 = Replaced
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of the trade Valid Values: “1” = buy order “2” = sell order "5" = sell short, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days "6" = sell short exempt, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days
38	Order Quantity	Y	Shares available
32	Last Shares	Y	"0"
31	Last Price	Y	"0"
151	Leaves Quantity	N	Remaining shares
14	Cumulative Quantity	Y	Currently executed shares for chain of orders.
6	Average Price	Y	Calculated average price of all fills on this order.
44	Price	N	As specified in the NewOrder
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule 80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal
29	Last Cacacity	N	Broker Capacity In Order Execution Valid Values: <blank> 1 = Agency 4 = Principal
76	Exec Broker	N	"INET"
111	Max Floor	N	"0"

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
18	Exec Inst	N	"f" = Intermarket Sweep Order (ISO) "y" = Trade-at Intermarket Sweep Order "B" = Reactive Trade Now
59	Time in Force	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 4 = Fill or Kill 5 = Good Till Cancel (GTC) 6 = Good Till Date 7 = At the Close
58	Text		Free format text string. In case of reject will also contain NASDAQ order reject code. See "Reject Reasons" table.
9140	Display Instruction		Indicates the order display from client
378	Exec Restatement Reason		Indicates the reason for the restatement Valid Values: 1 = Renewal
20001	UserRefNum	N	UserRefNum as specified on the order
99	Limit Price	N	Limit price submitted on the order
9355	CrossType	N	D = continuous market O = opening cross (Nasdaq only) C = closing cross (Nasdaq only) H = halt/IPO (Nasdaq only) S = supplemental (Nasdaq only) R = retail (BX only) E = extended life (Nasdaq only) A = after hours close (Nasdaq only)
110	MinQty	N	Specifies the minimum acceptable quantity to execute
211	PegOffset	N	Offset amount for the pegged value.
20009	DiscretionPrice	N	Discretion price for Discretionary Order.
388	DiscretionPriceType	N	L = limit (default) P = market peg M = midpoint peg R = primary peg
389	DiscretionPegOffset	N	Offset amount for the pegged value of the Discretionary Price
8020	RandomReserves	N	Shares to do random reserve with.
126	ExpireTime	N	Seconds to live.
20003	HandleInst	N	I = imbalance only (CrossType O and C) O = retail order type 1 (CrossType R) T = retail order type 2 (CrossType R) Q = retail price improvement (CrossType R) B = Extended Life + Continuous (CrossType E) D = Direct Listing Capital Raise (CrossType H) R= Retail Price Improvement, Hidden Price Improvement Indicator (CrossType R)
20107	GroupID	N	Customer Group ID – identifies specific entity within customer firm
10	FIX Checksum	Y	
21002	Locate Broker	N	Will only be populated if a single broker is designated per session in the EQRC Shares Located rule.

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

2.10. Priority Update Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
128	DeliverToCompID	N	Account originating the order
57	TargetSubID	Y	First 4 characters of the order entry port token
50	SenderSubID	Y	NASDAQ sub system/session identifier
1	Account		May be user field, otherwise not present
11	ClOrdID	Y	Client Order ID as specified on the order.
37	OrderID	Y	NASDAQ assigned sequence Number for this order
17	ExecID	Y	For fill and partial-fill execution reports. ExecID is based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID.
20	Exec TransType	Y	Identifies transaction type Valid values: 0 = New
39	Order Status	Y	Describes the current state of a CHAIN of orders. Valid Values: 5 = Replaced
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of the trade Valid Values: "1" = buy order "2" = sell order "5" = sell short, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days "6" = sell short exempt, subscriber affirms ability to borrow securities in good deliverable form for delivery within three business days
38	Order Quantity	Y	Shares available
32	Last Shares	Y	"0"
31	Last Price	Y	"0"
151	Leaves Quantity	N	Remaining shares
14	Cumulative Quantity	Y	Currently executed shares for chain of orders.
6	Average Price	Y	Calculated average price of all fills on this order.
44	Price	N	As specified in the NewOrder
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule 80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal
29	Last Cacacity	N	Broker Capacity In Order Execution Valid Values: <blank> 1 = Agency 4 = Principal
76	Exec Broker	N	"INET"
111	Max Floor	N	"0"

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
18	Exec Inst	N	“f” = Intermarket Sweep Order (ISO) “y” = Trade-at Intermarket Sweep Order “B” = Reactive Trade Now
59	Time in Force	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 4 = Fill or Kill 5 = Good Till Cancel (GTC) 6 = Good Till Date 7 = At the Close
58	Text		Free format text string. In case of reject will also contain NASDAQ order reject code. See “Reject Reasons” table.
9140	Display Instruction		Indicates the order display from client
9883	BBO Flag		Indicates the Best Bid/Best Off indicator. Valid Values: “0” = 0-0.2% “1” = 0.2%-1% “2” = 1%-2% “3” = greater than 2% space = unspecified “S” = Sets the QBBO while joining the NBBO “N” = Improves the NBBO upon entry
378	Exec Restatement Reason		Indicates the reason for the restatement Valid Values: 3 = Repricing
20001	UserRefNum	N	UserRefNum as specified on the order
99	Limit Price	N	Limit price submitted on the order
9355	CrossType		D = continuous market O = opening cross (Nasdaq only) C = closing cross (Nasdaq only) H = halt/IPO (Nasdaq only) S = supplemental (Nasdaq only) R = retail (BX only) E = extended life (Nasdaq only) A = after hours close (Nasdaq only)
110	MinQty	N	Specifies the minimum acceptable quantity to execute
211	PegOffset	N	Offset amount for the pegged value.
20009	DiscretionPrice	N	Discretion price for Discretionary Order.
388	DiscretionPriceType	N	L = limit (default) P = market peg M = midpoint peg R = primary peg
389	DiscretionPegOffset	N	Offset amount for the pegged value of the Discretionary Price
8020	RandomReserves	N	Shares to do random reserve with.
126	ExpireTime	N	Seconds to live.
20003	HandleInst	N	I = imbalance only (CrossType O and C) O = retail order type 1 (CrossType R) T = retail order type 2 (CrossType R) Q = retail price improvement (CrossType R) B = Extended Life + Continuous (CrossType E) D = Direct Listing Capital Raise (CrossType H) R= Retail Price Improvement, Hidden Price Improvement Indicator (CrossType R)

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.

Tag	Field Name	Req'd	Comments
20107	GroupID	N	Customer Group ID – identifies specific entity within customer firm
10	FIX Checksum	Y	
21002	Locate Broker	N	Will only be populated if a single broker is designated per session in the EQRC Shares Located rule.

3. Revision History

Version	Date	Notes
1.0	05/18/2011	Completed initial document
1.0	06/18/2011	Changed the logic for cumulative quantity/average price for order replace and order cancel messages
1.0	04/19/2012	Added liquidity flag values “k”, “m”, “0”
1.0	08/13/2012	Renamed the spec to DROP to FIX (OUCH)
1.0	10/23/2012	Added liquidity flag values “7”, “8”
1.0	11/12/2012	Added tag 30 to execution report
1.0	01/10/2013	Added liquidity flag values “d”, “e”, “f” Added tag 20006 on the Order Acknowledgement message Added tag 20006 on the execution report message Clarified use of tag 60 in the execution report
1.0	01/28/2013	Added liquidity flag values “6”
1.0	06/18/2014	Updated the format of the document
1.0	06/27/2014	Added Table of Contents to the document
1.0	01/15/2015	Added Liquidity flag values “j”, “r”, “t”, “4”, “5”, “g”
1.0	01/11/2016	Revised description of Liquidity flag values “4”, “5”, “6”, “g” Added Liquidity flag values “a”, “x”, “y” Added Liquidity flag values “b”, “c”, “h”, “N”
1.0	02/29/2016	Revised description of Liquidity flag values “a”, “x”, “y” Added ExecTransType value “2” to the execution report Added intraday indicative price field to the execution report
1.0	09/21/16	Added “y”, “f”, and “B” to tag 18
1.0	09/28/2017	Added sections Modify Message and Priority Update Message Added Tag 9410 and Tag 9883 to the Oder Replace Message section
1.0	03/01/2017	Removed following liquidity flags: a, x, y, b, c, h and N Added liquidity flag “n”
1.0	03/15/2018	Ungreyed cross type “E” and liquidity flag “n”
1.0	11/12/2019	Added value “N” to liquidity flag
1.0	06/12/2023	Added tag 99 to the Execution Report
1.0	06/12/2023	Added section 2.7 Reject Order Message
1.0	8/1/2023	Added tag 9140 to Order Acknowledgment
1.0	10/3/2025	Updated CrossType continuous market value to D
1.0	2/11/2026	Added tags 18 and 40 to rejected order message

© Copyright 2026, The NASDAQ BX Group, Inc. All rights reserved. 0226 | 0239-26

Functionality that is not available will be greyed out in the specifications. Any changes will be conveyed via the NASDAQ Head Trader Alerts or Technical Updates.