FIX DROP RASH Format

Version 1.00

Updated July, 2024

Table Of Contents

1. Overview 2
   1.1. Architecture 2
   1.2. Service Bureau Configuration 2
   1.3. FIX DROP Configuration 2
   1.4. FIX Protocol Messages 2
   1.5. Logon Messages 3
   1.6. Execution Report 3
   1.7. Restatement Message 5
2. Revision History 7

1. Overview

Nasdaq Texas accepts limit orders from subscribers and executes matching orders when possible. Non-matching orders may be added to the Nasdaq Texas Limit Order Book, a database of available limit orders, where they wait to be matched in price-time priority or routed out to an external destination for execution.

FIX DROP is an application that delivers real-time information about activity that takes place on Nasdaq Texas in FIX format. Each FIX DROP account is configured to transmit information concerning orders entered by one or more Nasdaq Texas subscriber firms.

Each FIX DROP host can be configured to send a message anytime an order is entered, canceled, executed or broken – or any combination of these events.

FIX DROP does not provide the ability to enter orders into Nasdaq Texas. To enter orders into Nasdaq Texas, subscribers should use one of our connectivity protocols. available separately.

1.1. Architecture

Nasdaq Texas's RASH FIX DROP format is transmitted using the Financial Information Exchange (FIX) protocol.

Subscribers are required to log in to the FIX DROP application using a standard FIX logon message. Once logged in, the subscriber will need to send only a heartbeat message to keep the session active.

In the case where a subscriber loses a connection to the FIX DROP host, they can reconnect in either Nasdaq Texas's primary or backup data center. When reconnecting, the subscriber should re-login to the session using the next transmitted sequence numbers. In the event that the sequence numbers are out of synch, the subscriber should send a resend request to retransmitted any potentially lost data.

1.2. Service Bureau Configuration

A single FIX DROP host can deliver information for one or more subscribers, allowing a service bureau configuration. In this case, each subscriber listed on the FIX DROP account must sign a Service Bureau Agreement providing authorization for the Service Bureau to receive the drop copies.

1.3. FIX DROP Configuration

Each FIX DROP port can be configured to include or exclude trades based on the subscriber's MMID, INET port and SenderSubID. Subscribers may receive drop copies for all their execution or limit it to specific ports. Configuration requests for existing ports should be directed to Nasdaq Texas Subscriber Services at subscriber@nasdaq.com.

1.4. FIX Protocol Messages

Message Header

Tag	Field Name	Req'd	Comments
8	BeginString	Y	FIX 4.0, 4.1 or 4.2
9	BodyLength	Y	Must be second field in message
35	MessageType	Y	
128	DeliverToSubID	Y	Nasdaq Texas Account
49	SenderCompID	Y	Nasdaq Texas
56	TargetCompID	Y	As assigned by Nasdaq Texas
43	PossDupFlag	N	Always required for retransmitted messages.
34	MsgSeqNum	Y	
52	SendingTime	Y	Time of message transmission

Message Header

Tag	Field Name	Req'd	Comments
122	OrigSendingTime	Y	Original time of message transmission
50	SenderSubID	N	Nasdaq Texas
57	TargetSubID	N	This value will contain the SenderSubID received in order entry message. For trades entered via the Inet Terminal, this field will contain the Inet Terminal ID. If no SenderSubID is sent in the order entry message, it will default to the first four character of the Nasdaq Texas account name.

1.5. Logon Messages

Logon Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = A
98	EncryptMethod	Y	Not Supported
108	HeartBtInt	Y	
141	ResetSeqNumFlag	Y	Indicates both sides of a FIX session should reset sequence numbers
	Standard Trailer	Y	

1.6. Execution Report

Execution Report

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
11	ClOrdID	Y	Client order ID as assigned in new order message
37	OrderID	Y	OrderID, as assigned by INET, is required to be unique for each chain of orders.
17	ExecID	Y	Identifier of execution message as assigned by broker (will be 0 (zero) for ExecTransType=3 (Status)). INET ATS assigns the ExecID based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID.
20	ExecTransType	Y	Identifies transaction type Valid values: 0 = New 1 = Cancel Trade breaks will be sent with an ExecTransType of '1'. Nasdaq Texas does not support trade corrections.
150	ExecType	Y	Describes the Specific Execution Report Valid Values: 0 = New 1 = Partial Fill 2= Filled 4 = Canceled 5 = Replaced 6 = Pending Cancel 8 = Rejected

Execution Report

Tag	Field Name	Req'd	Comments
39	OrdStatus	Y	Describes the current state of a CHAIN of orders, same scope as OrderQty, CumQty, LeavesQty, and AvgPx Valid Values: 0 = New 1 = Partial Fill 2= Filled 4 = Canceled 5 = Replaced 6 = Pending Cancel 8 = Rejected
109	ClientID	N	Executing Firm's MMID
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of order Valid values: 1 = Buy 2 = Sell 5 = Short Sell 6 = Short Sell Exempt
20107	GroupId	N	Numeric XXXXX, max 32767
38	OrderQty	Y	
32	LastShares	Y	Quantity of shares bought/sold on this (last) fill.
31	LastPx	Y	Price of this (last) fill.
151	LeavesQty	N	Amount of shares open for further execution.
14	CumQty	Y	Currently executed shares for chain of orders.
6	AvgPx	Y	Calculated average price of all fills on this order.
18	ExecInst	Y	"f" = Intermarket Sweep Order (ISO) "y" = Trade-at Intermarket Sweep Order "B" = Reactive Trade Now
44	Price	N	As specified in the NewOrder
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal
29	LastCapacity	N	Broker Capacity In Order Execution Valid Values: 1 = Agent 2 = Cross as agent 3 = Cross as principal 4 = Principal
76	Exec Broker	N	INET

Execution Report

Tag	Field Name	Req'd	Comments
59	TimeInForce	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 5 = Good Till Crossing (GTX) 7 = At the Close
58	Text	N	Text Message
75	TradeDate	N	Date of Execution
60	TransactTime	N	Time of execution/order creation
9882	LiquidityFlag	N	Will be returned within all execution reports that contain a partial or full fill. A = Added Liquidity R = Reduced Liquidity J = Non-displayed and Added Liquidity X = Routed D = DOT Routed F = Opening Trade (on NYSE) G = On-Close order (on NYSE) Y = Re-Routed by NYSE S = Odd Lot Executions (on NYSE) U = Added Liquidity (on NYSE) E = NYSE Other P = Routed to PSX T = Opening Trade (on ARCA) Z = On-Close order (on ARCA) Q = Routed to Nasdaq m = Removed liquidity at a midpoint k = Added liquidity via a midpoint order j = RPI (Retail Price Improving) order provides liquidity r = RMO Retail Order removes RPI liquidity t = RMO Retail Order removes price improving non- displayed liquidity other than RPI liquidity q = RMO Retail Order removes non-RPI mid-point liquidity 7 = Displayed, liquidity-adding order improves the NBBO 8 = Displayed, liquidity-adding order sets the NTXBBO while joining the NBBO p = Removed price improving non-displayed liquidity N = Passive Midpoint Execution
1	Account		May be user field, otherwise not present
	Standard Trailer	Y	

1.7. Restatement Message

This message will tell the user the amount their orders were reduced down to as a result of a partially cancelled quantity.

Restatement Message

Tag	Field Name	Req'd	Comments
	Standard Header	Y	MsgType = 8
11	ClOrdID	Y	Client order ID as assigned in new order message
37	OrderID	Y	OrderID, as assigned by INET, is required to be unique for each chain of orders.

Restatement Message

Tag	Field Name	Req'd	Comments
17	ExecID	Y	Identifier of execution message as assigned by broker (will be 0 (zero) for ExecTransType=3 (Status)). INET ATS assigns the ExecID based on the OUCH match number of the transaction. If you cross yourself on a trade the buy and sell orders will have the same ExecID.
20	ExecTransType	Y	Identifies transaction type Valid values: 0 = New 1 = Cancel Trade breaks will be sent with an ExecTransType of '1'. Nasdaq Texas does not support trade corrections.
150	ExecType	Y	Describes the Specific Execution Report Valid Values: 0 = New 1 = Partial Fill 2= Filled 4 = Canceled 5 = Replaced 6 = Pending Cancel 8 = Rejected
39	OrdStatus	Y	Describes the current state of a CHAIN of orders, same scope as OrderQty, CumQty, LeavesQty, and AvgPx Valid Values: 0 = New 1 = Partial Fill 2= Filled 4 = Canceled 5 = Replaced 6 = Pending Cancel 8 = Rejected
378	ExecRestatementReason	N	For restatement, this value will always be: 5 = Partial decline of OrderQty
109	ClientID	N	Executing Firm's MMID
55	Symbol	Y	Ticker Symbol
54	Side	Y	Side of order Valid values: 1 = Buy 2 = Sell 5 = Short Sell 6 = Short Sell Exempt
20107	GroupId	N	Numeric XXXXX, max 32767
38	OrderQty	Y	
32	LastShares	Y	Quantity of shares bought/sold on this (last) fill.
31	LastPx	Y	Price of this (last) fill.
151	LeavesQty	N	Amount of shares open for further execution.
14	CumQty	Y	Currently executed shares for chain of orders.
6	AvgPx	Y	Calculated average price of all fills on this order.
18	ExecInst	Y	"f" = Intermarket Sweep Order (ISO) "y" = Trade-at Intermarket Sweep Order "B" = Reactive Trade Now
44	Price	N	As specified in the NewOrder

Restatement Message

Tag	Field Name	Req'd	Comments
40	Order Type	N	Valid Values: 1 = Market 2 = Limit 3 = Cross
47	Rule80A	N	Order Capacity Valid Values: A = Agent E= Registered Market Maker Trade P = Principal
29	LastCapacity	N	Broker Capacity In Order Execution Valid Values: 1 = Agent 2 = Cross as agent 3 = Cross as principal 4 = Principal
76	Exec Broker	N	INET
59	TimeInForce	N	Valid Values: 0 = Day 2 = At the Opening 3 = Immediate or Cancel 5 = Good Till Crossing (GTX) 7 = At the Close
	Standard Trailer	Y	

2. Revision History

Execution Report

Version	Date	Revision
1.0	06/10/2014	Updated the formatting of the document to make more standardized across all specs
1.0	10/17/2014	Added liquidity values "j", "r", "t"
1.0	12/16/2014	Added liquidity values "Y", "7", "8", "q" Removed all cross liquidity values
1.0	06/11/2015	Added liquidity flags "7", "8"
1.0	09/21/2016	Added "f", "y", and "B" to tag 18
1.0	03/13/2017	Added liquidity code "p"
1.0	04/23/2018	Added liquidity flag "N"

© Copyright 2026, The NASDAQ Group, Inc. All rights reserved. 0226 | 0212-26