



Alpha and Alpha X/ DRK Level 2 TMX QuantumFeed Business Message Specifications

Document Revision: 2.2.0
Date of Issue: April 17, 2023



Capital Formation

Toronto Stock Exchange
TSX Venture Exchange
TSX Private Markets
TSX Trust

Derivatives

Montréal Exchange
CDCC
NGX
Shorcan

Efficient Markets

Toronto Stock Exchange
TSX Venture Exchange
TSX Alpha Exchange
CDS

Market Insights

TMX Datalinx
TMX Insights
eExplore

Disclaimer and Rights Granted

The information contained in this document and any other information or documentation related to the TMX QuantumFeed™ specification including all past, present and future versions thereof and associated message formats (collectively referred to as the "TMX QuantumFeed Specification") are provided "as is", and neither TSX Inc. ("TSX") nor any of its affiliates makes any representation or warranty, express or implied, as to the contents of the TMX QuantumFeed Specification (or the results obtained by using it) and each such person specifically disclaims any representation, warranty or condition of accuracy, completeness, merchantability, fitness for a particular purpose or that it is error-free. By using the TMX QuantumFeed Specification, you are agreeing to assume the entire risk associated with its use.

TSX and its affiliates shall have no liability for damages of any kind arising in any manner out of or in connection with your use of, or your inability to use, the TMX QuantumFeed Specification, whether direct, indirect, incidental, special or consequential (including, without limitation, loss of data, loss of use, third-party claims, lost profits, lost revenues and strict liability), arising under contract or otherwise, whether or not TSX has been advised of, or otherwise might have anticipated the possibility of, such damages.

The information contained in the TMX QuantumFeed Specification is proprietary and confidential information belonging to TSX and its licensors or service providers, as applicable. Copyright and trademark rights and any other intellectual property rights in the TMX QuantumFeed Specification belong to TSX (or its licensors or service providers, as applicable). Your permitted use of the TMX QuantumFeed Specification, in whole or in part, is limited to the non-exclusive, non-transferable, revocable, non-assignable, personal right for you only to build a connection between your systems and TSX's market information system. Any uses not specifically set out herein are prohibited. TSX may revoke this right at any time, on notice to you, and you agree to promptly comply with such notice. Do not reproduce, disclose, distribute, publish, sell, modify, commercialize or make any part of the TMX QuantumFeed Specification available, in whole or in part, to any person including to any of your affiliates, service providers or any other related party without TSX's prior written consent. If you do not agree with, or do not wish to comply with, any of the above, please notify TSX and, in accordance with TSX's instructions, either return or destroy any copies or version of the TMX QuantumFeed Specification in your possession.

This Notice, Disclaimer and Rights Granted sets out the terms and conditions on which you are permitted to use the TMX QuantumFeed Specification. This Notice, Disclaimer and Rights Granted may be changed from time to time by TSX in its discretion. It is your obligation to check and comply at all times with the terms applicable to the most current version of the TMX QuantumFeed Specification.

Copyright © 2012-2023 by TSX Inc. All rights reserved.

Contact Information

For questions related to TMX QuantumFeed, contact TMX Equities Operations at 416.947.4705 or equities.operations@tmx.com.

Contents

Chapter 1 Introduction	4
1.1 Intended Audience	4
1.2 Scope	4
Chapter 2 Business Messages Overview	5
2.1 Business message types	5
2.2 Message data types	7
2.3 Message field definitions	7
Chapter 3 Business Message Formats	8
3.1 Message structure	8
3.2 Start-of-Day messages	9
3.2.1 Symbol Status	9
3.2.2 Order Book	9
3.3 Intraday messages	10
3.3.1 Market State Update	10
3.3.2 Order Booked	10
3.3.3 Order Cancelled	11
3.3.4 Order Price-Time Assigned	11
3.3.5 Stock Status	12
3.3.6 Trade Report	12
3.3.7 Trade Report – Terms	13
3.3.8 Trade Cancelled	13
3.3.9 Trade Cancelled – Terms	14
3.3.10 Trade Correction	14
3.3.11 Trade Correction – Terms	15
Chapter 4 Field Definitions	16
B	16
C	17
F	18
I	18
L	18
M	19
O	20
P	21
S	21
T	23
V	24
Appendix A Acronyms	25
Appendix B Revision History	26

Chapter 1 Introduction

This document is the *Alpha and Alpha X/ DRK Level 2 TMX QuantumFeed Business Message Specifications*.

The Level 2 QuantumFeed™ Business messages provide the following information:

- Symbol and market status
- Trades
- Orders and confirmations

1.1 Intended Audience

The intended audience of this specification consists of business analysts and programmer analysts.

1.2 Scope

The scope of this document is limited to describing the *Business messages* disseminated on the Alpha and Alpha X/ DRK Level 2 TMX QuantumFeed. The document provides:

- The structure of each type of Business message
- Fields that constitute those messages
- The data types and formats to which the fields comply
- Additional details on processing the information contained in those fields

To design and implement systems that can receive and process Level 2 TMX QuantumFeed, this document must be used alongside the following documents:

- *TMX QuantumFeed Service Access Guide*
- *TMX eXtreme Message Transfer Protocol Specification*

Chapter 2 Business Messages Overview

Business messages disseminated on the Alpha and Alpha X/ DRK Level 2 TMX QuantumFeed contain business-related information; for example: information on booked orders, information on cancelled orders, and so on. A Business message is composed of two sections, a *message header* and the *message body*.

- The **message header** is common to all Business messages and provides information that is required to process the given message.
- The **message body** contains the business-related information.

2.1 Business message types

Alpha and Alpha X/ DRK Level 2 TMX QuantumFeed contains the following types of Business messages.

Message Name	Message Type		Description
	ASCII	HEX	
Start of Day Messages (Messages disseminated at the start of day)			
Symbol Status	J	0x4A	Symbol Status messages contain information regarding equity, debenture, or trading Instruments for the current trading day for Alpha and Alpha X/ DRK. One message is disseminated for each valid symbol at the beginning of each trading day.
Order Book	G	0x47	An Order Book message provides public information for all open non-terms orders in the market at the start of day. One message is disseminated for each valid non-terms order at the beginning of each trading day. Feed clients can use the Order Book message to initialize their order book for the current trading day.
Intraday messages (Messages that are disseminated intraday)			
Market State Update	E	0x45	A Market State Update message is disseminated each time a notice of a market state change or a trading session change is sent from the Trading Engine.
Order Booked	P	0x50	An Order Booked message is disseminated in response to a new non-terms order being entered into the trading system.
Order Cancelled	Q	0x51	An Order Cancelled message is disseminated if a non-terms order is cancelled.
Order Price-Time Assigned	R	0x52	An Order Price-Time Assigned message is disseminated when a new Price or Time is assigned to a non-terms order.

Message Name	Message Type		Description
	ASCII	HEX	
Stock Status	I	0x49	A Stock Status notification is disseminated in response to a change in stock status from the Trading Engine.
Trade Report	S	0x53	A Trade Report is generated when a trade occurs that has no settlement terms.
Trade Report – Terms	p	0x70	A Trade Report – Terms is generated when a trade occurs that has settlement terms.
Trade Cancelled	T	0x54	A Trade Cancelled message is generated when a trade with no settlement terms is cancelled.
Trade Cancelled – Terms	q	0x71	A Trade Cancelled – Terms message is generated when a trade with settlement terms is cancelled.
Trade Correction	U	0x55	A Trade Correction message is generated when a trade with no settlement terms is corrected
Trade Correction – Terms	r	0x72	A Trade Correction – Terms message is generated when a trade with settlement terms is corrected.

2.2 Message data types

Each field that is contained in the Business messages is formatted according to one of the following data types

Data Type	Description
Alphanumeric	Alphanumeric fields are left-justified ASCII fields (displayable characters from hex 0x20 to hex 0x7E) that are space padded (hex 0x20) on the right and are sized to their corresponding lengths. Example: Consider a field with length <i>10 bytes</i>, data type <i>Alphanumeric</i> and which must contain the information “<i>CASH</i>”. In this scenario, the field will contain the value “<i>CASH</i> ”. The information is left justified and is space padded (“ ”) on the right. The information and the padding (if required) make the field length 10. Default: Space (whole length of the field padded with space)
Binary	Binary fields are unsigned and are Little Endian encoded. Length of the binary fields is one of the following: • 1-Byte Binary • 2-Byte Binary • 4-Byte Binary • 8-Byte Binary Default value: Null (binary value 0)

2.3 Message field definitions

For descriptions of fields that make up the Business messages, refer to “Field Definitions” on page 16.

Chapter 3 Business Message Formats

This section contains the structure of each Business message disseminated on Alpha and Alpha X/ DRK Level 2 TMX QuantumFeed.

Each Business message consists of a message header followed by the message body. For a description of the message header's structure, refer to *TMX eXtreme Message Transfer Protocol Specification*. Only the message body's structure is provided below.

Note: The size of the header is mentioned for message structure completion purposes.

3.1 Message structure

All Business messages must adhere to the Quantum Message Format, as described in *TMX QuantumFeed Service Access Guide*. Below are the structures of different types of Business messages that are disseminated on the Alpha and Alpha X/ DRK Level 2 TMX QuantumFeed.

Note: Comments columns in the following tables are intentionally left blank.

3.2 Start-of-Day messages

3.2.1 Symbol Status

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Stock Group	1	1-Byte Binary	
Listing Market	1	Alphanumeric	
Product Type	1	Alphanumeric	
CUSIP	12	Alphanumeric	
Board Lot	2	2-Byte Binary	
Currency	1	Alphanumeric	
Face Value	8	8-Byte Binary	
Last Sale	8	8-Byte Binary	
MinPOQty	4	4-Byte Binary	
Stock State	2	Alphanumeric	
Test Symbol	1	Alphanumeric	

Total Message Size = 65 bytes

3.2.2 Order Book

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Broker Number	2	2-Byte Binary	
Order Side	1	Alphanumeric	
Order ID	8	8-Byte Binary	
Price	8	8-Byte Binary	
Volume	4	4-Byte Binary	
Priority Time Stamp	8	8-Byte Binary	

Total Message Size = 55 bytes

3.3 Intraday messages

3.3.1 Market State Update

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Market State	1	Alphanumeric	
Stock Group	1	1-Byte Binary	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 22 bytes

3.3.2 Order Booked

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Broker Number	2	2-Byte Binary	
Order Side	1	Alphanumeric	
Order ID	8	8-Byte Binary	
Price	8	8-Byte Binary	
Volume	4	4-Byte Binary	
Priority Time Stamp	8	8-Byte Binary	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 63 bytes

3.3.3 Order Cancelled

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Broker Number	2	2-Byte Binary	
Order Side	1	Alphanumeric	
Order ID	8	8-Byte Binary	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 43 bytes

3.3.4 Order Price-Time Assigned

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Broker Number	2	2-Byte Binary	
Order Side	1	Alphanumeric	
Order ID	8	8-Byte Binary	
Price	8	8-Byte Binary	
Volume	4	4-Byte Binary	
Priority Time Stamp	8	8-Byte Binary	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 63 bytes

3.3.5 Stock Status

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Comment	40	Alphanumeric	
Stock State	2	Alphanumeric	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 74 bytes

3.3.6 Trade Report

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Trade Number	4	4-Byte Binary	
Price	8	8-Byte Binary	
Volume	4	4-Byte Binary	
Buy Broker Number	2	2-Byte Binary	
Buy Order ID	8	8-Byte Binary	
Buy Display Volume	4	4-Byte Binary	
Sell Broker Number	2	2-Byte Binary	
Sell Order ID	8	8-Byte Binary	
Sell Display Volume	4	4-Byte Binary	
Bypass	1	Alphanumeric	
Trade Time Stamp	4	4-Byte Binary	
Cross Type	1	Alphanumeric	
IsDark	1	Alphanumeric	Always set to "N" for Alpha and Alpha X, available for Alpha DRK.
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 83 bytes

3.3.7 Trade Report – Terms

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Trade Number	4	4-Byte Binary	
Price	8	8-Byte Binary	
Volume	4	4-Byte Binary	
Buy Broker Number	2	2-Byte Binary	
Buy Order ID	8	8-Byte Binary	
Buy Display Volume	4	4-Byte Binary	
Sell Broker Number	2	2-Byte Binary	
Sell Order ID	8	8-Byte Binary	
Sell Display Volume	4	4-Byte Binary	
Trade Time Stamp	4	4-Byte Binary	
Settlement Terms	1	Alphanumeric	
Settlement Date	4	4-Byte Binary	
Cross Type	1	Alphanumeric	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 86 bytes

3.3.8 Trade Cancelled

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Trade Number	4	4-Byte Binary	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 36 bytes

3.3.9 Trade Cancelled – Terms

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Trade Number	4	4-Byte Binary	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 36 bytes

3.3.10 Trade Correction

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Trade Number	4	4-Byte Binary	
Price	8	8-Byte Binary	
Volume	4	4-Byte Binary	
Buy Broker Number	2	2-Byte Binary	
Sell Broker Number	2	2-Byte Binary	
Initiated By	1	Alphanumeric	
Orig Trade Number	4	4-Byte Binary	
Bypass	1	Alphanumeric	
Trade Time Stamp	4	4-Byte Binary	
Cross Type	1	Alphanumeric	
IsDark	1	Alphanumeric	Always set to "N" for Alpha and Alpha X, available for Alpha DRK.
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 64 bytes

3.3.11 Trade Correction – Terms

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	12	Alphanumeric	
Trade Number	4	4-Byte Binary	
Price	8	8-Byte Binary	
Volume	4	4-Byte Binary	
Buy Broker Number	2	2-Byte Binary	
Sell Broker Number	2	2-Byte Binary	
Initiated By	1	Alphanumeric	
Orig Trade Number	4	4-Byte Binary	
Trade Time Stamp	4	4-Byte Binary	
Settlement Terms	1	Alphanumeric	
Settlement Date	4	4-Byte Binary	
Cross Type	1	Alphanumeric	
Trading System Time Stamp	8	8-Byte Binary	

Total Message Size = 67 bytes

Chapter 4 Field Definitions

B

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Board Lot	Contains the board lot size.	Binary (2 Bytes)	No implied decimal places Example: A board lot value of 500 is represented by 11110100 00000001.
Broker Number	An Exchange-assigned public number uniquely identifying a Participating Organization.	Binary (2 Bytes)	No implied decimal places Example: An TMX Broker Number 009 is represented by 00001001 00000000.
Buy Broker Number	An Exchange-assigned public number uniquely identifying a Participating Organization associated with a buy order	Binary (2 Bytes)	No implied decimal places Example: An TMX Broker Number 009 is represented by 00001001 00000000.
Buy Display Volume	Public remaining display volume for the buy order	Binary (4 Bytes)	No implied decimal places Example: A Volume of 2,500 is represented by 11000100 00001001 00000000 00000000.
Buy Order ID	Public numeric identifier assigned to the buy order by the trading system	Binary (8 Bytes)	No implied decimal places Example: An Order ID 20101010000078654 is represented by 00111110 01100111 10101110 00011000 11000011 01101001 01000111 00000000. The feed client can obtain the Order ID by converting the binary to decimal. The Order ID thus obtained will be of the format YYYYMMDDXXXXXXXXXX, where YYYYMMDD is the business date and XXXXXXXXXX is the sequence number assigned to the order.

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Bypass	An indicator for bypass crosses, which can be printed outside of the Protected NBBO and are not subject to cross interference	Alphanumeric (1 Byte)	Valid values are: • “Y”: The order is a Bypass. • “N”: The order is not a Bypass.

C

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Comment	A text field corresponding to a reason code entered when a stock is halted; or, the initiator of a delayed opening on a stock, or when there is a change to the Oddlot trader on a stock.	Alphanumeric (40 Bytes)	
Cross Type	Type of crosses originating from a Participating Organization between managed accounts that have the same manager	Alphanumeric (1 Byte)	Valid values are: • “I”: Internal • “B”: Basis • “C”: Contingent • “D”: Derivative-Related • “R”: Regular • “V”: VWAP – Volume Weighted Average Price • “ ”: Default, trade is not a cross
Currency	The currency associated with a reported price	Alphanumeric (1 Byte)	Valid values are: • “U”: USD • “C”: CAD
CUSIP	Clearing and settlement registration number	Alphanumeric (12 Byte)	

F

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Face Value	The face value of a debenture	Binary (8 Bytes)	6 implied decimal places Example: A Face Value of 50.45 is represented by 01010000 11001110 00000001 00000011 00000000 00000000 00000000 00000000. The feed client must convert the binary to decimal and divide the resulting number by 1,000,000 to obtain the face value.

I

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Initiated By	Indicates which side initiated the Trade Correction	Alphanumeric (1 Byte)	Valid values are: • “B”: Buy Side • “S”: Sell Side • “C”: Both Buy Side and Sell Side
IsDark	Indicates at least one side of the trade is dark.	Alphanumeric (1 byte)	Always set to “N” for Alpha and Alpha X, available for Alpha DRK.

L

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Last Sale	Last sale price of a stock	Binary (8 Bytes)	Error! Reference source not found. Example: A last sale price of 50.45 is represented by 01010000 11001110 00000001 00000011 00000000 00000000 00000000 00000000. The feed client must convert the binary to decimal and divide the resulting number by 1,000,000 to obtain the last sale price.

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Listing Market	The market on which a security is listed.	Alphanumeric	Valid values are: • "T": TSX • "V": TSXV

M

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Market State	Indicates the current market state	Alphanumeric (1 Byte)	Valid Values are: • "P": Pre-open • "O": Opening • "S": Open • "C": Closed • "R": Extended Hours Open • "F": Extended Hours Close • "N": Extended Hours CXLs • "M": MOC Imbalance • "A": CCP Determination • "E": Price Movement Extension • "L": Closing
MinPOQty	The minimum volume required for Post Only orders.	Binary (4 Bytes)	No implied decimal places Example: A MinPOQty of 2500 is represented by 11000100 00001001 00000000 00000000.

O

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Order ID	Public numeric identifier assigned to an order by the trading system.	Binary (8 Bytes)	No implied decimal places Example: An Order ID of 20101010000078654 is represented by 00111110 01100111 10101110 00011000 11000011 01101001 01000111 00000000. The feed client can obtain the Order ID by converting the binary to decimal. The Order ID thus obtained will be of the format YYYYMMDDXXXXXXXXXX, where YYYYMMDD is the business date and XXXXXXXXXX is the sequence number assigned to the order.
Order Side	Market side of an order	Alphanumeric (1 Byte)	Indicates if an order is a buy order or a sell order Valid values are: • "B" ; Buy • "S"; Sell
Orig Trade Number	Used with trade corrections to reference previously reported executions	Binary (4 Bytes)	No implied decimal places Example: A Trade Number 1000002 is represented by 01000010 01000010 00001111 00000000.

P

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Price	The price in a valid currency	Binary (8 Bytes)	Error! Reference source not found. Example: A Price of 50.45 is represented by 01010000 11001110 00000001 00000011 00000000 00000000 00000000 00000000. The feed client must convert the binary to decimal and divide the resulting number by 1,000,000 to obtain the actual price.
Priority Time Stamp	Time stamp assigned by the Trading Engine to specify time priority of an order. Orders are sequenced in the order book based on symbol, price, and priority time stamp.	Binary (8 Bytes)	Microseconds since the Epoch (00:00:00 UTC, January 1, 1970) Example: A Priority Time Stamp of 2010-10-20 11:12:44.032174 is represented as 10101110 00010000 01011111 11010111 00001101 10010011 00000100 00000000.
Product Type	The product type of the symbol	Alphanumeric (1 Byte)	Valid values are: • “B” = Debenture • “E” = Equity • “M” = Mutual Fund • “F” = ETF

S

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Sell Broker Number	An Exchange-assigned number uniquely identifying a Participating Organization associated with a sell order	Binary (2 Bytes)	No implied decimal places Example: An TMX Broker Number 009 is represented by 00001001 00000000.

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Sell Display Volume	Public remaining volume for the sell order	Binary (4 Bytes)	No implied decimal places Example: A volume of 2500 is represented by 11000100 00001001 00000000 00000000.
Sell Order ID	Public numeric identifier assigned to a sell order by the trading system.	Binary (8 Bytes)	No implied decimal places Example: An Order ID 20101010000078654 is represented by 00111110 01100111 10101110 00011000 11000011 01101001 01000111 00000000. The feed client can obtain the Order ID by converting the binary to decimal. The Order ID thus obtained is of the format YYYYMMDDXXXXXXXXXX, where YYYYMMDD is the business date and XXXXXXXXXX is the sequence number assigned to the order.
Settlement Date	Settlement date associated with the order	Binary (4 Bytes)	No implied decimal places Example: A Settlement Date of 20101010 is represented by 10010010 10110111 00110010 00000001. The feed clients can obtain the Settlement Date by converting the binary to decimal. The date thus obtained will be of the format YYYYMMDD.
Settlement Terms	Settlement terms associated with the order	Alphanumeric (1 Byte)	Valid values are: • “C”: Cash • “N” NN • “M”: MS • “T”: CT • “D”: If there is a valid Settlement Date associated with the order • “ ”: No Settlement Terms

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Stock Group	An identifier of the stock group	Binary (1 Byte)	No implied decimal places Example: A Stock Group of 3 is represented by 00000011.
Stock State	The state of the stock	Alphanumeric (2 Bytes)	Valid Values are: • "AS": AuthorizedHalted • "IS": InhibitedHalted • "A": Authorized • "I": Inhibited
Symbol	A unique alphanumeric identifier for a security	Alphanumeric (12 Bytes)	

T

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Test Symbol	Indicates the symbol is a test symbol	Alphanumeric (1 Byte)	Valid values are: • "Y" • "N"
Trade Number	Unique identifier assigned to each trade on a per stock basis	Binary (4 Bytes)	No implied decimal places Example: A Trade Number of 1000002 is represented by 01000010 01000010 00001111 00000000.
Trade Time Stamp	The time at which the trade occurred, manually set when a trade is added	Binary (4 Bytes)	No implied decimal places Example: A Trade Time Stamp of 121010 is represented by 10110010 11011000 00000001 00000000. Feed clients can obtain the Trade Time Stamp by converting the binary to decimal. The Trade Time Stamp is of the format HHMMSS.

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Trading System Time Stamp	The time at which the event being reported occurred in the Trading Engine	Binary (8 Bytes)	Nanoseconds since the Epoch (00:00:00 UTC, January 1, 1970) Example: A Trading System Time Stamp of 2015-07-31 10:14:58.496307008 is represented as 01000000 01011111 11001111 11100100 10011100 00001101 11110110 00010011.

V

Field Name	Description	Data Type and Size	Valid Field Values & Comments
Volume	The quantity of shares for an order or fill	Binary (4 Bytes)	No implied decimal places Example: A Volume of 2500 is represented by 11000100 00001001 00000000 00000000.

Appendix A Acronyms

- **AS:** AuthorizedHalted
- **ASCII:** American Standard Code for Information Interchange
- **CAD:** Canadian dollar
- **CCP:** Calculated Closing Price
- **CUSIP:** Committee on Uniform Security Identification Procedures
- **IS:** InhibitedHalted
- **MS:** Derivatives-related contingent equity trade
- **NN:** Non-Net
- **TMX:** TMX Group
- **TSX:** Toronto Stock Exchange
- **TSXV:** TSX Venture Exchange
- **USD:** United States dollar
- **UTC:** Coordinated Universal Time
- **VWAP:** Volume Weighted Average Price

Appendix B Revision History

Version	Date	Changes
2.2.0	2023/04/17	Change to indicate that this specification has been extended to include Alpha X/ DRK Exchange. In the Trade Report message, Trade Correction message and Field Definitions, added comment that field "IsDark" will be defaulted to N for Alpha and Alpha X but will be available for Alpha DRK.
2.1.0	2020/10/20	Changed length of 'Symbol' from 9 to 12 bytes for Business Message Formats and increased corresponding message sizes. In "Field Definitions", updated size of Symbol from 9 to 12 bytes.
2.0.0	2017/05/08	In "Field Definitions", updated the description of Bypass. In "Field Definitions", for Cross Type, added the values "D" and " ". In "Field Definitions", for Settlement Terms, added the value " ".
1.20	2016/08/03	In "Business message types", removed Special Market Stock State Messages. In "Symbol Status", added the Product Type, Stock State, and Test Symbol tags. Removed the sections: "Special Market/Stock State Messages", "Assign COP – Orders", "Assign COP – No Orders", and "Assign Limit". In "Field Definitions", removed the Calculated Opening Price field and added the value "R" to Cross Type. In "Field Definitions", removed the following values from StockState: "AG" AuthorizedFrozen, "IG" InhibitedFrozen In "Field Definitions", added the Test Symbol tag.
1.12	2016/02/10	Modified the definition of Trading System Time Stamp to indicate that it supports nanoseconds.
1.11	2015/02/19	Changed the size of the MinPOQty field from 2 bytes to 4 bytes. Updated the Valid Field Values of MinPOQty to reflect the new size. Updated the definition of MinPOQty to: The minimum volume required for Post Only orders. Changed the size of the Symbol Status message from 56 to 58 bytes.
1.10	2015/01/13	Removed the following messages: Order Book – Terms, Order Booked – Terms, Order Cancelled – Terms, Order Price-Time Assigned - Terms. Removed the Non-Resident field from the Trade Report – Terms and Trade Correction – Terms messages and the Field Definitions. Added MinPOQty field to Symbol Status message and definition to Field Definitions. In the Trade Report and Trade Correction messages, added comment to the IsDark field. Added the following note to Section 3.3: "Special Market/Stock State Messages": These opening-related messages are not supported.

		In Field Definitions, removed value S from Cross Type. In Field Definitions, changed the value and description for IsDark. In Field Definitions, removed value A from Listing Market. In Field Definitions, removed values AR, IR, AE, AF, IE, and IF from Stock State.
1.02	2013/03/15	Changed all occurrences of tag 613, SeekDarkLiquidity, to tag 622, AcceptSDL.
1.01	2013/01/08	Added information about QRTMD Protocol Specification and Service Access Guide to Introduction. Removed \$ for Currency values “CAD” and “USD”.
1.0	2012/12/10	Initial release.



TMX Equities Operations phone: 416.947.4705
300 – 100 Adelaide St. W. e-mail: equities.operations@tmx.com
Toronto, ON
M5H 1S3