

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	130	PM _{2.5}	1
2	Agra	Moderate	140	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	89	03	8
4	Akola	Satisfactory	63	PM ₁₀	1
5	Alwar	Satisfactory	99	PM ₁₀	1
6	Amaravati	Good	37	03	1
7	Ambala	Moderate	105	со	1
8	Amravati	Satisfactory	74	PM ₁₀	2
9	Amritsar	Moderate	138	PM _{2.5}	1
10	Ankleshwar	Satisfactory	76	PM ₁₀	1
11	Araria	Satisfactory	88	PM _{2.5}	1
12	Asansol	Satisfactory	73	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

apur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Good	47	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	70	PM ₁₀	3
15	Baddi	Moderate	120	PM ₁₀	1
16	Badlapur	Satisfactory	70	PM ₁₀	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Moderate	194	O ₃	1
19	Ballabgarh	Moderate	140	PM ₁₀	1
20	Banswara	Satisfactory	79	PM ₁₀	1
21	Baran	Moderate	105	PM ₁₀	1
22	Bareilly	Satisfactory	86	PM ₁₀	2
23	Baripada	Satisfactory	86	PM ₁₀	1
24	Barmer	Satisfactory	92	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	141	PM ₁₀	1
26	Belapur	Satisfactory	64	PM ₁₀	1
27	Belgaum	Good	48	СО	1
28	Bengaluru	Good	41	со	11
29	Bhagalpur	Satisfactory	78	PM _{2.5}	2
30	Bharatpur	Moderate	200	PM ₁₀	1
31	Bhilai	Satisfactory	61	PM ₁₀	3
32	Bhilwara	Moderate	156	PM ₁₀	1
33	Bhiwadi	Poor	252	PM ₁₀	1
34	Bhiwandi	Satisfactory	55	PM ₁₀	1
35	Bhopal	Moderate	114	PM _{2.5} , PM ₁₀	3
36	Bihar Sharif	Good	44	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Gummidipoondi, Jalna, Jalore, Jorapokhar, Kanchipuram, Keonjhar, Kollam, Kozhikode, Latur, Malegaon, Manesar, Mira-Bhayandar, Munger, Muzaffarnagar, Nandesari, Pali, Purnia, Samastipur, Srinagar, Surat, Tirupur, Virar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Poor	215	PM ₁₀	1
38	Bilaspur	Satisfactory	76	PM ₁₀	1
39	Bileipada	Moderate	142	PM ₁₀	1
40	Brajrajnagar	Satisfactory	52	PM ₁₀	1
41	Bulandshahr	Poor	202	PM ₁₀	1
42	Bundi	Moderate	120	PM ₁₀	1
43	Byrnihat	Poor	223	PM _{2.5}	1
44	Chamarajanagar	Good	38	PM ₁₀	1
45	Chandigarh	Moderate	104	O ₃ , PM ₁₀	3
46	Chandrapur	Satisfactory	91	PM ₁₀	1
47	Charkhi Dadri	Satisfactory	93	PM ₁₀	1
48	Chennai	Satisfactory	57	NO ₂	5

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Satisfactory	79	PM ₁₀	1
50	Chikkaballapur	Good	24	PM _{2.5}	1
51	Chikkamagaluru	Good	24	PM ₁₀	1
52	Chittoor	Good	39	03	1
53	Chittorgarh	Moderate	147	PM ₁₀	1
54	Churu	Moderate	114	PM ₁₀	1
55	Damoh	Satisfactory	61	PM ₁₀	1
56	Dausa	Moderate	188	PM ₁₀	1
57	Davanagere	Good	20	PM _{2.5}	1
58	Dehradun	Moderate	115	со	1
59	Delhi	Moderate	156	PM _{2.5} , O ₃	33
60	Dewas	Satisfactory	94	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Satisfactory	87	NO ₂	1
62	Dharwad	Satisfactory	53	со	1
63	Dholpur	Moderate	116	03	1
64	Dhule	Satisfactory	92	PM ₁₀	1
65	Durgapur	Moderate	131	PM ₁₀	1
66	Faridabad	Moderate	167	PM ₁₀ , PM _{2.5}	4
67	Fatehabad	Moderate	126	03	1
68	Firozabad	Moderate	136	PM ₁₀	2
69	Gadag	Good	35	со	1
70	Gandhinagar	Satisfactory	60	PM ₁₀	2
71	Gangtok	Satisfactory	63	SO ₂	1
72	Gaya	Satisfactory	65	PM ₁₀ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Moderate	172	PM ₁₀	4
74	Gorakhpur	Satisfactory	95	PM _{2.5}	1
75	Greater Noida	Poor	284	PM ₁₀	2
76	Gurugram	Poor	222	PM _{2.5}	3
77	Guwahati	Satisfactory	73	PM ₁₀ , PM _{2.5}	3
78	Gwalior	Moderate	165	PM ₁₀	3
79	Hajipur	Satisfactory	84	PM _{2.5}	1
80	Haldia	Satisfactory	79	PM ₁₀	1
81	Hanumangarh	Moderate	159	PM ₁₀	1
82	Hapur	Moderate	143	PM _{2.5}	1
83	Hassan	Good	31	O ₃	1
84	Haveri	Good	44	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Moderate	125	PM ₁₀	1
86	Hosur	Good	29	PM ₁₀	1
87	Howrah	Moderate	101	PM ₁₀	3
88	Hubballi	Good	50	со	2
89	Hyderabad	Satisfactory	65	PM ₁₀	10
90	Imphal	Satisfactory	71	SO ₂	1
91	Indore	Moderate	102	PM ₁₀	1
92	Jabalpur	Satisfactory	90	O ₃ , PM ₁₀	3
93	Jaipur	Moderate	157	PM ₁₀ , O ₃	5
94	Jaisalmer	Moderate	131	PM ₁₀	1
95	Jalandhar	Moderate	106	PM ₁₀	1
96	Jalgaon	Moderate	132	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, - Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bidar, Boisar, Buxar, Chengalpattu, Chhal, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Gummidipoondi, Jalna, Jalore, Jorapokhar, Kanchipuram, Keonjhar, Kollam, Kozhikode, Latur, Malegaon, Manesar, Mira-Bhayandar, Munger, Muzaffarnagar, Nandesari, Pali, Purnia, Samastipur, Srinagar, Surat, Tirupur, Virar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhalawar	Moderate	123	PM ₁₀	1
98	Jhansi	Moderate	133	PM ₁₀	1
99	Jhunjhunu	Poor	230	PM _{2.5}	1
100	Jind	Moderate	103	PM ₁₀	1
101	Jodhpur	Moderate	119	PM _{2.5}	4
102	Kadapa	Good	25	PM _{2.5}	1
103	Kaithal	Poor	207	PM _{2.5}	1
104	Kalaburgi	Satisfactory	55	PM ₁₀	1
105	Kalyan	Satisfactory	51	PM ₁₀	1
106	Kannur	Satisfactory	69	PM ₁₀	1
107	Kanpur	Moderate	116	PM ₁₀ , PM _{2.5}	4
108	Karauli	Satisfactory	58	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	atisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Coimbatore, Cuddalore,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	89	PM ₁₀	1
110	Kashipur	Moderate	157	PM _{2.5}	1
111	Katihar	Moderate	111	PM ₁₀	1
112	Katni	Satisfactory	89	PM ₁₀	1
113	Khanna	Satisfactory	88	PM ₁₀	1
114	Khurja	Poor	228	PM _{2.5}	1
115	Kishanganj	Satisfactory	76	PM ₁₀	1
116	Kochi	Good	48	СО	1
117	Kohima	Satisfactory	54	SO ₂	1
118	Kolar	Good	26	PM ₁₀	1
119	Kolhapur	Satisfactory	52	PM ₁₀	2
120	Kolkata	Satisfactory	99	PM _{2.5} , PM ₁₀	6

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, - Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Bidar, Boisar, Buxar, Chengalpattu, Chhal, Coimbatore, Cuddalore,
Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Gummidipoondi,
Jalna, Jalore, Jorapokhar, Kanchipuram, Keonjhar, Kollam, Kozhikode, Latur,
Malegaon, Manesar, Mira-Bhayandar, Munger, Muzaffarnagar, Nandesari, Pali,
Purnia, Samastipur, Srinagar, Surat, Tirupur, Virar, vellore as data was

Some stations have data available at 3PM

not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Satisfactory	54	SO ₂	1
122	Korba	Good	30	NO ₂ , PM ₁₀	2
123	Kota	Moderate	116	PM ₁₀	2
124	Kunjemura	Satisfactory	93	PM ₁₀	1
125	Kurukshetra	Moderate	154	PM ₁₀	1
126	Lucknow	Moderate	129	PM _{2.5} , PM ₁₀	5
127	Ludhiana	Moderate	103	PM ₁₀	1
128	Madikeri	Good	39	PM _{2.5}	1
129	Mahad	Good	37	PM _{2.5}	1
130	Maihar	Good	48	PM ₁₀	1
131	Mandi Gobindgarh	Moderate	107	PM ₁₀	1
132	Mandideep	Moderate	147	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Good	40	PM ₁₀	1
134	Mangalore	Good	42	PM ₁₀	1
135	Manguraha	Good	43	PM ₁₀	1
136	Meerut	Moderate	145	PM ₁₀	2
137	Milupara	Good	33	PM ₁₀	1
138	Moradabad	Moderate	129	PM ₁₀	6
139	Motihari	Moderate	161	PM _{2.5}	1
140	Mumbai	Satisfactory	94	O ₃ , PM ₁₀	20
141	Muzaffarpur	Moderate	114	PM _{2.5}	3
142	Mysuru	Good	34	O ₃	1
143	Nagaon	Satisfactory	83	PM ₁₀	1
144	Nagaur	Moderate	182	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Satisfactory	74	PM ₁₀	4
146	Naharlagun	Good	35	PM _{2.5}	1
147	Nalbari	Moderate	121	PM ₁₀	1
148	Nanded	Satisfactory	66	PM ₁₀	1
149	Narnaul	Moderate	190	PM ₁₀	1
150	Nashik	Satisfactory	70	PM ₁₀	3
151	Navi Mumbai	Satisfactory	70	PM _{2.5} , CO	5
152	Nayagarh	Moderate	101	PM ₁₀	1
153	Noida	Moderate	170	O ₃	3
154	Ooty	Good	25	PM ₁₀	1
155	Palkalaiperur	Good	25	SO ₂	1
156	Palwal	Good	41	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	95	PM _{2.5}	1
158	Panipat	Satisfactory	78	PM ₁₀	1
159	Parbhani	Satisfactory	57	PM ₁₀	1
160	Patiala	Satisfactory	100	PM ₁₀	1
161	Patna	Moderate	112	PM ₁₀ , PM _{2.5}	6
162	Pimpri Chinchwad	Satisfactory	57	PM _{2.5}	3
163	Pithampur	Moderate	122	PM ₁₀	1
164	Pratapgarh	Satisfactory	87	PM ₁₀	1
165	Prayagraj	Satisfactory	98	PM _{2.5} , PM ₁₀	3
166	Puducherry	Satisfactory	62	PM ₁₀	1
167	Pune	Moderate	101	NO ₂ , PM _{2.5}	5
168	Raichur	Satisfactory	68	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Satisfactory	94	PM ₁₀	4
170	Rairangpur	Satisfactory	84	PM ₁₀	1
171	Rajamahendravaram	Good	36	03	1
172	Rajgir	Satisfactory	97	PM _{2.5}	1
173	Rajsamand	Moderate	113	PM ₁₀	1
174	Ramanagara	Good	32	O ₃	1
175	Ramanathapuram	Good	30	PM ₁₀	1
176	Ratlam	Satisfactory	62	PM ₁₀	1
177	Rishikesh	Satisfactory	55	PM ₁₀	1
178	Rohtak	Satisfactory	100	PM _{2.5}	1
179	Rourkela	Satisfactory	63	PM ₁₀ , PM _{2.5}	3
180	Rupnagar	Moderate	118	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sagar	Satisfactory	84	PM ₁₀ , CO	2
182	Saharsa	Satisfactory	67	PM _{2.5}	1
183	Salem	Good	27	SO ₂	1
184	Sangli	Good	29	03	1
185	Sasaram	Moderate	159	PM _{2.5}	1
186	Satna	Moderate	141	PM ₁₀	1
187	Sawai Madhopur	Satisfactory	88	PM ₁₀	1
188	Shillong	Good	43	PM ₁₀ , PM _{2.5}	2
189	Shivamogga	Good	40	PM ₁₀	1
190	Sikar	Moderate	151	PM ₁₀	1
191	Silchar	Good	32	СО	1
192	Siliguri	Good	48	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Satisfactory	79	SO ₂	1
194	Sirohi	Moderate	154	03	1
195	Sirsa	Moderate	139	PM ₁₀	1
196	Sivasagar	Good	33	PM ₁₀	1
197	Siwan	Moderate	143	NO ₂	1
198	Solapur	Good	47	PM ₁₀	3
199	Sonipat	Poor	249	PM _{2.5}	1
200	Sri Ganganagar	Moderate	169	PM ₁₀	1
201	Suakati	Satisfactory	87	PM ₁₀	1
202	Talcher	Satisfactory	81	со	1
203	Tensa	Satisfactory	67	PM _{2.5}	1
204	Thane	Satisfactory	81	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

apur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhi

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thiruvananthapuram	Good	43	PM ₁₀	1
206	Thoothukudi	Good	40	PM ₁₀	1
207	Thrissur	Satisfactory	62	со	1
208	Tirupati	Good	38	NO ₂	2
209	Tonk	Moderate	154	PM ₁₀	1
210	Tumakuru	Good	31	PM ₁₀	1
211	Tumidih	Good	32	O ₃	1
212	Udaipur	Moderate	121	PM ₁₀	1
213	Udupi	Satisfactory	73	O ₃	1
214	Ujjain	Satisfactory	96	PM ₁₀	1
215	Ulhasnagar	Satisfactory	60	PM _{2.5}	1
216	Vapi	Moderate	172	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Varanasi	Good	48	PM ₁₀	4
218	Vatva	Satisfactory	84	PM ₁₀	1
219	Vijayapura	Good	44	PM ₁₀	1
220	Vijayawada	Satisfactory	63	NO ₂	2
221	Visakhapatnam	Moderate	112	PM ₁₀	1
222	Vrindavan	Satisfactory	80	PM ₁₀	1
223	Yadgir	Good	21	SO ₂	1
224	Yamunanagar	Moderate	155	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Ariyalur, Arrah, Bahadurgarh, Begusarai, Bettiah, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.