



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	228	PM _{2.5}	1
2	Agra	Poor	235	PM _{2.5}	5
3	Ahmedabad	Satisfactory	84	NO ₂ , PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	43	PM ₁₀	1
5	Ajmer	Satisfactory	99	PM _{2.5}	1
6	Alwar	Moderate	152	PM _{2.5}	1
7	Amaravati	Satisfactory	81	PM _{2.5}	1
8	Ambala	Very Poor	340	PM _{2.5}	1
9	Amritsar	Moderate	182	PM ₁₀	1
10	Ankleshwar	Poor	205	PM _{2.5}	1
11	Araria	Moderate	142	PM _{2.5}	1
12	Arrah	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	158	PM _{2.5}	1
14	Bagalkot	Good	37	PM _{2.5}	1
15	Baghpat	Very Poor	318	PM _{2.5}	1
16	Bahadurgarh	Poor	278	PM _{2.5}	1
17	Ballabgarh	Very Poor	331	PM _{2.5}	1
18	Bathinda	Moderate	133	PM _{2.5}	1
19	Bengaluru	Satisfactory	51	CO, PM ₁₀ , NO ₂	9
20	Bettiah	Poor	211	PM ₁₀	1
21	Bhagalpur	Poor	248	PM _{2.5}	2
22	Bhiwadi	Poor	273	PM _{2.5}	1
23	Bhiwani	Very Poor	316	PM _{2.5}	1
24	Bhopal	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	64	PM ₁₀	1
26	Bihar Sharif	Moderate	111	NO ₂	1
27	Bilaspur	Satisfactory	60	PM ₁₀	1
28	Brajrajnagar	Satisfactory	63	O ₃	1
29	Bulandshahr	Very Poor	357	PM _{2.5}	1
30	Buxar	Poor	249	PM _{2.5}	1
31	Chamarajanagar	Good	31	O ₃	1
32	Chandigarh	Poor	227	PM _{2.5}	2
33	Chandrapur	Moderate	130	PM _{2.5} , PM ₁₀	2
34	Charkhi Dadri	Poor	264	PM _{2.5}	1
35	Chennai	Satisfactory	60	CO, PM ₁₀ , PM _{2.5}	8
36	Chhapra	Poor	288	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	47	PM _{2.5}	1
38	Chikkamagaluru	Good	43	PM ₁₀	1
39	Coimbatore	Satisfactory	85	NO ₂	1
40	Damoh	Moderate	118	PM _{2.5}	1
41	Darbhanga	Poor	261	PM _{2.5}	1
42	Davanagere	Satisfactory	63	PM ₁₀	1
43	Delhi	Very Poor	362	PM ₁₀ , PM _{2.5}	35
44	Dewas	Satisfactory	79	PM _{2.5}	1
45	Dharuhera	Poor	268	PM _{2.5}	1
46	Durgapur	Moderate	163	PM ₁₀	1
47	Eloor	Satisfactory	70	PM ₁₀	1
48	Ernakulam	Satisfactory	70	NO ₂	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
 # Some stations have data available at 3PM
 * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
 * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Very Poor	309	PM _{2.5} , PM ₁₀	4
50	Fatehabad	Poor	224	PM _{2.5}	1
51	Firozabad	Poor	266	PM _{2.5}	1
52	Gadag	Satisfactory	57	PM _{2.5}	1
53	Gandhinagar	Satisfactory	66	PM _{2.5} , PM ₁₀	3
54	Gaya	Moderate	152	PM _{2.5} , CO	2
55	Ghaziabad	Very Poor	352	PM _{2.5}	4
56	Gorakhpur	Moderate	107	PM _{2.5}	1
57	Greater Noida	Poor	281	PM _{2.5}	1
58	Gummidipoondi	Good	30	PM ₁₀	1
59	Gurugram	Very Poor	340	PM _{2.5}	4
60	Guwahati	Very Poor	310	PM _{2.5}	2

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Very Poor	320	PM _{2.5}	1
62	Hajipur	Satisfactory	88	PM ₁₀	1
63	Haldia	Moderate	101	PM ₁₀	1
64	Hapur	Very Poor	370	PM _{2.5}	1
65	Hassan	Good	40	PM ₁₀	1
66	Hisar	Moderate	196	PM ₁₀	1
67	Howrah	Moderate	193	PM _{2.5}	3
68	Hubballi	Satisfactory	86	PM ₁₀	1
69	Hyderabad	Moderate	126	PM _{2.5}	6
70	Indore	Satisfactory	80	PM _{2.5}	1
71	Jabalpur	Moderate	187	PM _{2.5}	1
72	Jaipur	Poor	221	PM _{2.5}	2

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	186	PM _{2.5}	1
74	Jind	Very Poor	318	PM _{2.5}	1
75	Jodhpur	Moderate	151	PM _{2.5}	1
76	Kaithal	Poor	283	PM _{2.5}	1
77	Kalaburgi	Moderate	112	PM _{2.5}	1
78	Kalyan	Moderate	161	PM _{2.5}	1
79	Kannur	Satisfactory	52	PM _{2.5}	1
80	Kanpur	Moderate	172	PM _{2.5}	3
81	Karnal	Poor	284	PM _{2.5}	1
82	Katihar	Poor	263	PM _{2.5}	1
83	Katni	Poor	213	PM _{2.5}	1
84	Khanna	Poor	202	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Poor	273	PM _{2.5}	1
86	Kochi	Satisfactory	72	CO	1
87	Kohima	Satisfactory	74	PM _{2.5}	1
88	Kolkata	Moderate	198	PM _{2.5}	7
89	Kollam	Satisfactory	83	PM _{2.5}	1
90	Koppal	Satisfactory	51	O ₃	1
91	Kota	Poor	247	PM _{2.5}	1
92	Kozhikode	Satisfactory	54	PM ₁₀	1
93	Kurukshetra	Poor	286	PM _{2.5}	1
94	Lucknow	Moderate	158	PM _{2.5} , PM ₁₀	6
95	Ludhiana	Moderate	150	PM _{2.5}	1
96	Madikeri	Good	37	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Satisfactory	98	CO	1
98	Mandi Gobindgarh	Poor	281	PM _{2.5}	1
99	Mandideep	Satisfactory	62	PM ₁₀	1
100	Mandikhera	Moderate	112	PM _{2.5}	1
101	Manesar	Very Poor	368	PM _{2.5}	1
102	Manglore	Good	31	CO	1
103	Meerut	Very Poor	343	PM ₁₀ , PM _{2.5}	3
104	Moradabad	Poor	281	PM _{2.5}	3
105	Motihari	Moderate	165	PM _{2.5}	1
106	Mumbai	Moderate	173	PM _{2.5} , O ₃ , PM ₁₀	13
107	Munger	Poor	256	PM _{2.5}	1
108	Muzaffarnagar	Very Poor	386	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
 # Some stations have data available at 3PM
 * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
 * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Poor	259	PM _{2.5}	3
110	Mysuru	Good	45	O ₃	1
111	Nagpur	Satisfactory	91	CO	1
112	Naharlagun	Poor	219	O ₃	1
113	Nandesari	Satisfactory	92	CO	1
114	Narnaul	Poor	201	PM _{2.5}	1
115	Nashik	Moderate	117	PM _{2.5}	1
116	Navi Mumbai	Moderate	146	PM _{2.5} , CO	2
117	Noida	Very Poor	321	PM _{2.5}	3
118	Pali	Moderate	132	PM _{2.5}	1
119	Palwal	Moderate	148	PM ₁₀	1
120	Panchkula	Poor	227	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Moderate	173	PM _{2.5}	1
122	Patna	Moderate	182	PM _{2.5} , PM ₁₀	5
123	Pithampur	Moderate	111	PM ₁₀	1
124	Prayagraj	Satisfactory	99	PM _{2.5}	3
125	Puducherry	Good	44	O ₃	1
126	Pune	Moderate	160	PM _{2.5} , PM ₁₀	3
127	Purnia	Very Poor	305	PM _{2.5}	1
128	Raichur	Satisfactory	89	PM ₁₀	1
129	Rajamahendravaram	Moderate	103	PM _{2.5}	1
130	Rajgir	Poor	229	PM _{2.5}	1
131	Ramanagara	Good	37	O ₃	1
132	Ratlam	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rohtak	Poor	270	PM _{2.5}	1
134	Rupnagar	Moderate	182	PM _{2.5}	1
135	Sagar	Satisfactory	54	PM _{2.5}	1
136	Saharsa	Poor	222	PM ₁₀	1
137	Sasaram	Poor	232	PM _{2.5}	1
138	Satna	Satisfactory	54	PM ₁₀	1
139	Shillong	Good	20	PM _{2.5}	1
140	Shivamogga	Good	49	PM ₁₀	1
141	Siliguri	Moderate	153	PM _{2.5}	1
142	Singrauli	Poor	226	PM _{2.5}	1
143	Sirsa	Poor	208	PM _{2.5}	1
144	Siwan	Very Poor	301	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sonipat	Moderate	194	PM ₁₀	1
146	Srinagar	Moderate	111	PM ₁₀	1
147	Talcher	Moderate	177	PM _{2.5}	1
148	Thane	Moderate	166	PM ₁₀	1
149	Thiruvananthapuram	Good	42	PM ₁₀ , NO ₂	2
150	Thoothukudi	Good	18	PM ₁₀	1
151	Thrissur	Satisfactory	54	PM ₁₀	1
152	Tirupati	Good	39	CO	1
153	Udaipur	Poor	232	PM _{2.5}	1
154	Udupi	Good	37	O ₃	1
155	Ujjain	Poor	207	PM ₁₀	1
156	Vapi	Moderate	183	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Varanasi	Moderate	169	PM _{2.5}	4
158	Vatva	Moderate	104	PM ₁₀	1
159	Vijayapura	Good	41	PM ₁₀	1
160	Visakhapatnam	Satisfactory	89	PM ₁₀	1
161	Vrindavan	Poor	270	PM _{2.5}	1
162	Yadgir	Satisfactory	76	PM ₁₀	1
163	Yamunanagar	Poor	290	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Jorapokhar, Kolar, Manguraha, Panipat, Solapur as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.