Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	73	$PM_{2.5}$	1
2	Ahmedabad	Moderate	154	NO_2	1
3	Ajmer	Satisfactory	90	PM_{10}	1
4	Alwar	Satisfactory	86	OZONE	1
5	Amaravati	Moderate	131	$PM_{2.5}$	1
6	Ambala	Satisfactory	86	PM_{10}	1
7	Amritsar	Satisfactory	87	PM_{10}	1
8	Ankleshwar	Poor	217	$PM_{2.5}$	1
9	Asanol	Poor	252	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	86	$PM_{2.5}$	1
11	Baghpat	Moderate	183	PM_{10}	1
12	Bahadurgarh	Moderate	160	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	198	PM_{10}	1
14	Bathinda	Moderate	104	CO	1
15	Bengaluru	Satisfactory	63	PM_{10}, OZONE, $PM_{2.5}$	8
16	Bhiwadi	Poor	210	$PM_{2.5}$	1
17	Bhiwani	Moderate	173	$PM_{2.5}$	1
18	Bhopal	Poor	242	$PM_{2.5}$	1
19	Brajrajnagar	Moderate	129	$PM_{2.5}$	1
20	Chandigarh	Satisfactory	85	$PM_{2.5}$	1
21	Chandrapur	Moderate	152	$PM_{2.5}$	2
22	Chennai	Moderate	103	$PM_{2.5}$	2
23	Chikkaballapur	Satisfactory	52	PM_{10}	1
24	Damoh	Poor	233	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	215	$PM_{2.5}$	34
26	Dewas	Moderate	195	$PM_{2.5}$	1
27	Dharuhera	Moderate	147	$PM_{2.5}$	1
28	Eloor	Good	27	CO	1
29	Faridabad	Moderate	197	$PM_{2.5}$	1
30	Fatehabad	Satisfactory	90	PM_{10}	1
31	GandhiNagar	Moderate	124	$PM_{2.5}$	1
32	Gaya	Moderate	188	$PM_{2.5}$	1
33	Ghaziabad	Poor	218	$PM_{2.5}$	3
34	Greater_Noida	Poor	202	PM_{10}	1
35	Gurugram	Moderate	136	$PM_{2.5}$	1
36	Guwahati	Moderate	149	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Moderate	110	PM_{10}	1
38	Hapur	Moderate	168	PM_{10}	1
39	Hisar	Moderate	196	$PM_{2.5}$	1
40	Howrah	Poor	257	PM_{10}, $PM_{2.5}$	3
41	Hubballi	Moderate	103	PM_{10}	1
42	Hyderabad	Moderate	134	$PM_{2.5}$, PM_{10}	4
43	Indore	Poor	220	$PM_{2.5}$	1
44	Jabalpur	Poor	243	$PM_{2.5}$	1
45	Jaipur	Satisfactory	93	PM_{10}, OZONE	3
46	Jalandhar	Moderate	102	$PM_{2.5}$	1
47	Jind	Poor	209	$PM_{2.5}$	1
48	Jodhpur	Moderate	133	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	149	$PM_{2.5}$	1
50	Kaithal	Satisfactory	66	OZONE	1
51	Kalaburagi	Moderate	114	$PM_{2.5}$	1
52	Kalyan	Moderate	133	$PM_{2.5}$	1
53	Kanpur	Very Poor	307	$PM_{2.5}$	1
54	Katni	Very Poor	304	$PM_{2.5}$	1
55	Khanna	Satisfactory	80	PM_{10}	1
56	Kolkata	Poor	204	$PM_{2.5}$, OZONE	6
57	Kota	Moderate	189	$PM_{2.5}$	1
58	Kurukshetra	Satisfactory	93	PM_{10}	1
59	Lucknow	Poor	256	$PM_{2.5}$	4
60	Ludhiana	Satisfactory	91	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	68	PM_{10}	1
62	Mandi Gobindgarh	Moderate	106	PM_{10}	1
63	Mandideep	Poor	299	PM_{10}	1
64	Mandikhera	Satisfactory	95	$PM_{2.5}$	1
65	Manesar	Moderate	121	$PM_{2.5}$	1
66	Meerut	Moderate	157	$PM_{2.5}$, PM_{10}	3
67	Moradabad	Moderate	154	PM_{10}	1
68	Mumbai	Moderate	145	$PM_{2.5}$	9
69	Muzaffarpur	Very Poor	315	$PM_{2.5}$	1
70	Mysuru	Satisfactory	56	PM_{10}	1
71	Narnaul	Satisfactory	73	PM_{10}	1
72	Nashik	Satisfactory	83	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	159	$PM_{2.5}$	2
74	Noida	Poor	203	$PM_{2.5}$	4
75	Pali	Satisfactory	77	$PM_{2.5}$	1
76	Palwal	Moderate	189	$PM_{2.5}$	1
77	Panchkula	Satisfactory	68	$PM_{2.5}$	1
78	Panipat	Moderate	130	PM_{10}	1
79	Patiala	Satisfactory	75	PM_{10}	1
80	Patna	Very Poor	309	$PM_{2.5}$	1
81	Pithampur	Poor	212	$PM_{2.5}$	1
82	Pune	Moderate	157	$PM_{2.5}$	1
83	Rajamahendravaram	Satisfactory	93	PM_{10}	1
84	Ramanagara	Satisfactory	55	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Moderate	184	$PM_{2.5}$	1
86	Rohtak	Moderate	182	$PM_{2.5}$	1
87	Rupnagar	Moderate	150	$PM_{2.5}$	1
88	Satna	Poor	223	PM_{10}	1
89	Siliguri	Moderate	151	$PM_{2.5}$	1
90	Sirsa	Satisfactory	62	OZONE	1
91	Solapur	Moderate	117	PM_{10}	1
92	Talcher	Moderate	195	PM_{10}	1
93	Thane	Satisfactory	92	PM_{10}	1
94	Thiruvananthapuram	Good	40	CO	1
95	Tirupati	Satisfactory	56	PM_{10}	1
96	Udaipur	Moderate	165	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Poor	214	OZONE	1
98	Vapi	Poor	243	$PM_{2.5}$	1
99	Varanasi	Very Poor	312	$PM_{2.5}$	1
100	Vatva	Poor	209	$PM_{2.5}$	1
101	Visakhapatnam	Satisfactory	93	PM_{10}	1
102	Yadgir	Satisfactory	93	$PM_{2.5}$	1
103	Yamunanagar	Satisfactory	100	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Karnal, Muzaffarnagar, Nagpur, Shillong, Singrauli, Sonipat, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.