



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	229	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	68	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	116	PM <sub>10</sub>	8
4	Aizawl	Satisfactory	66	PM <sub>10</sub>	1
5	Ajmer	Moderate	177	O <sub>3</sub>	1
6	Alwar	Satisfactory	83	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	64	CO	1
8	Ambala	Moderate	134	PM <sub>10</sub>	1
9	Amritsar	Moderate	102	PM <sub>2.5</sub>	1
10	Anantapur	Good	49	PM <sub>2.5</sub>	1
11	Ankleshwar	Moderate	118	CO	1
12	Araria	Moderate	133	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	49	PM <sub>2.5</sub>	1
14	Arrah	Moderate	181	PM <sub>2.5</sub>	1
15	Asansol	Moderate	127	PM <sub>2.5</sub>	1
16	Aurangabad (Bihar)	Moderate	127	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Satisfactory	93	PM <sub>10</sub>	1
18	Baddi	Moderate	132	O <sub>3</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Baghpat	Very Poor	328	PM <sub>10</sub>	1
21	Bahadurgarh	Poor	201	PM <sub>2.5</sub>	1
22	Ballabgarh	Moderate	132	PM <sub>2.5</sub>	1
23	Banswara	Moderate	124	O <sub>3</sub>	1
24	Bareilly	Moderate	114	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	63	PM <sub>10</sub>	1
26	Barmer	Moderate	113	PM <sub>10</sub>	1
27	Bathinda	Satisfactory	81	PM <sub>10</sub>	1
28	Belgaum	Good	48	CO	1
29	Bengaluru	Satisfactory	83	PM <sub>10</sub>	13
30	Bettiah	Very Poor	304	PM <sub>2.5</sub>	1
31	Bhagalpur	Moderate	154	PM <sub>10</sub>	2
32	Bharatpur	Moderate	109	PM <sub>10</sub>	1
33	Bhilai	Good	39	PM <sub>10</sub> , O <sub>3</sub>	3
34	Bhiwadi	Moderate	170	PM <sub>10</sub>	1
35	Bhiwani	Moderate	146	PM <sub>2.5</sub>	1
36	Bhopal	Satisfactory	84	O <sub>3</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Poor	215	PM <sub>10</sub>	1
38	Bikaner	Moderate	150	O <sub>3</sub>	1
39	Bileipada	Moderate	148	PM <sub>10</sub>	1
40	Brajrajnagar	Moderate	107	CO	1
41	Bulandshahr	Moderate	150	O <sub>3</sub>	1
42	Chamarajanagar	Good	47	PM <sub>10</sub>	1
43	Chandigarh	Moderate	111	PM <sub>10</sub> , O <sub>3</sub>	3
44	Chandrapur	Satisfactory	79	PM <sub>10</sub>	1
45	Charkhi Dadri	Poor	268	PM <sub>2.5</sub>	1
46	Chennai	Satisfactory	75	PM <sub>2.5</sub> , CO	6
47	Chhal	Satisfactory	53	O <sub>3</sub>	1
48	Chhapra	Poor	246	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	60	PM <sub>2.5</sub>	1
50	Chikkamagaluru	Good	33	O <sub>3</sub>	1
51	Chittorgarh	Moderate	116	O <sub>3</sub>	1
52	Churu	Moderate	179	O <sub>3</sub>	1
53	Coimbatore	Moderate	108	CO	1
54	Cuddalore	Satisfactory	54	PM <sub>2.5</sub>	2
55	Damoh	Good	15	CO	1
56	Dausa	Moderate	144	PM <sub>2.5</sub>	1
57	Davanagere	Good	33	PM <sub>2.5</sub>	1
58	Dehradun	Moderate	124	CO	1
59	Delhi	Poor	219	PM <sub>10</sub>	39
60	Dewas	Satisfactory	76	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Poor	275	PM <sub>2.5</sub>	1
62	Dharuhera	Moderate	171	PM <sub>10</sub>	1
63	Dharwad	Satisfactory	84	PM <sub>10</sub>	1
64	Dholpur	Moderate	154	O <sub>3</sub>	1
65	Durgapur	Moderate	108	PM <sub>10</sub>	1
66	Faridabad	Moderate	135	PM <sub>2.5</sub>	3
67	Fatehabad	Moderate	155	PM <sub>10</sub>	1
68	Firozabad	Very Poor	308	O <sub>3</sub>	1
69	Gadag	Good	49	SO <sub>2</sub>	1
70	Gandhinagar	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	3
71	Gangtok	Satisfactory	57	O <sub>3</sub>	1
72	Gaya	Moderate	133	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Poor	213	PM <sub>10</sub>	4
74	Gorakhpur	Satisfactory	98	PM <sub>2.5</sub>	1
75	Greater Noida	Poor	254	O <sub>3</sub>	2
76	Gummidipoondi	Moderate	111	PM <sub>2.5</sub>	1
77	Gurugram	Poor	217	PM <sub>2.5</sub>	4
78	Guwahati	Satisfactory	90	O <sub>3</sub>	4
79	Gwalior	Moderate	164	O <sub>3</sub> , PM <sub>2.5</sub>	4
80	Hajipur	Poor	218	PM <sub>10</sub>	1
81	Haldia	Good	40	PM <sub>10</sub>	1
82	Hanumangarh	Moderate	181	PM <sub>10</sub>	1
83	Hapur	Moderate	167	O <sub>3</sub>	1
84	Hassan	Satisfactory	64	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haveri	Satisfactory	55	PM <sub>10</sub>	1
86	Howrah	Satisfactory	76	PM <sub>10</sub> , CO	3
87	Hubballi	Satisfactory	80	PM <sub>10</sub>	2
88	Hyderabad	Satisfactory	86	PM <sub>10</sub>	9
89	Imphal	Satisfactory	82	SO <sub>2</sub>	2
90	Indore	Satisfactory	60	PM <sub>10</sub>	1
91	Jabalpur	Satisfactory	89	O <sub>3</sub>	1
92	Jaipur	Moderate	112	O <sub>3</sub> , PM <sub>10</sub>	6
93	Jalandhar	Satisfactory	92	PM <sub>10</sub>	1
94	Jhalawar	Satisfactory	77	O <sub>3</sub>	1
95	Jhansi	Moderate	129	PM <sub>10</sub>	1
96	Jhunjhunu	Moderate	150	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jind	Poor	222	PM <sub>2.5</sub>	1
98	Jodhpur	Moderate	129	O <sub>3</sub> , PM <sub>2.5</sub>	4
99	Jorapokhar	Moderate	156	PM <sub>10</sub>	1
100	Kadapa	Good	46	PM <sub>2.5</sub>	1
101	Kaithal	Poor	205	PM <sub>2.5</sub>	1
102	Kalaburgi	Satisfactory	60	PM <sub>2.5</sub> , PM <sub>10</sub>	2
103	Kalyan	Moderate	101	PM <sub>10</sub>	1
104	Kanchipuram	Satisfactory	75	PM <sub>10</sub>	1
105	Kannur	Satisfactory	68	PM <sub>10</sub>	1
106	Kanpur	Satisfactory	79	PM <sub>2.5</sub>	4
107	Karauli	Good	31	PM <sub>2.5</sub>	1
108	Katihar	Moderate	153	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katni	Satisfactory	78	O <sub>3</sub>	1
110	Keonjhar	Satisfactory	71	PM <sub>10</sub>	1
111	Khanna	Moderate	113	PM <sub>10</sub>	1
112	Khurja	Satisfactory	97	PM <sub>2.5</sub>	1
113	Kishanganj	Moderate	112	PM <sub>10</sub>	1
114	Kohima	Satisfactory	71	PM <sub>10</sub>	1
115	Kolhapur	Satisfactory	70	O <sub>3</sub>	2
116	Kolkata	Satisfactory	60	PM <sub>10</sub>	7
117	Kollam	Satisfactory	53	PM <sub>2.5</sub>	1
118	Koppal	Satisfactory	53	O <sub>3</sub>	1
119	Korba	Satisfactory	93	NO <sub>2</sub>	1
120	Kota	Moderate	112	O <sub>3</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Moderate	173	PM <sub>2.5</sub>	1
122	Lucknow	Satisfactory	92	PM <sub>10</sub>	6
123	Ludhiana	Moderate	174	PM <sub>2.5</sub>	1
124	Mandi Gobindgarh	Moderate	130	PM <sub>2.5</sub>	1
125	Mandikhera	Satisfactory	99	PM <sub>10</sub>	1
126	Manesar	Moderate	192	PM <sub>2.5</sub>	1
127	Mangalore	Satisfactory	53	CO	1
128	Manguraha	Moderate	183	O <sub>3</sub>	1
129	Meerut	Poor	234	PM <sub>10</sub> , PM <sub>2.5</sub>	3
130	Milupara	Good	39	NO <sub>2</sub>	1
131	Moradabad	Moderate	151	PM <sub>2.5</sub>	6
132	Motihari	Moderate	115	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	92	PM <sub>10</sub>	18
134	Munger	Poor	243	PM <sub>10</sub>	1
135	Muzaffarnagar	Poor	241	PM <sub>2.5</sub>	1
136	Muzaffarpur	Poor	258	PM <sub>10</sub> , PM <sub>2.5</sub>	3
137	Mysuru	Good	44	PM <sub>10</sub>	1
138	Nagaon	Moderate	112	PM <sub>10</sub>	1
139	Nagpur	Satisfactory	60	PM <sub>10</sub>	1
140	Nalbari	Moderate	166	PM <sub>10</sub>	1
141	Nandesari	Good	33	CO	1
142	Nashik	Satisfactory	62	PM <sub>10</sub>	1
143	Navi Mumbai	Moderate	114	PM <sub>10</sub>	2
144	Nayagarh	Moderate	146	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Poor	224	PM <sub>10</sub>	4
146	Ooty	Satisfactory	55	PM <sub>10</sub>	1
147	Pali	Satisfactory	92	O <sub>3</sub>	1
148	Palwal	Satisfactory	97	PM <sub>10</sub>	1
149	Panchkula	Moderate	110	PM <sub>2.5</sub>	1
150	Panipat	Moderate	174	PM <sub>10</sub>	1
151	Patiala	Moderate	103	PM <sub>10</sub>	1
152	Patna	Poor	239	PM <sub>10</sub> , PM <sub>2.5</sub>	6
153	Pithampur	Satisfactory	68	PM <sub>10</sub>	1
154	Pratapgarh	Satisfactory	89	O <sub>3</sub>	1
155	Prayagraj	Good	50	PM <sub>10</sub>	3
156	Puducherry	Satisfactory	55	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pune	Moderate	122	PM <sub>2.5</sub>	3
158	Purnia	Moderate	118	PM <sub>2.5</sub>	1
159	Raichur	Good	50	PM <sub>10</sub>	1
160	Raipur	Satisfactory	65	PM <sub>10</sub> , NO <sub>2</sub>	4
161	Rairangpur	Satisfactory	66	PM <sub>10</sub>	1
162	Rajamahendravaram	Satisfactory	67	PM <sub>10</sub>	1
163	Rajgir	Moderate	108	PM <sub>2.5</sub>	1
164	Ramanagara	Satisfactory	61	O <sub>3</sub>	1
165	Ramanathapuram	Satisfactory	54	PM <sub>10</sub>	1
166	Ratlam	Satisfactory	69	NO <sub>2</sub>	1
167	Rishikesh	Satisfactory	63	PM <sub>10</sub>	1
168	Rohtak	Moderate	198	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rourkela	Moderate	116	PM <sub>10</sub>	2
170	Sagar	Moderate	157	O <sub>3</sub>	1
171	Samastipur	Poor	295	PM <sub>10</sub>	1
172	Satna	Good	44	PM <sub>10</sub>	1
173	Sawai Madhopur	Satisfactory	99	O <sub>3</sub>	1
174	Shillong	Satisfactory	74	PM <sub>10</sub>	1
175	Shivamogga	Good	33	O <sub>3</sub>	1
176	Sikar	Moderate	188	PM <sub>10</sub>	1
177	Silchar	Good	38	CO	1
178	Siliguri	Satisfactory	67	PM <sub>10</sub>	1
179	Singrauli	Satisfactory	86	NO <sub>2</sub>	1
180	Sirsa	Moderate	118	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sivasagar	Good	34	PM <sub>2.5</sub>	1
182	Siwan	Poor	245	PM <sub>2.5</sub>	1
183	Solapur	Moderate	120	PM <sub>10</sub>	1
184	Sonipat	Very Poor	374	PM <sub>10</sub>	1
185	Sri Ganganagar	Very Poor	313	PM <sub>10</sub>	1
186	Suakati	Satisfactory	58	O <sub>3</sub>	1
187	Talcher	Satisfactory	58	PM <sub>10</sub>	1
188	Tensa	Satisfactory	58	O <sub>3</sub>	1
189	Thane	Moderate	110	PM <sub>10</sub>	1
190	Thiruvananthapuram	Good	31	PM <sub>10</sub> , CO	2
191	Thoothukudi	Satisfactory	64	O <sub>3</sub>	1
192	Tirupati	Satisfactory	79	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupur	Good	33	PM <sub>10</sub>	1
194	Tonk	Moderate	115	PM <sub>10</sub>	1
195	Tumakuru	Moderate	113	PM <sub>10</sub>	1
196	Tumidih	Satisfactory	59	PM <sub>10</sub>	1
197	Udaipur	Satisfactory	87	PM <sub>10</sub>	1
198	Ujjain	Satisfactory	94	O <sub>3</sub>	1
199	Vapi	Satisfactory	71	PM <sub>2.5</sub>	1
200	Varanasi	Satisfactory	62	O <sub>3</sub>	4
201	Vatva	Moderate	117	PM <sub>10</sub>	1
202	Vijayapura	Good	46	PM <sub>10</sub>	1
203	Visakhapatnam	Satisfactory	84	PM <sub>10</sub>	1
204	Vrindavan	Moderate	131	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yadgir	Satisfactory	58	PM <sub>2.5</sub>	1
206	Yamunanagar	Moderate	138	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Begusarai, Bidar,

Bilaspur, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Jaisalmer, Karnal, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Naharlagun, Narnaul, Palkalaiperur, Rajsamand, Rupnagar, Saharsa, Salem, Sasaram, Sirohi, Srinagar, Surat, Thrissur, Udupi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: