

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	120	PM _{2.5}	1
2	Agra	Very Poor	308	PM _{2.5}	1
3	Ahmedabad	Moderate	146	PM ₁₀	1
4	Aizawl	Satisfactory	63	PM _{2.5}	1
5	Ajmer	Moderate	145	PM ₁₀	1
6	Alwar	Moderate	103	PM ₁₀	1
7	Amaravati	Satisfactory	80	PM _{2.5}	1
8	Ambala	Poor	224	PM _{2.5}	1
9	Amritsar	Moderate	112	PM ₁₀	1
10	Ankleshwar	Poor	223	PM _{2.5}	1
11	Asansol	Poor	246	PM _{2.5}	1
12	Aurangabad	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	332	PM _{2.5}	1
14	Bahadurgarh	Poor	252	PM _{2.5}	1
15	Ballabgarh	Poor	258	PM _{2.5}	1
16	Bathinda	Moderate	121	PM ₁₀	1
17	Bengaluru	Satisfactory	85	PM ₁₀ , PM _{2.5}	8
18	Bhiwadi	Very Poor	345	PM _{2.5}	1
19	Bhopal	Poor	220	PM _{2.5}	1
20	Bidar	Moderate	113	PM ₁₀	1
21	Bulandshahr	Very Poor	366	PM _{2.5}	1
22	Chandigarh	Moderate	192	PM _{2.5}	1
23	Chandrapur	Moderate	183	PM _{2.5}	1
24	Charkhi Dadri	Poor	300	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	63	PM ₁₀ , CO, PM _{2.5}	6
26	Chikkaballapur	Satisfactory	77	PM ₁₀	1
27	Damoh	Poor	236	PM _{2.5}	1
28	Delhi	Very Poor	323	PM _{2.5}	35
29	Dewas	Moderate	177	PM ₁₀	1
30	Eloor	Good	47	со	1
31	Faridabad	Very Poor	336	PM _{2.5} , PM ₁₀	2
32	Fatehabad	Moderate	169	PM _{2.5}	1
33	Gadag	Satisfactory	63	03	1
34	Gandhinagar	Moderate	126	PM ₁₀	1
35	Gaya	Moderate	140	PM _{2.5}	2
36	Ghaziabad	Very Poor	360	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Very Poor	372	PM _{2.5}	2
38	Gummidipoondi	Moderate	168	PM _{2.5}	1
39	Gurugram	Poor	280	PM _{2.5}	4
40	Guwahati	Poor	282	PM _{2.5}	2
41	Gwalior	Very Poor	336	PM _{2.5}	1
42	Hajipur	Moderate	125	PM ₁₀	1
43	Haldia	Moderate	131	PM ₁₀	1
44	Hisar	Poor	230	PM _{2.5}	1
45	Howrah	Poor	207	PM _{2.5} , PM ₁₀	3
46	Hubballi	Moderate	114	PM ₁₀	1
47	Hyderabad	Moderate	109	PM _{2.5} , PM ₁₀	5
48	Indore	Moderate	181	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Poor	245	PM _{2.5}	1
50	Jaipur	Moderate	123	PM _{2.5} , PM ₁₀	2
51	Jalandhar	Satisfactory	82	PM ₁₀	1
52	Jind	Poor	270	PM _{2.5}	1
53	Jodhpur	Moderate	186	PM _{2.5}	1
54	Jorapokhar	Moderate	157	PM ₁₀	1
55	Kaithal	Moderate	167	PM _{2.5}	1
56	Kalaburgi	Satisfactory	97	PM _{2.5}	1
57	Kalyan	Poor	250	O ₃	1
58	Kannur	Moderate	106	PM _{2.5}	1
59	Kanpur	Very Poor	321	PM _{2.5}	2
60	Karnal	Moderate	150	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	284	PM _{2.5}	1
62	Khanna	Moderate	117	PM _{2.5}	1
63	Kohima	Moderate	114	PM _{2.5}	1
64	Kolar	Good	50	03	1
65	Kolkata	Poor	290	PM _{2.5}	7
66	Kollam	Satisfactory	83	PM ₁₀	1
67	Kota	Poor	249	PM _{2.5}	1
68	Kozhikode	Severe	417	PM ₁₀	1
69	Kurukshetra	Poor	269	PM _{2.5}	1
70	Lucknow	Poor	282	PM _{2.5}	4
71	Ludhiana	Satisfactory	93	PM ₁₀	1
72	Maihar	Poor	201	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Poor	243	PM _{2.5}	1
74	Mandideep	Moderate	188	PM _{2.5}	1
75	Mandikhera	Moderate	116	PM _{2.5}	1
76	Manesar	Poor	234	PM _{2.5}	1
77	Manglore	Satisfactory	97	PM _{2.5}	1
78	Medikeri	Satisfactory	74	PM ₁₀	1
79	Meerut	Very Poor	336	PM _{2.5}	2
80	Moradabad	Poor	263	PM _{2.5}	1
81	Mumbai	Poor	207	PM _{2.5} , PM ₁₀	19
82	Muzaffarpur	Poor	256	PM _{2.5} , PM ₁₀	2
83	Mysuru	Satisfactory	94	PM ₁₀	1
84	Nagpur	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	232	PM _{2.5}	1
86	Nashik	Satisfactory	95	PM _{2.5}	1
87	Navi Mumbai	Poor	282	PM _{2.5} , O ₃	3
88	Noida	Very Poor	352	PM _{2.5}	3
89	Pali	Moderate	136	PM _{2.5}	1
90	Palwal	Moderate	118	PM ₁₀	1
91	Panchkula	Poor	272	PM _{2.5}	1
92	Patiala	Moderate	129	PM _{2.5}	1
93	Patna	Moderate	172	PM _{2.5} , PM ₁₀ , CO	6
94	Pithampur	Poor	204	PM _{2.5}	1
95	Puducherry	Satisfactory	52	PM ₁₀	1
96	Pune	Moderate	128	NO ₂ , PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Moderate	156	PM ₁₀	1
98	Rajamahendravaram	Moderate	121	PM _{2.5}	1
99	Ratlam	Moderate	180	PM ₁₀	1
100	Rohtak	Poor	260	PM _{2.5}	1
101	Rupnagar	Severe	500	PM ₁₀	1
102	Sagar	Satisfactory	84	PM _{2.5}	1
103	Satna	Satisfactory	92	PM ₁₀	1
104	Shivamogga	Satisfactory	95	PM _{2.5}	1
105	Siliguri	Poor	270	PM _{2.5}	1
106	Sirsa	Moderate	127	PM ₁₀	1
107	Solapur	Moderate	181	PM ₁₀	1
108	Sonipat	Moderate	190	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

lotes:

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	117	PM _{2.5}	1
110	Thane	Poor	234	PM ₁₀	1
111	Thiruvananthapuram	Satisfactory	66	PM ₁₀	2
112	Thoothukudi	Satisfactory	58	03	1
113	Tirupati	Satisfactory	81	PM _{2.5}	1
114	Udaipur	Moderate	149	PM _{2.5}	1
115	Ujjain	Moderate	196	PM ₁₀	1
116	Vapi	Poor	235	PM ₁₀	1
117	Varanasi	Very Poor	326	PM _{2.5}	1
118	Vatva	Poor	246	PM ₁₀	1
119	Vijayapura	Satisfactory	56	со	1
120	Visakhapatnam	Moderate	143	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Satisfactory	98	PM ₁₀	1
122	Yamunanagar	Very Poor	310	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Ernakulam, Hapur, Kochi, Koppal, Muzaffarnagar, Nandesari, Panipat, Ramanagara, Shillong, Singrauli, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.