

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	54	PM <sub>10</sub>	4
2	Ahmedabad	Satisfactory	67	PM <sub>10</sub>	4
3	Aizawl	Good	24	SO <sub>2</sub>	1
4	Ajmer	Satisfactory	99	PM <sub>10</sub>	1
5	Alwar	Satisfactory	57	PM <sub>10</sub>	1
6	Amaravati	Good	30	03	1
7	Bagalkot	Good	45	PM <sub>10</sub>	1
8	Bahadurgarh	Satisfactory	72	PM <sub>10</sub>	1
9	Ballabgarh	Moderate	134	PM <sub>2.5</sub>	1
10	Bengaluru	Satisfactory	56	CO, PM <sub>10</sub> , NO <sub>2</sub>	4
11	Bhiwadi	Satisfactory	93	PM <sub>10</sub>	1
12	Bhiwani	Satisfactory	67	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Chikkamagaluru, Coimbatore, Damoh, Darbhanga, Davanagere, Dewas, Durç Eloor, Gadag, Gorakhpur, Hajipur, Haldia, Jalandhar, Jorapokhar, Kalaburgi,

Kannur, Kohima, Koppal, Kurukshetra, Ludhiana, Maihar, Mandideep, Mandikhera, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Narnaul, Pali, Panchkula, Patiala, Raichur, Shillong, Shivamogga, Siliguri, Solapur, Sonipat, Srinagar, Talcher, Thane, Tirupati, Udaipur, Udupi, Vapi, Vatva as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ambala, Amritsar, Ankleshwar, Asansol, Aurangabad, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhopal	Satisfactory	67	03	1
14	Bilaspur	Satisfactory	58	PM <sub>10</sub>	1
15	Bulandshahr	Satisfactory	73	PM <sub>10</sub>	1
16	Chandigarh	Moderate	108	03	1
17	Chandrapur	Satisfactory	58	PM <sub>10</sub>	2
18	Charkhi Dadri	Satisfactory	58	PM <sub>10</sub>	1
19	Chennai	Good	41	PM <sub>10</sub> , CO	5
20	Delhi	Satisfactory	91	PM <sub>10</sub> , CO, O <sub>3</sub>	37
21	Dharuhera	Satisfactory	60	со	1
22	Ernakulam	Good	50	со	1
23	Faridabad	Satisfactory	98	03	1
24	Fatehabad	Satisfactory	54	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ambala, Amritsar, Ankleshwar, Asansol, Aurangabad, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur,

### Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

### <del>Chikkamagaluru, Coimbatore, Damoh, Darbhanga, Davanagere, Dewas, Durg</del>e

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Firozabad	Good	49	PM <sub>10</sub>	1
26	Gandhinagar	Satisfactory	58	PM <sub>2.5</sub> , CO	3
27	Gaya	Good	50	CO, PM <sub>10</sub>	2
28	Ghaziabad	Moderate	124	PM <sub>10</sub>	3
29	Greater Noida	Moderate	128	O <sub>3</sub> , PM <sub>10</sub>	2
30	Gummidipoondi	Satisfactory	62	PM <sub>10</sub>	1
31	Gurugram	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub>	3
32	Guwahati	Good	37	SO <sub>2</sub>	1
33	Gwalior	Satisfactory	57	PM <sub>10</sub>	2
34	Hapur	Moderate	112	PM <sub>10</sub>	1
35	Hassan	Good	33	PM <sub>2.5</sub>	1
36	Hisar	Satisfactory	54	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Eloor, Gadag, Gorakhpur, Hajipur, Haldia, Jalandhar, Jorapokhar, Kalaburgi,

Kannur, Kohima, Koppal, Kurukshetra, Ludhiana, Maihar, Mandideep, Mandikhera, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Narnaul, Pali, Panchkula, Patiala, Raichur, Shillong, Shivamogga, Siliguri, Solapur, Sonipat, Srinagar, Talcher, Thane, Tirupati, Udaipur, Udupi, Vapi, Vatva as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ambala, Amritsar, Ankleshwar, Asansol, Aurangabad, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Good	46	CO, O <sub>3</sub>	2
38	Hubballi	Good	38	PM <sub>10</sub>	1
39	Hyderabad	Satisfactory	55	NO <sub>2</sub> , CO, PM <sub>10</sub>	3
40	Indore	Satisfactory	64	PM <sub>10</sub>	1
41	Jabalpur	Satisfactory	62	PM <sub>10</sub>	1
42	Jaipur	Satisfactory	57	PM <sub>10</sub>	1
43	Jind	Satisfactory	65	PM <sub>10</sub>	1
44	Jodhpur	Satisfactory	85	PM <sub>10</sub>	1
45	Kaithal	Satisfactory	98	PM <sub>10</sub>	1
46	Kalyan	Moderate	104	PM <sub>10</sub>	1
47	Kanpur	Satisfactory	67	O <sub>3</sub> , PM <sub>10</sub>	4
48	Karnal	Satisfactory	70	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ambala, Amritsar, Ankleshwar, Asansol, Aurangabad, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur,

Eloor, Gadag, Gorakhpur, Hajipur, Haldia, Jalandhar, Jorapokhar, Kalaburgi,

Kannur, Kohima, Koppal, Kurukshetra, Ludhiana, Maihar, Mandideep, Mandikhera, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Narnaul, Pali, Panchkula, Patiala, Raichur, Shillong, Shivamogga, Siliguri, Solapur, Sonipat, Srinagar, Talcher, Thane, Tirupati, Udaipur, Udupi, Vapi, Vatva

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Katni	Satisfactory	69	PM <sub>10</sub>	1
50	Khanna	Moderate	105	PM <sub>10</sub>	1
51	Kochi	Satisfactory	52	со	1
52	Kolar	Good	48	PM <sub>10</sub>	1
53	Kolkata	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	4
54	Kollam	Satisfactory	90	со	1
55	Kota	Satisfactory	55	PM <sub>10</sub>	1
56	Kozhikode	Satisfactory	58	со	1
57	Lucknow	Satisfactory	71	CO, PM <sub>10</sub> , O <sub>3</sub>	5
58	Mandi Gobindgarh	Moderate	135	PM <sub>2.5</sub>	1
59	Manesar	Satisfactory	79	PM <sub>10</sub>	1
60	Manglore	Satisfactory	56	NO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ambala, Amritsar, Ankleshwar, Asansol, Aurangabad, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur,

Eloor, Gadag, Gorakhpur, Hajipur, Haldia, Jalandhar, Jorapokhar, Kalaburgi,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Mandikhera, Motihari, Muzaffarpur, Mysuru, Nagpur, Naharlagun, Narnaul, Pali, Panchkula, Patiala, Raichur, Shillong, Shivamogga, Siliguri, Solapur, Sonipat, Srinagar, Talcher, Thane, Tirupati, Udaipur, Udupi, Vapi, Vatva as data was not available.

Kannur, Kohima, Koppal, Kurukshetra, Ludhiana, Maihar, Mandideep,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Medikeri	Good	36	O <sub>3</sub>	1
62	Meerut	Moderate	106	PM <sub>10</sub>	3
63	Moradabad	Moderate	164	PM <sub>2.5</sub>	1
64	Mumbai	Satisfactory	78	PM <sub>10</sub> , CO	16
65	Muzaffarnagar	Moderate	104	PM <sub>10</sub>	1
66	Nandesari	Very Poor	317	PM <sub>2.5</sub>	1
67	Nashik	Satisfactory	57	O <sub>3</sub>	1
68	Navi Mumbai	Satisfactory	94	PM <sub>10</sub>	2
69	Noida	Satisfactory	94	PM <sub>10</sub>	3
70	Palwal	Satisfactory	78	PM <sub>10</sub>	1
71	Panipat	Moderate	107	PM <sub>10</sub>	1
72	Patna	Good	47	PM <sub>10</sub>	2

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Chikkamagaluru, Coimbatore, Damoh, Darbhanga, Davanagere, Dewas, Dur

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ambala, Amritsar, Ankleshwar, Asansol, Aurangabad, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pithampur	Good	48	O <sub>3</sub>	1
74	Prayagraj	Good	44	PM <sub>10</sub>	3
75	Puducherry	Good	37	03	1
76	Pune	Satisfactory	72	CO, SO <sub>2</sub> , PM <sub>2.5</sub>	6
77	Rajamahendravaram	Good	39	PM <sub>10</sub>	1
78	Ramanagara	Good	34	O <sub>3</sub>	1
79	Ratlam	Good	34	PM <sub>10</sub>	1
80	Rohtak	Moderate	123	СО	1
81	Rupnagar	Satisfactory	93	PM <sub>10</sub>	1
82	Sagar	Good	45	со	1
83	Satna	Satisfactory	56	PM <sub>10</sub>	1
84	Singrauli	Moderate	114	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Chikkamagaluru, Coimbatore, Damoh, Darbhanga, Davanagere, Dewas, Durg

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ambala, Amritsar, Ankleshwar, Asansol, Aurangabad, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sirsa	Satisfactory	56	PM <sub>10</sub>	1
86	Thiruvananthapuram	Satisfactory	56	CO, PM <sub>10</sub>	2
87	Thoothukudi	Good	43	PM <sub>10</sub>	1
88	Thrissur	Good	50	03	1
89	Ujjain	Satisfactory	68	PM <sub>10</sub>	1
90	Varanasi	Good	40	PM <sub>10</sub> , SO <sub>2</sub>	4
91	Vijayapura	Good	46	PM <sub>10</sub>	1
92	Visakhapatnam	Good	31	NO <sub>2</sub>	1
93	Vrindavan	Satisfactory	52	PM <sub>10</sub>	1
94	Yadgir	Good	37	SO <sub>2</sub>	1
95	Yamunanagar	Moderate	178	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Agartala, Ambala, Amritsar, Ankleshwar, Asansol, Aurangabad, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur,

#### Chikkamagaluru, Coimbatore, Damoh, Darbhanga, Davanagere, Dewas, Durga

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.