

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	181	PM _{2.5}	1
2	Agra	Moderate	164	PM _{2.5}	5
3	Ahmedabad	Satisfactory	100	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	39	PM ₁₀	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Moderate	105	PM ₁₀	1
7	Amaravati	Good	28	со	1
8	Ambala	Poor	252	PM _{2.5}	1
9	Amritsar	Moderate	143	PM _{2.5}	1
10	Ankleshwar	Poor	211	PM _{2.5}	1
11	Asansol	Poor	268	PM _{2.5}	1
12	Aurangabad	Good	44	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	45	PM _{2.5}	1
14	Baghpat	Poor	279	PM _{2.5}	1
15	Bahadurgarh	Very Poor	302	PM _{2.5}	1
16	Ballabgarh	Poor	215	PM ₁₀	1
17	Bathinda	Moderate	159	PM ₁₀	1
18	Bengaluru	Satisfactory	62	NO ₂ , CO, PM _{2.5}	7
19	Bhiwadi	Poor	271	PM _{2.5}	1
20	Bhiwani	Poor	217	PM _{2.5}	1
21	Bhopal	Moderate	161	PM _{2.5}	1
22	Bilaspur	Good	50	PM ₁₀	1
23	Bulandshahr	Poor	274	PM ₁₀	1
24	Chamarajanagar	Good	35	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	139	PM _{2.5} , PM ₁₀	2
26	Chandrapur	Satisfactory	62	PM ₁₀ , PM _{2.5}	2
27	Charkhi Dadri	Very Poor	318	PM _{2.5}	1
28	Chennai	Satisfactory	56	PM ₁₀ , CO	5
29	Chikkaballapur	Good	29	со	1
30	Coimbatore	Satisfactory	68	NO ₂	1
31	Damoh	Moderate	122	PM _{2.5}	1
32	Darbhanga	Very Poor	379	PM _{2.5}	1
33	Davanagere	Good	42	PM ₁₀	1
34	Delhi	Very Poor	311	PM ₁₀ , PM _{2.5}	32
35	Dewas	Satisfactory	67	PM ₁₀	1
36	Dharuhera	Moderate	176	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Very Poor	365	PM _{2.5}	1
38	Eloor	Good	48	СО	1
39	Faridabad	Very Poor	330	PM ₁₀ , PM _{2.5}	2
40	Fatehabad	Poor	240	PM _{2.5}	1
41	Firozabad	Poor	204	03	1
42	Gandhinagar	Satisfactory	82	PM _{2.5}	3
43	Gaya	Moderate	124	PM _{2.5}	2
44	Ghaziabad	Poor	254	PM _{2.5}	4
45	Gorakhpur	Moderate	120	PM _{2.5}	1
46	Greater Noida	Poor	202	PM _{2.5}	2
47	Gurugram	Very Poor	310	PM _{2.5}	4
48	Guwahati	Moderate	172	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Moderate	118	PM _{2.5} , PM ₁₀	2
50	Hajipur	Poor	289	PM _{2.5}	1
51	Haldia	Poor	213	PM _{2.5}	1
52	Hapur	Poor	213	PM _{2.5}	1
53	Hassan	Good	24	NO ₂	1
54	Hisar	Very Poor	328	PM _{2.5}	1
55	Howrah	Poor	293	PM _{2.5}	3
56	Hubballi	Satisfactory	70	PM ₁₀	1
57	Hyderabad	Good	44	PM ₁₀ , NO ₂ , PM _{2.5}	4
58	Indore	Moderate	129	PM _{2.5}	1
59	Jabalpur	Moderate	196	PM _{2.5}	1
60	Jaipur	Moderate	174	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Poor	207	PM _{2.5}	1
62	Jind	Very Poor	305	PM _{2.5}	1
63	Jodhpur	Moderate	182	PM _{2.5}	1
64	Jorapokhar	Satisfactory	51	PM ₁₀	1
65	Kaithal	Moderate	164	PM ₁₀	1
66	Kalyan	Good	47	PM _{2.5}	1
67	Kannur	Good	47	СО	1
68	Kanpur	Moderate	198	NO ₂ , PM _{2.5}	3
69	Karnal	Moderate	153	PM _{2.5}	1
70	Katni	Poor	221	PM _{2.5}	1
71	Khanna	Moderate	159	PM _{2.5}	1
72	Kohima	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Poor	258	PM _{2.5}	6
74	Kollam	Moderate	111	PM ₁₀	1
75	Koppal	Satisfactory	62	03	1
76	Kota	Satisfactory	98	PM ₁₀	1
77	Kozhikode	Satisfactory	54	PM ₁₀	1
78	Kurukshetra	Moderate	178	PM _{2.5}	1
79	Lucknow	Moderate	180	PM _{2.5} , PM ₁₀	6
80	Ludhiana	Moderate	187	PM _{2.5}	1
81	Mandi Gobindgarh	Poor	240	PM ₁₀	1
82	Mandideep	Moderate	108	PM ₁₀	1
83	Mandikhera	Satisfactory	69	PM _{2.5}	1
84	Manesar	Poor	270	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manglore	Satisfactory	58	со	1
86	Medikeri	Good	24	03	1
87	Meerut	Poor	226	PM _{2.5}	3
88	Moradabad	Poor	228	PM _{2.5}	2
89	Motihari	Severe	426	PM _{2.5}	1
90	Mumbai	Satisfactory	66	PM ₁₀ , CO, PM _{2.5}	19
91	Munger	Very Poor	388	PM _{2.5}	1
92	Muzaffarnagar	Poor	233	O ₃	1
93	Muzaffarpur	Very Poor	323	PM _{2.5} , PM ₁₀	3
94	Nandesari	Satisfactory	82	со	1
95	Narnaul	Poor	242	PM _{2.5}	1
96	Nashik	Good	32	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Satisfactory	66	со	2
98	Noida	Poor	270	PM ₁₀ , PM _{2.5}	4
99	Pali	Satisfactory	76	PM ₁₀	1
100	Palwal	Moderate	134	PM ₁₀	1
101	Panchkula	Moderate	162	PM _{2.5}	1
102	Panipat	Moderate	185	PM ₁₀	1
103	Patiala	Moderate	132	PM ₁₀	1
104	Patna	Poor	291	PM _{2.5} , PM ₁₀	5
105	Pithampur	Moderate	133	PM _{2.5}	1
106	Prayagraj	Poor	230	O ₃ , PM _{2.5}	3
107	Puducherry	Good	45	PM _{2.5}	1
108	Pune	Satisfactory	61	CO, PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Raichur	Satisfactory	63	PM ₁₀	1
110	Rajamahendravaram	Satisfactory	51	O ₃	1
111	Ramanagara	Good	48	03	1
112	Rohtak	Very Poor	310	PM _{2.5}	1
113	Rupnagar	Poor	202	PM _{2.5}	1
114	Sagar	Satisfactory	65	PM _{2.5}	1
115	Satna	Satisfactory	67	PM ₁₀	1
116	Shillong	Good	28	PM _{2.5}	1
117	Singrauli	Poor	277	PM ₁₀	1
118	Solapur	Good	47	NO ₂	1
119	Sonipat	Poor	248	PM _{2.5}	1
120	Srinagar	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Talcher	Good	40	PM ₁₀	1
122	Thane	Satisfactory	82	NO ₂	1
123	Thiruvananthapuram	Good	49	PM ₁₀ , PM _{2.5}	2
124	Thoothukudi	Satisfactory	95	со	1
125	Tirupati	Good	45	со	1
126	Udaipur	Moderate	170	PM _{2.5}	1
127	Udupi	Moderate	122	O ₃	1
128	Ujjain	Moderate	165	O ₃	1
129	Vapi	Satisfactory	65	PM ₁₀	1
130	Varanasi	Moderate	192	PM _{2.5}	4
131	Vatva	Moderate	135	PM _{2.5}	1
132	Vijayapura	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Satisfactory	75	PM ₁₀	1
134	Vrindavan	Moderate	162	PM _{2.5}	1
135	Yadgir	Good	31	PM ₁₀	1
136	Yamunanagar	Poor	205	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkamagaluru, Ernakulam, Gadag, Gummidipoondi, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Ratlam, Sasaram, Shivamogga, Siliguri, Sirsa, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.