

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	79	PM _{2.5}	1
2	Agra	Good	50	PM ₁₀ , O ₃	6
3	Ahmedabad	Moderate	104	PM ₁₀	7
4	Aizawl	Good	23	PM ₁₀	1
5	Ajmer	Satisfactory	80	PM ₁₀	1
6	Akola	Moderate	127	PM ₁₀	1
7	Alwar	Satisfactory	69	PM ₁₀	1
8	Amaravati	Moderate	102	PM ₁₀	1
9	Ambala	Satisfactory	63	PM ₁₀	1
10	Amravati	Moderate	132	PM ₁₀	2
11	Amritsar	Satisfactory	88	PM ₁₀	1
12	Anantapur	Satisfactory	76	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Possible Health Impacts

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

anbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakula

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	89	O ₃	1
14	Arrah	Moderate	125	PM ₁₀	1
15	Asansol	Satisfactory	76	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	123	PM ₁₀	3
17	Baddi	Moderate	151	O ₃	1
18	Badlapur	Satisfactory	88	PM ₁₀	1
19	Bagalkot	Good	42	PM ₁₀	1
20	Baghpat	Satisfactory	88	PM ₁₀	1
21	Bahadurgarh	Satisfactory	81	PM ₁₀	1
22	Ballabgarh	Good	46	PM ₁₀	1
23	Bareilly	Satisfactory	57	PM ₁₀	2
24	Baripada	Satisfactory	81	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatchabad, Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram,

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipura Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	115	PM ₁₀	1
26	Bathinda	Moderate	108	PM _{2.5}	1
27	Begusarai	Moderate	163	PM ₁₀	1
28	Belgaum	Satisfactory	54	PM ₁₀	1
29	Bengaluru	Good	45	PM ₁₀ , NO ₂	10
30	Bhagalpur	Moderate	121	PM ₁₀	1
31	Bharatpur	Satisfactory	51	PM ₁₀	1
32	Bhilai	Satisfactory	66	PM ₁₀	2
33	Bhiwadi	Good	43	PM _{2.5}	1
34	Bhiwani	Satisfactory	100	PM _{2.5}	1
35	Bhopal	Satisfactory	99	PM ₁₀	3
36	Bidar	Satisfactory	54	NH ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatchabad

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	105	PM ₁₀	1
38	Bikaner	Moderate	126	03	1
39	Bilaspur	Satisfactory	87	PM _{2.5}	1
40	Bileipada	Moderate	107	PM ₁₀	1
41	Bulandshahr	Satisfactory	51	PM ₁₀	1
42	Byrnihat	Poor	215	PM ₁₀	1
43	Chamarajanagar	Satisfactory	57	со	1
44	Chandigarh	Moderate	114	O ₃ , PM ₁₀	3
45	Chandrapur	Satisfactory	100	PM ₁₀	1
46	Charkhi Dadri	Satisfactory	55	PM ₁₀	1
47	Chennai	Good	50	NO ₂	7
48	Chhal	Satisfactory	65	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Ganqtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram,

Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Moderate	199	PM ₁₀	1
50	Chikkaballapur	Satisfactory	56	PM ₁₀	1
51	Chikkamagaluru	Satisfactory	92	PM ₁₀	1
52	Chittoor	Good	40	PM _{2.5}	1
53	Chittorgarh	Good	31	PM ₁₀	1
54	Churu	Satisfactory	67	03	1
55	Damoh	Good	29	PM ₁₀	1
56	Davanagere	Good	41	PM _{2.5}	1
57	Dehradun	Satisfactory	61	СО	1
58	Delhi	Satisfactory	75	PM ₁₀ , CO	29
59	Dewas	Moderate	125	PM ₁₀	1
60	Dharuhera	Satisfactory	59	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram,

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipura Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Satisfactory	54	PM ₁₀	1
62	Faridabad	Satisfactory	91	PM ₁₀ , PM _{2.5}	3
63	Firozabad	Satisfactory	58	PM ₁₀	2
64	Gadag	Moderate	122	PM ₁₀	1
65	Gandhinagar	Satisfactory	95	PM _{2.5} , PM ₁₀	3
66	Gaya	Moderate	113	CO, PM _{2.5}	3
67	Ghaziabad	Satisfactory	80	CO, PM ₁₀	4
68	Gorakhpur	Satisfactory	91	PM ₁₀	1
69	Greater Noida	Satisfactory	84	PM ₁₀	1
70	Gummidipoondi	Satisfactory	55	PM ₁₀	1
71	Gurugram	Satisfactory	79	PM ₁₀ , PM _{2.5}	3
72	Guwahati	Good	12	03	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatchabac

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Satisfactory	71	PM ₁₀ , PM _{2.5}	4
74	Hajipur	Satisfactory	97	PM ₁₀	1
75	Haldia	Good	44	PM ₁₀	1
76	Hanumangarh	Moderate	107	PM ₁₀	1
77	Hapur	Good	29	PM ₁₀	1
78	Hassan	Good	45	PM ₁₀	1
79	Haveri	Good	50	PM ₁₀	1
80	Howrah	Good	49	PM ₁₀	3
81	Hubballi	Moderate	130	CO, PM ₁₀	2
82	Hyderabad	Satisfactory	78	PM ₁₀	10
83	Indore	Moderate	116	PM ₁₀	1
84	Jabalpur	Moderate	128	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jaipur	Satisfactory	85	PM ₁₀	4
86	Jaisalmer	Moderate	109	PM ₁₀	1
87	Jalandhar	Satisfactory	75	O ₃	1
88	Jalgaon	Moderate	157	PM ₁₀	1
89	Jalna	Moderate	110	PM ₁₀	1
90	Jhalawar	Good	42	PM ₁₀	1
91	Jhansi	Moderate	112	PM ₁₀	1
92	Jhunjhunu	Satisfactory	73	O ₃	1
93	Jind	Satisfactory	79	со	1
94	Jodhpur	Satisfactory	94	PM ₁₀	4
95	Kadapa	Good	41	PM _{2.5}	1
96	Kaithal	Satisfactory	71	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram,

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipura Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanpur	Satisfactory	88	PM ₁₀ , CO	3
98	Karauli	Good	39	03	1
99	Karnal	Satisfactory	66	PM ₁₀	1
100	Katihar	Satisfactory	79	PM ₁₀	1
101	Katni	Moderate	136	PM ₁₀	1
102	Keonjhar	Satisfactory	63	PM ₁₀	1
103	Khanna	Satisfactory	60	PM ₁₀	1
104	Khurja	Moderate	110	PM _{2.5}	1
105	Kishanganj	Good	34	СО	1
106	Kochi	Satisfactory	74	со	1
107	Kohima	Good	42	SO ₂	1
108	Kolhapur	Satisfactory	74	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Good	45	03	7
110	Kollam	Satisfactory	58	PM ₁₀	1
111	Korba	Moderate	107	PM ₁₀	2
112	Kota	Satisfactory	79	PM ₁₀ , PM _{2.5}	3
113	Kurukshetra	Satisfactory	73	PM ₁₀	1
114	Latur	Satisfactory	83	PM ₁₀	1
115	Lucknow	Satisfactory	92	PM ₁₀	6
116	Ludhiana	Moderate	111	PM ₁₀	1
117	Madikeri	Good	36	PM ₁₀	1
118	Maihar	Satisfactory	57	PM _{2.5}	1
119	Mandi Gobindgarh	Satisfactory	55	PM ₁₀	1
120	Mandideep	Moderate	101	03	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram,

Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Good	26	SO ₂	1
122	Manesar	Satisfactory	57	PM ₁₀	1
123	Mangalore	Satisfactory	64	PM ₁₀	1
124	Manguraha	Moderate	102	PM ₁₀	1
125	Meerut	Satisfactory	98	PM ₁₀	3
126	Milupara	Satisfactory	76	PM ₁₀	1
127	Moradabad	Satisfactory	100	PM _{2.5}	6
128	Motihari	Satisfactory	89	PM ₁₀	1
129	Mumbai	Satisfactory	92	PM ₁₀	17
130	Muzaffarpur	Satisfactory	80	PM ₁₀	3
131	Mysuru	Satisfactory	52	PM ₁₀	1
132	Nagaon	Good	39	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

— Dausa, Dhanbaa, Dharwaa, Dhoipur, Dinaigui, Eleor, Ernakulam, Fatenabaa, Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram,

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipura Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaur	Satisfactory	62	PM ₁₀	1
134	Nagpur	Moderate	109	PM ₁₀	3
135	Naharlagun	Good	24	PM _{2.5}	1
136	Nalbari	Good	22	NO ₂	1
137	Nanded	Moderate	104	PM ₁₀	1
138	Narnaul	Good	36	PM _{2.5}	1
139	Nashik	Satisfactory	93	PM ₁₀	4
140	Navi Mumbai	Satisfactory	72	PM ₁₀	2
141	Nayagarh	Satisfactory	73	PM ₁₀	1
142	Noida	Moderate	119	NO ₂	3
143	Ooty	Good	50	SO ₂	1
144	Palkalaiperur	Satisfactory	65	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatchabad

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palwal	Satisfactory	77	O ₃	1
146	Panipat	Satisfactory	86	PM ₁₀	1
147	Patiala	Satisfactory	69	PM ₁₀	1
148	Patna	Moderate	142	PM _{2.5}	6
149	Pimpri Chinchwad	Satisfactory	92	PM ₁₀	1
150	Pithampur	Moderate	106	PM ₁₀	1
151	Pratapgarh	Satisfactory	83	PM ₁₀	1
152	Prayagraj	Satisfactory	72	PM ₁₀	3
153	Puducherry	Good	45	со	1
154	Pune	Moderate	113	NO ₂ , PM ₁₀	5
155	Raichur	Satisfactory	73	PM ₁₀	1
156	Raipur	Satisfactory	92	PM ₁₀	4

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram,

Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Good	46	PM _{2.5}	1
158	Rajamahendravaram	Satisfactory	89	PM ₁₀	1
159	Rajsamand	Satisfactory	79	со	1
160	Ramanagara	Good	48	PM ₁₀	1
161	Ramanathapuram	Good	41	PM ₁₀	1
162	Rishikesh	Good	41	PM ₁₀	1
163	Rohtak	Good	45	PM _{2.5}	1
164	Rourkela	Satisfactory	98	PM ₁₀	3
165	Rupnagar	Moderate	162	PM _{2.5}	1
166	Sagar	Satisfactory	88	PM ₁₀	1
167	Samastipur	Satisfactory	94	PM ₁₀	1
168	Sangli	Satisfactory	67	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Moderate	106	PM ₁₀	1
170	Shillong	Good	25	SO ₂	1
171	Shivamogga	Satisfactory	58	PM ₁₀	1
172	Sikar	Good	50	03	1
173	Silchar	Good	28	со	1
174	Siliguri	Good	31	со	1
175	Singrauli	Moderate	101	PM ₁₀	1
176	Sivasagar	Satisfactory	68	со	1
177	Solapur	Moderate	117	PM ₁₀	3
178	Sri Ganganagar	Moderate	155	PM ₁₀	1
179	Surat	Good	35	PM _{2.5}	1
180	Tensa	Satisfactory	69	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram,

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipura Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thiruvananthapuram	Good	40	СО	2
182	Thoothukudi	Moderate	109	03	1
183	Thrissur	Good	49	PM _{2.5}	1
184	Tirupati	Satisfactory	82	PM _{2.5} , PM ₁₀	2
185	Tirupur	Good	37	со	1
186	Tumakuru	Satisfactory	84	PM ₁₀	1
187	Tumidih	Moderate	120	PM ₁₀	1
188	Udaipur	Satisfactory	75	PM ₁₀	1
189	Ujjain	Satisfactory	96	PM _{2.5}	1
190	Vapi	Satisfactory	52	PM _{2.5}	1
191	Varanasi	Satisfactory	72	PM ₁₀	4
192	Vatva	Moderate	117	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatchabac

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayawada	Satisfactory	78	PM ₁₀	1
194	Visakhapatnam	Moderate	102	PM ₁₀	1
195	Vrindavan	Moderate	165	PM ₁₀	1
196	Yamunanagar	Satisfactory	81	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Banswara, Baran, Bettiah, Bhilwara, Brajrajnagar, Bundi, Buxar, Chengalpattu, Coimbatore, Cuddalore, Darbhanga,

Dausa, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatchabad

Gangtok, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Munger, Muzaffarnagar, Nandesari, Pali, Panchkula, Parbhani, Purnia, Rajgir, Ratlam, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Talcher, Thane, Tonk, Udupi, Vijayapura, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.