

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	130	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	234	NO <sub>2</sub>	1
3	Ajmer	Satisfactory	82	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	94	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	78	PM <sub>2.5</sub>	1
6	Ambala	Poor	211	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	134	PM <sub>2.5</sub>	1
8	Ankleshwar	Moderate	143	PM <sub>10</sub>	1
9	Asanol	Moderate	143	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	79	PM <sub>10</sub>	1
11	Baghpat	Very Poor	314	PM <sub>2.5</sub>	1
12	Bahadurgarh	Poor	262	OZONE	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	143	PM <sub>10</sub>	1
14	Bathinda	Moderate	106	со	1
15	Bengaluru	Satisfactory	61	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	6
16	Bhiwadi	Poor	256	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	145	PM <sub>10</sub>	1
18	Bhopal	Moderate	146	PM <sub>10</sub>	1
19	Brajrajnagar	Moderate	111	PM <sub>10</sub>	1
20	Bulandshahr	Poor	254	PM <sub>2.5</sub>	1
21	Chandigarh	Moderate	169	PM <sub>2.5</sub>	1
22	Chandrapur	Satisfactory	90	PM <sub>10</sub> , OZONE	2
23	Chennai	Good	48	OZONE, CO	4
24	Chikkaballapur	Good	25	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Moderate	101	со	1
26	Damoh	Satisfactory	91	PM <sub>10</sub>	1
27	Delhi	Very Poor	304	PM <sub>10</sub> , PM <sub>2.5</sub>	34
28	Dewas	Moderate	163	PM <sub>10</sub>	1
29	Dharuhera	Moderate	184	PM <sub>10</sub>	1
30	Eloor	Good	38	со	1
31	Faridabad	Poor	300	PM <sub>2.5</sub>	1
32	Fatehabad	Moderate	164	PM <sub>10</sub>	1
33	GandhiNagar	Moderate	128	PM <sub>10</sub>	1
34	Gaya	Moderate	139	PM <sub>2.5</sub>	1
35	Ghaziabad	Very Poor	339	PM <sub>2.5</sub>	3
36	Greater_Noida	Very Poor	314	PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Poor	287	PM <sub>2.5</sub>	2
38	Haldia	Satisfactory	93	PM <sub>10</sub>	1
39	Hapur	Poor	264	PM <sub>2.5</sub>	1
40	Hisar	Poor	261	PM <sub>2.5</sub>	1
41	Howrah	Poor	204	PM <sub>2.5</sub>	2
42	Hubballi	Satisfactory	81	PM <sub>10</sub>	1
43	Hyderabad	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub>	5
44	Indore	Moderate	170	PM <sub>10</sub>	1
45	Jabalpur	Moderate	115	PM <sub>10</sub>	1
46	Jaipur	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	3
47	Jalandhar	Moderate	188	PM <sub>2.5</sub>	1
48	Jind	Poor	297	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	188	PM <sub>2.5</sub>	1
50	Kaithal	Poor	271	PM <sub>10</sub>	1
51	Kalaburagi	Satisfactory	82	PM <sub>2.5</sub>	1
52	Kalyan	Moderate	118	PM <sub>10</sub>	1
53	Kanpur	Poor	208	PM <sub>2.5</sub>	1
54	Karnal	Poor	298	PM <sub>2.5</sub>	1
55	Katni	Moderate	125	PM <sub>10</sub>	1
56	Khanna	Moderate	116	PM <sub>10</sub>	1
57	Kolkata	Moderate	136	PM <sub>2.5</sub> , OZONE	7
58	Kota	Moderate	131	PM <sub>2.5</sub>	1
59	Kurukshetra	Poor	274	PM <sub>2.5</sub>	1
60	Loni_Ghaziabad	Very Poor	358	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Moderate	192	PM <sub>2.5</sub>	4
62	Ludhiana	Moderate	193	PM <sub>2.5</sub>	1
63	Mandi Gobindgarh	Satisfactory	95	PM <sub>10</sub>	1
64	Mandideep	Moderate	198	PM <sub>10</sub>	1
65	Mandikhera	Moderate	149	PM <sub>10</sub>	1
66	Manesar	Poor	248	PM <sub>2.5</sub>	1
67	Meerut	Very Poor	314	PM <sub>2.5</sub>	2
68	Moradabad	Very Poor	306	PM <sub>2.5</sub>	1
69	Mumbai	Moderate	106	PM <sub>10</sub> , CO	9
70	Muzaffarnagar	Poor	271	PM <sub>2.5</sub>	1
71	Muzaffarpur	Poor	204	PM <sub>2.5</sub>	1
72	Mysuru	Good	45	OZONE	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Satisfactory	96	PM <sub>10</sub>	1
74	Narnaul	Moderate	190	PM <sub>2.5</sub>	1
75	Nashik	Satisfactory	78	PM <sub>10</sub>	1
76	Navi Mumbai	Moderate	124	PM <sub>10</sub> , CO	3
77	Noida	Very Poor	326	PM <sub>2.5</sub>	4
78	Pali	Satisfactory	80	PM <sub>10</sub>	1
79	Palwal	Poor	276	PM <sub>2.5</sub>	1
80	Panchkula	Moderate	158	OZONE	1
81	Panipat	Very Poor	342	PM <sub>10</sub>	1
82	Patiala	Moderate	119	PM <sub>2.5</sub>	1
83	Patna	Poor	207	PM <sub>2.5</sub>	1
84	Pithampur	Moderate	147	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	156	PM <sub>2.5</sub>	1
86	Rajamahendravaram	Satisfactory	72	PM <sub>10</sub>	1
87	Ramanagara	Good	39	PM <sub>10</sub>	1
88	Ratlam	Moderate	163	PM <sub>10</sub>	1
89	Rohtak	Poor	236	PM <sub>2.5</sub>	1
90	Rupnagar	Moderate	121	PM <sub>10</sub>	1
91	Satna	Moderate	139	PM <sub>10</sub>	1
92	Shillong	Good	31	PM <sub>2.5</sub>	1
93	Siliguri	Satisfactory	60	PM <sub>10</sub>	1
94	Singrauli	Poor	222	PM <sub>10</sub>	1
95	Sirsa	Very Poor	301	PM <sub>2.5</sub>	1
96	Solapur	Moderate	122	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	81	SO <sub>2</sub>	1
98	Thiruvananthapuram	Satisfactory	59	СО	1
99	Tirupati	Good	36	NO <sub>2</sub>	1
100	Udaipur	Satisfactory	92	PM <sub>10</sub>	1
101	Ujjain	Moderate	153	OZONE	1
102	Vapi	Moderate	166	PM <sub>2.5</sub>	1
103	Varanasi	Poor	235	PM <sub>2.5</sub>	1
104	Vatva	Moderate	190	PM <sub>10</sub>	1
105	Vijayawada	Moderate	146	со	1
106	Visakhapatnam	Satisfactory	72	PM <sub>2.5</sub>	1
107	Yadgir	Satisfactory	75	OZONE	1
108	Yamunanagar	Poor	274	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Guwahati, Jorapokhar, Maihar, Sonipat, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.