

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	25	PM ₁₀	1
2	Agra	Good	44	O ₃ , PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	79	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Good	50	PM _{2.5}	1
6	Alwar	Satisfactory	71	PM ₁₀	1
7	Amaravati	Good	33	03	1
8	Ambala	Good	39	PM ₁₀	1
9	Amritsar	Satisfactory	52	со	1
10	Asansol	Good	48	03	1
11	Aurangabad	Satisfactory	58	со	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	59	NO ₂	1
14	Ballabgarh	Satisfactory	98	со	1
15	Bathinda	Good	28	со	1
16	Bengaluru	Satisfactory	61	CO, PM ₁₀ , NO ₂	9
17	Bhiwadi	Moderate	143	PM _{2.5}	1
18	Bhiwani	Satisfactory	55	03	1
19	Bhopal	Good	49	со	1
20	Bulandshahr	Good	36	PM ₁₀	1
21	Chamarajanagar	Good	39	PM ₁₀	1
22	Chandigarh	Good	37	PM ₁₀	1
23	Chandrapur	Good	24	PM _{2.5} , CO	2
24	Chennai	Good	47	PM ₁₀ , CO	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	51	NO ₂	1
26	Chikkamagaluru	Good	27	03	1
27	Davanagere	Good	29	PM ₁₀	1
28	Delhi	Satisfactory	59	CO, PM _{2.5} , O ₃	30
29	Dewas	Good	50	PM ₁₀	1
30	Dharuhera	Satisfactory	76	со	1
31	Durgapur	Satisfactory	76	PM _{2.5}	1
32	Eloor	Satisfactory	70	со	1
33	Ernakulam	Good	48	PM ₁₀	1
34	Faridabad	Satisfactory	83	O ₃ , PM ₁₀	2
35	Fatehabad	Good	32	03	1
36	Firozabad	Good	20	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	59	CO, PM ₁₀ , PM _{2.5}	3
38	Gaya	Satisfactory	90	03	1
39	Ghaziabad	Good	50	PM _{2.5} , PM ₁₀	4
40	Gorakhpur	Good	21	PM _{2.5}	1
41	Greater Noida	Satisfactory	54	O ₃ , PM ₁₀	2
42	Gummidipoondi	Satisfactory	91	PM ₁₀	1
43	Gurugram	Satisfactory	52	PM _{2.5} , PM ₁₀	3
44	Guwahati	Satisfactory	54	SO ₂	2
45	Gwalior	Good	38	03	1
46	Hajipur	Satisfactory	53	со	1
47	Haldia	Good	38	PM ₁₀	1
48	Hapur	Satisfactory	60	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Good	47	PM ₁₀	1
50	Hisar	Good	48	PM _{2.5}	1
51	Howrah	Good	38	PM ₁₀	3
52	Hubballi	Good	45	PM ₁₀	1
53	Hyderabad	Good	49	NO ₂ , CO, PM ₁₀	5
54	Indore	Satisfactory	61	PM ₁₀	1
55	Jabalpur	Good	49	PM ₁₀	1
56	Jaipur	Satisfactory	56	PM ₁₀	2
57	Jalandhar	Satisfactory	53	03	1
58	Jodhpur	Satisfactory	100	PM _{2.5}	1
59	Kaithal	Moderate	102	SO ₂	1
60	Kalyan	Good	37	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Satisfactory	54	PM _{2.5} , PM ₁₀	3
62	Katni	Satisfactory	56	PM ₁₀	1
63	Kochi	Good	36	PM ₁₀	1
64	Kolar	Good	45	SO ₂	1
65	Kolkata	Good	47	PM ₁₀ , O ₃	7
66	Kollam	Satisfactory	99	со	1
67	Koppal	Good	42	со	1
68	Kota	Satisfactory	56	PM ₁₀	1
69	Kozhikode	Satisfactory	62	со	1
70	Kurukshetra	Good	37	PM _{2.5}	1
71	Lucknow	Satisfactory	61	O ₃ , PM ₁₀ , CO	5
72	Ludhiana	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Good	23	PM ₁₀	1
74	Mandi Gobindgarh	Good	26	со	1
75	Mandideep	Good	39	PM ₁₀	1
76	Manesar	Satisfactory	57	PM ₁₀	1
77	Medikeri	Good	29	03	1
78	Meerut	Good	41	CO, O ₃ , PM ₁₀	3
79	Moradabad	Good	42	PM _{2.5}	1
80	Mumbai	Good	50	PM ₁₀ , CO	15
81	Muzaffarnagar	Satisfactory	67	PM ₁₀	1
82	Muzaffarpur	Satisfactory	72	со	1
83	Mysuru	Good	36	PM ₁₀	1
84	Nashik	Good	31	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Satisfactory	56	CO, PM ₁₀	2
86	Noida	Satisfactory	56	CO, O ₃ , PM _{2.5}	3
87	Pali	Satisfactory	63	PM _{2.5}	1
88	Palwal	Good	49	PM ₁₀	1
89	Panchkula	Good	42	03	1
90	Panipat	Satisfactory	57	SO ₂	1
91	Patiala	Good	34	NO ₂	1
92	Patna	Satisfactory	58	PM ₁₀ , PM _{2.5}	5
93	Pithampur	Satisfactory	66	PM ₁₀	1
94	Prayagraj	Good	37	PM ₁₀ , PM _{2.5}	3
95	Puducherry	Satisfactory	61	03	1
96	Pune	Satisfactory	59	CO, PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Good	36	PM ₁₀	1
98	Rajamahendravaram	Good	35	O ₃	1
99	Ramanagara	Good	37	O ₃	1
100	Ratlam	Good	40	PM _{2.5}	1
101	Rohtak	Moderate	106	PM _{2.5}	1
102	Rupnagar	Satisfactory	54	PM ₁₀	1
103	Sagar	Good	35	PM _{2.5}	1
104	Satna	Good	45	PM ₁₀	1
105	Shivamogga	Good	38	PM ₁₀	1
106	Siliguri	Satisfactory	51	PM ₁₀	1
107	Singrauli	Satisfactory	84	PM ₁₀	1
108	Sirsa	Satisfactory	88	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Good	43	PM ₁₀	1
110	Sonipat	Satisfactory	84	PM ₁₀	1
111	Srinagar	Satisfactory	91	PM ₁₀	1
112	Talcher	Good	32	PM ₁₀	1
113	Thane	Satisfactory	56	03	1
114	Thiruvananthapuram	Good	44	PM ₁₀ , CO	2
115	Thoothukudi	Satisfactory	78	PM ₁₀	1
116	Tirupati	Good	43	со	1
117	Udaipur	Satisfactory	76	PM ₁₀	1
118	Udupi	Moderate	145	03	1
119	Ujjain	Satisfactory	71	PM ₁₀	1
120	Vapi	Good	29	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Satisfactory	51	PM ₁₀	4
122	Vatva	Satisfactory	76	PM ₁₀	1
123	Vijayapura	Satisfactory	53	со	1
124	Visakhapatnam	Satisfactory	55	PM ₁₀	1
125	Vrindavan	Good	28	PM ₁₀	1
126	Yadgir	Good	27	PM ₁₀	1
127	Yamunanagar	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Darbhanga, Gadag, Jind, Jorapokhar, Kalaburgi, Kannur, Karnal, Khanna, Kohima, Mandikhera, Manglore, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Shillong, Thrissur as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.