Air Quality Index on Feb 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	241	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	99	$PM_{2.5}$	1
3	Ajmer	Moderate	142	$PM_{2.5}$	1
4	Alwar	Satisfactory	67	PM_{10}	1
5	Amaravati	Satisfactory	57	PM_{10}	1
6	Ambala	Satisfactory	90	PM_{10}	1
7	Amritsar	Moderate	116	$PM_{2.5}$	1
8	Ankleshwar	Moderate	126	$PM_{2.5}$	1
9	Asanol	Satisfactory	72	$PM_{2.5}$	1
10	Baghpat	Moderate	200	$PM_{2.5}$	1
11	Bahadurgarh	Satisfactory	88	$PM_{2.5}$	1
12	Ballabgarh	Moderate	122	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Durgapur, Kalaburgi, Moradabad, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	119	PM_{10}, OZONE, $PM_{2.5}$	7
14	Bhiwadi	Poor	227	$PM_{2.5}$	1
15	Bhiwani	Satisfactory	75	$PM_{2.5}$	1
16	Brajrajnagar	Moderate	134	$PM_{2.5}$	1
17	Bulandshahr	Poor	235	$PM_{2.5}$	1
18	Chandrapur	Satisfactory	92	PM_{10}, $PM_{2.5}$	2
19	Chennai	Satisfactory	89	$PM_{2.5}$, CO	3
20	Chikkaballapur	Moderate	118	PM_{10}	1
21	Damoh	Satisfactory	91	$PM_{2.5}$	1
22	Delhi	Poor	222	$PM_{2.5}$, PM_{10}	35
23	Dewas	Satisfactory	94	PM_{10}	1
24	Dharuhera	Moderate	102	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Durgapur, Kalaburgi, Moradabad, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Moderate	184	$PM_{2.5}$	1
26	Fatehabad	Moderate	126	PM_{10}	1
27	GandhiNagar	Moderate	116	PM_{10}	1
28	Gaya	Moderate	120	$PM_{2.5}$	1
29	Ghaziabad	Poor	274	$PM_{2.5}$	1
30	Greater_Noida	Poor	271	$PM_{2.5}$	1
31	Gurugram	Moderate	128	$PM_{2.5}$	1
32	Haldia	Satisfactory	97	PM_{10}	1
33	Hapur	Moderate	198	$PM_{2.5}$	1
34	Hisar	Moderate	144	$PM_{2.5}$	1
35	Howrah	Moderate	162	$PM_{2.5}$	2
36	Hubballi	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Durgapur, Kalaburgi, Moradabad, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	105	NO_2, PM_{10}, $PM_{2.5}$	5
38	Jaipur	Moderate	106	$PM_{2.5}$, PM_{10}	3
39	Jalandhar	Moderate	112	PM_{10}	1
40	Jind	Moderate	138	$PM_{2.5}$	1
41	Jodhpur	Moderate	102	PM_{10}	1
42	Jorapokhar	Satisfactory	60	PM_{10}	1
43	Kanpur	Poor	238	$PM_{2.5}$	1
44	Karnal	Satisfactory	85	PM_{10}	1
45	Khanna	Satisfactory	69	PM_{10}	1
46	Kolkata	Poor	212	$PM_{2.5}$	2
47	Kota	Satisfactory	64	PM_{10}	1
48	Kurushketra	Satisfactory	86	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Durgapur, Kalaburgi, Moradabad, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Lucknow	Moderate	193	$PM_{2.5}$	3
50	Ludhiana	Satisfactory	62	$PM_{2.5}$	1
51	Maihar	Satisfactory	92	CO	1
52	Mandi Gobindgarh	Moderate	186	$PM_{2.5}$	1
53	Mandideep	Moderate	155	OZONE	1
54	Mandikhera	Satisfactory	97	$PM_{2.5}$	1
55	Manesar	Moderate	132	$PM_{2.5}$	1
56	Mumbai	Moderate	173	OZONE	1
57	Muzaffarnagar	Moderate	163	$PM_{2.5}$	1
58	Muzaffarpur	Poor	206	$PM_{2.5}$	1
59	Nagpur	Moderate	180	OZONE	1
60	Narnaul	Moderate	134	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Durgapur, Kalaburgi, Moradabad, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nashik	Moderate	176	OZONE	1
62	Navi Mumbai	Moderate	114	CO	1
63	Noida	Poor	228	$PM_{2.5}$	2
64	Pali	Satisfactory	92	PM_{10}	1
65	Palwal	Moderate	110	$PM_{2.5}$	1
66	Panchkula	Satisfactory	68	OZONE	1
67	Panipat	Satisfactory	75	PM_{10}	1
68	Patiala	Satisfactory	94	PM_{10}	1
69	Patna	Moderate	198	$PM_{2.5}$	1
70	Pithampur	Moderate	110	PM_{10}	1
71	Pune	Satisfactory	97	PM_{10}	1
72	Rajamahendravaram	Satisfactory	87	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Durgapur, Kalaburgi, Moradabad, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ratlam	Satisfactory	86	PM_{10}	1
74	Rohtak	Moderate	168	$PM_{2.5}$	1
75	Rupnagar	Satisfactory	68	PM_{10}	1
76	Satna	Moderate	104	CO	1
77	Siliguri	Satisfactory	64	PM_{10}	1
78	Singrauli	Moderate	159	$PM_{2.5}$	1
79	Sirsa	Moderate	159	$PM_{2.5}$	1
80	Solapur	Moderate	171	OZONE	1
81	Sonipat	Satisfactory	97	$PM_{2.5}$	1
82	Talcher	Poor	229	PM_{10}	1
83	Thane	Moderate	183	$PM_{2.5}$	1
84	Thiruvananthapuram	Satisfactory	70	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Durgapur, Kalaburgi, Moradabad, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Tirupati	Satisfactory	64	PM_{10}	1
86	Udaipur	Moderate	169	$PM_{2.5}$	1
87	Ujjain	Moderate	169	OZONE	1
88	Vapi	Very Poor	301	$PM_{2.5}$	1
89	Vatva	Moderate	178	$PM_{2.5}$	1
90	Visakhapatnam	Moderate	102	PM_{10}	1
91	Yamunanagar	Satisfactory	80	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Durgapur, Kalaburgi, Moradabad, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.