

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	270	PM _{2.5}	1
2	Agra	Poor	238	PM _{2.5}	1
3	Ahmedabad	Poor	210	PM ₁₀	1
4	Aizawl	Moderate	149	PM ₁₀	1
5	Ajmer	Satisfactory	100	03	1
6	Alwar	Satisfactory	84	PM ₁₀	1
7	Amaravati	Satisfactory	62	PM ₁₀	1
8	Amritsar	Moderate	111	PM ₁₀	1
9	Ankleshwar	Moderate	156	03	1
10	Asansol	Poor	205	PM ₁₀	1
11	Aurangabad	Satisfactory	95	PM ₁₀	1
12	Bagalkot	Good	49	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	260	PM ₁₀	1
14	Ballabgarh	Poor	276	PM _{2.5}	1
15	Bathinda	Moderate	134	PM ₁₀	1
16	Bengaluru	Moderate	101	PM _{2.5} , PM ₁₀	9
17	Bhiwadi	Very Poor	335	PM ₁₀	1
18	Bhopal	Moderate	170	O ₃	1
19	Bidar	Moderate	112	PM ₁₀	1
20	Brajrajnagar	Satisfactory	80	PM ₁₀	1
21	Bulandshahr	Very Poor	338	PM ₁₀	1
22	Chandigarh	Moderate	171	PM ₁₀	1
23	Chandrapur	Moderate	136	PM _{2.5}	2
24	Charkhi Dadri	Moderate	176	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	82	PM _{2.5} , PM ₁₀	6
26	Chikkaballapur	Moderate	110	PM ₁₀	1
27	Chikkamagaluru	Moderate	106	PM _{2.5}	1
28	Damoh	Good	44	PM _{2.5}	1
29	Davanagere	Good	25	NO ₂	1
30	Delhi	Poor	279	PM ₁₀ , PM _{2.5}	31
31	Dewas	Satisfactory	96	PM ₁₀	1
32	Dharuhera	Poor	271	PM ₁₀	1
33	Durgapur	Very Poor	343	PM ₁₀	1
34	Eloor	Satisfactory	68	03	1
35	Faridabad	Very Poor	350	PM ₁₀ , PM _{2.5}	4
36	Fatehabad	Poor	266	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	95	PM ₁₀	1
38	Gaya	Moderate	125	PM ₁₀	1
39	Ghaziabad	Very Poor	340	PM ₁₀	4
40	Greater Noida	Very Poor	359	PM ₁₀	1
41	Gummidipoondi	Moderate	176	PM ₁₀	1
42	Gurugram	Poor	272	PM _{2.5}	3
43	Guwahati	Very Poor	308	PM ₁₀ , PM _{2.5}	2
44	Gwalior	Moderate	122	PM ₁₀	1
45	Hajipur	Poor	294	PM ₁₀	1
46	Haldia	Moderate	129	PM ₁₀	1
47	Hapur	Poor	224	PM ₁₀	1
48	Hisar	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	247	PM ₁₀ , PM _{2.5}	3
50	Hubballi	Moderate	114	PM ₁₀	1
51	Hyderabad	Moderate	110	PM ₁₀ , PM _{2.5}	6
52	Indore	Moderate	115	PM ₁₀	1
53	Jabalpur	Satisfactory	98	PM ₁₀	1
54	Jaipur	Satisfactory	97	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Moderate	180	PM ₁₀	1
56	Jind	Moderate	166	PM _{2.5}	1
57	Jodhpur	Moderate	161	PM ₁₀	1
58	Kaithal	Moderate	153	PM ₁₀	1
59	Kalaburgi	Moderate	107	PM ₁₀	1
60	Kalyan	Moderate	182	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	112	PM ₁₀	1
62	Kanpur	Moderate	180	PM _{2.5}	2
63	Karnal	Moderate	168	PM _{2.5}	1
64	Katni	Moderate	155	PM ₁₀	1
65	Khanna	Moderate	149	PM _{2.5}	1
66	Kochi	Satisfactory	89	PM ₁₀	1
67	Kohima	Moderate	194	PM _{2.5}	1
68	Kolar	Satisfactory	69	03	1
69	Kolkata	Poor	223	PM _{2.5} , PM ₁₀	7
70	Kollam	Moderate	126	PM _{2.5}	1
71	Koppal	Moderate	162	03	1
72	Kota	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	72	PM ₁₀	1
74	Kurukshetra	Moderate	172	PM ₁₀	1
75	Lucknow	Poor	300	PM _{2.5} , PM ₁₀	4
76	Ludhiana	Moderate	111	PM ₁₀	1
77	Mandi Gobindgarh	Poor	202	PM _{2.5}	1
78	Mandideep	Good	50	03	1
79	Mandikhera	Moderate	198	PM _{2.5}	1
80	Manesar	Very Poor	310	PM _{2.5}	1
81	Manglore	Satisfactory	94	PM ₁₀	1
82	Medikeri	Satisfactory	70	PM ₁₀	1
83	Meerut	Poor	292	PM ₁₀	2
84	Mumbai	Moderate	145	PM _{2.5} , PM ₁₀ , O ₃	18

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	231	PM ₁₀	1
86	Muzaffarpur	Poor	256	PM _{2.5} , PM ₁₀	2
87	Mysuru	Satisfactory	78	PM ₁₀	1
88	Nandesari	Satisfactory	53	PM _{2.5}	1
89	Narnaul	Poor	203	PM ₁₀	1
90	Nashik	Satisfactory	98	PM ₁₀	1
91	Navi Mumbai	Moderate	176	PM _{2.5} , PM ₁₀	3
92	Noida	Very Poor	302	PM ₁₀	3
93	Pali	Moderate	137	PM ₁₀	1
94	Palwal	Moderate	148	PM ₁₀	1
95	Panchkula	Poor	205	PM _{2.5}	1
96	Panipat	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	146	PM ₁₀	1
98	Patna	Very Poor	315	PM ₁₀ , PM _{2.5}	5
99	Pithampur	Moderate	121	PM _{2.5}	1
100	Puducherry	Satisfactory	58	PM ₁₀	1
101	Pune	Satisfactory	86	PM _{2.5} , CO	5
102	Raichur	Moderate	121	PM ₁₀	1
103	Rajamahendravaram	Satisfactory	100	PM ₁₀	1
104	Ramanagara	Moderate	160	03	1
105	Ratlam	Moderate	101	PM ₁₀	1
106	Rupnagar	Satisfactory	91	PM ₁₀	1
107	Sagar	Good	41	PM _{2.5}	1
108	Satna	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	48	O ₃	1
110	Siliguri	Very Poor	355	PM _{2.5}	1
111	Singrauli	Very Poor	331	PM _{2.5}	1
112	Sonipat	Poor	225	PM ₁₀	1
113	Srinagar	Moderate	125	PM ₁₀	1
114	Talcher	Moderate	104	со	1
115	Thane	Moderate	127	PM ₁₀	1
116	Thiruvananthapuram	Satisfactory	83	PM ₁₀	2
117	Thoothukudi	Satisfactory	73	PM ₁₀	1
118	Thrissur	Satisfactory	80	PM ₁₀	1
119	Tirupati	Satisfactory	95	PM ₁₀	1
120	Udaipur	Moderate	136	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udupi	Satisfactory	70	со	1
122	Ujjain	Moderate	137	O ₃	1
123	Vapi	Moderate	120	PM ₁₀	1
124	Varanasi	Poor	273	PM ₁₀	1
125	Vatva	Poor	264	PM ₁₀	1
126	Vijayapura	Satisfactory	75	PM _{2.5}	1
127	Visakhapatnam	Moderate	125	PM ₁₀	1
128	Yadgir	Moderate	151	O ₃	1
129	Yamunanagar	Poor	248	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bahadurgarh, Bhiwani, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Maihar, Moradabad, Nagpur, Rohtak, Shivamogga, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.