

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	29	PM <sub>10</sub>	1
2	Agra	Good	44	PM <sub>2.5</sub>	1
3	Ahmedabad	Satisfactory	77	PM <sub>10</sub>	1
4	Aizawl	Good	17	PM <sub>10</sub>	1
5	Alwar	Good	49	03	1
6	Amaravati	Satisfactory	56	03	1
7	Ambala	Satisfactory	69	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	80	PM <sub>10</sub>	1
9	Asansol	Satisfactory	58	PM <sub>10</sub>	1
10	Aurangabad	Satisfactory	79	PM <sub>10</sub>	1
11	Bagalkot	Good	41	PM <sub>2.5</sub>	1
12	Baghpat	Satisfactory	60	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	138	03	1
14	Ballabgarh	Satisfactory	88	со	1
15	Bengaluru	Good	38	CO, O <sub>3</sub> , PM <sub>10</sub>	7
16	Bhiwadi	Moderate	104	PM <sub>2.5</sub>	1
17	Bhopal	Moderate	111	03	1
18	Bulandshahr	Satisfactory	99	03	1
19	Chamarajanagar	Good	41	03	1
20	Chandigarh	Satisfactory	52	03	1
21	Chandrapur	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	2
22	Charkhi Dadri	Satisfactory	54	03	1
23	Chennai	Satisfactory	71	PM <sub>10</sub> , CO, O <sub>3</sub>	7
24	Chikkaballapur	Good	30	NO <sub>2</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	49	03	1
26	Damoh	Good	41	PM <sub>2.5</sub>	1
27	Delhi	Satisfactory	94	O <sub>3</sub> , PM <sub>10</sub>	25
28	Dewas	Satisfactory	72	PM <sub>10</sub>	1
29	Dharuhera	Satisfactory	68	PM <sub>10</sub>	1
30	Durgapur	Moderate	124	PM <sub>2.5</sub>	1
31	Eloor	Satisfactory	60	со	1
32	Ernakulam	Good	29	со	1
33	Faridabad	Moderate	104	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
34	Fatehabad	Satisfactory	78	PM <sub>10</sub>	1
35	Gadag	Good	24	03	1
36	Gandhinagar	Satisfactory	63	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	57	CO, PM <sub>10</sub>	2
38	Ghaziabad	Satisfactory	85	PM <sub>10</sub> , O <sub>3</sub>	4
39	Greater Noida	Satisfactory	72	PM <sub>10</sub>	1
40	Gummidipoondi	Good	40	PM <sub>10</sub>	1
41	Gurugram	Satisfactory	66	O <sub>3</sub> , PM <sub>2.5</sub>	3
42	Guwahati	Good	44	SO <sub>2</sub> , PM <sub>2.5</sub>	2
43	Gwalior	Satisfactory	90	03	1
44	Hajipur	Moderate	105	PM <sub>2.5</sub>	1
45	Haldia	Good	23	со	1
46	Hapur	Satisfactory	69	03	1
47	Hassan	Good	42	PM <sub>10</sub>	1
48	Hisar	Satisfactory	75	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Good	37	PM <sub>10</sub> , O <sub>3</sub>	3
50	Hubballi	Good	50	PM <sub>10</sub>	1
51	Hyderabad	Satisfactory	75	PM <sub>10</sub> , PM <sub>2.5</sub>	5
52	Indore	Satisfactory	91	PM <sub>10</sub>	1
53	Jabalpur	Satisfactory	100	PM <sub>10</sub>	1
54	Jaipur	Satisfactory	78	O <sub>3</sub> , PM <sub>10</sub>	3
55	Jalandhar	Moderate	102	PM <sub>10</sub>	1
56	Jind	Moderate	103	O <sub>3</sub>	1
57	Jodhpur	Moderate	117	PM <sub>10</sub>	1
58	Kaithal	Satisfactory	71	PM <sub>10</sub>	1
59	Kalaburgi	Satisfactory	71	PM <sub>10</sub>	1
60	Kalyan	Moderate	120	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	54	PM <sub>10</sub>	1
62	Kanpur	Satisfactory	55	PM <sub>2.5</sub>	1
63	Karnal	Satisfactory	89	03	1
64	Katni	Moderate	126	PM <sub>10</sub>	1
65	Khanna	Satisfactory	54	PM <sub>10</sub>	1
66	Kochi	Good	49	со	1
67	Kohima	Good	44	PM <sub>10</sub>	1
68	Kolkata	Good	47	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	7
69	Kollam	Good	48	PM <sub>10</sub>	1
70	Koppal	Satisfactory	77	O <sub>3</sub>	1
71	Kota	Satisfactory	94	PM <sub>10</sub>	1
72	Kozhikode	Good	32	СО	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	64	PM <sub>10</sub>	1
74	Lucknow	Satisfactory	78	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
75	Ludhiana	Moderate	105	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Good	47	PM <sub>10</sub>	1
77	Mandideep	Satisfactory	52	PM <sub>10</sub>	1
78	Mandikhera	Satisfactory	72	PM <sub>10</sub>	1
79	Manglore	Good	34	SO <sub>2</sub>	1
80	Medikeri	Good	33	SO <sub>2</sub>	1
81	Meerut	Satisfactory	81	NO <sub>2</sub> , PM <sub>10</sub>	3
82	Moradabad	Satisfactory	97	PM <sub>2.5</sub>	1
83	Mumbai	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	15
84	Muzaffarnagar	Moderate	103	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Satisfactory	84	PM <sub>2.5</sub> , CO	2
86	Mysuru	Good	43	03	1
87	Nandesari	Satisfactory	69	PM <sub>2.5</sub>	1
88	Narnaul	Moderate	105	PM <sub>10</sub>	1
89	Nashik	Satisfactory	62	PM <sub>10</sub>	1
90	Navi Mumbai	Moderate	109	со	1
91	Noida	Satisfactory	60	PM <sub>10</sub> , PM <sub>2.5</sub>	3
92	Pali	Moderate	101	PM <sub>10</sub>	1
93	Palwal	Satisfactory	51	PM <sub>10</sub>	1
94	Panchkula	Satisfactory	82	со	1
95	Panipat	Satisfactory	79	PM <sub>10</sub>	1
96	Patiala	Satisfactory	51	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	114	PM <sub>10</sub> , PM <sub>2.5</sub>	5
98	Pithampur	Satisfactory	63	O <sub>3</sub>	1
99	Puducherry	Good	34	O <sub>3</sub>	1
100	Pune	Satisfactory	69	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	6
101	Raichur	Satisfactory	57	PM <sub>10</sub>	1
102	Rajamahendravaram	Good	31	O <sub>3</sub>	1
103	Ratlam	Satisfactory	81	PM <sub>10</sub>	1
104	Rohtak	Moderate	103	СО	1
105	Rupnagar	Satisfactory	66	PM <sub>10</sub>	1
106	Sagar	Good	36	PM <sub>2.5</sub>	1
107	Satna	Satisfactory	85	PM <sub>10</sub>	1
108	Shivamogga	Satisfactory	52	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Satisfactory	61	PM <sub>2.5</sub>	1
110	Singrauli	Moderate	131	PM <sub>2.5</sub>	1
111	Sirsa	Satisfactory	63	PM <sub>10</sub>	1
112	Sonipat	Moderate	106	PM <sub>10</sub>	1
113	Srinagar	Good	43	PM <sub>10</sub>	1
114	Talcher	Satisfactory	96	со	1
115	Thiruvananthapuram	Good	33	со	1
116	Thoothukudi	Good	42	PM <sub>10</sub>	1
117	Thrissur	Satisfactory	57	со	1
118	Tirupati	Good	38	со	1
119	Udaipur	Moderate	102	PM <sub>10</sub>	1
120	Udupi	Satisfactory	76	СО	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	161	O <sub>3</sub>	1
122	Vapi	Satisfactory	79	PM <sub>10</sub>	1
123	Varanasi	Moderate	144	PM <sub>2.5</sub>	1
124	Vijayapura	Good	47	СО	1
125	Yadgir	Satisfactory	60	PM <sub>10</sub>	1
126	Yamunanagar	Moderate	163	O <sub>3</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Kolar, Maihar, Manesar, Nagpur, Naharlagun, Ramanagara, Shillong, Solapur, Thane, Vatva, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.