



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	241	PM _{2.5}	1
2	Agra	Poor	277	PM _{2.5}	1
3	Ahmedabad	Moderate	151	PM ₁₀	1
4	Aizawl	Satisfactory	65	PM ₁₀	1
5	Ajmer	Moderate	106	PM _{2.5}	1
6	Alwar	Satisfactory	97	PM ₁₀	1
7	Amaravati	Moderate	128	PM _{2.5}	1
8	Amritsar	Poor	256	PM _{2.5}	1
9	Ankleshwar	Poor	201	PM _{2.5}	1
10	Asansol	Poor	244	PM _{2.5}	1
11	Aurangabad	Satisfactory	91	PM ₁₀	1
12	Bagalkot	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	312	PM _{2.5}	1
14	Bahadurgarh	Poor	274	PM _{2.5}	1
15	Ballabgarh	Poor	204	PM _{2.5}	1
16	Bathinda	Moderate	139	PM _{2.5}	1
17	Bengaluru	Moderate	103	PM _{2.5} , PM ₁₀	9
18	Bhiwadi	Poor	252	PM _{2.5}	1
19	Bhiwani	Moderate	172	PM ₁₀	1
20	Bhopal	Moderate	122	PM ₁₀	1
21	Brajrajnagar	Satisfactory	78	PM ₁₀	1
22	Bulandshahr	Very Poor	339	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	63	PM ₁₀	1
24	Chandigarh	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	70	PM ₁₀ , SO ₂	2
26	Charkhi Dadri	Very Poor	315	PM _{2.5}	1
27	Chennai	Satisfactory	78	PM _{2.5} , PM ₁₀ , CO	8
28	Chikkaballapur	Satisfactory	89	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	87	PM _{2.5}	1
30	Damoh	Moderate	111	PM ₁₀	1
31	Delhi	Poor	289	PM ₁₀ , PM _{2.5}	14
32	Durgapur	Very Poor	326	PM _{2.5}	1
33	Eloor	Satisfactory	58	PM ₁₀	1
34	Ernakulam	Moderate	135	PM _{2.5}	1
35	Faridabad	Very Poor	311	PM _{2.5}	1
36	Fatehabad	Poor	228	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	61	PM _{2.5}	1
38	Gandhinagar	Satisfactory	94	PM ₁₀	1
39	Gaya	Moderate	143	PM _{2.5}	1
40	Ghaziabad	Very Poor	394	PM _{2.5}	2
41	Greater Noida	Very Poor	352	PM _{2.5}	1
42	Gummidipoondi	Moderate	138	PM _{2.5}	1
43	Gurugram	Very Poor	303	PM _{2.5}	4
44	Guwahati	Very Poor	310	PM _{2.5}	2
45	Gwalior	Poor	233	PM _{2.5}	1
46	Haldia	Poor	202	PM _{2.5}	1
47	Hisar	Poor	286	PM _{2.5}	1
48	Howrah	Poor	293	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Moderate	127	PM ₁₀	1
50	Hyderabad	Moderate	144	PM _{2.5}	6
51	Indore	Satisfactory	91	PM ₁₀	1
52	Jabalpur	Poor	261	PM _{2.5}	1
53	Jaipur	Moderate	162	PM _{2.5}	3
54	Jalandhar	Moderate	130	PM ₁₀	1
55	Jind	Poor	271	PM _{2.5}	1
56	Jodhpur	Poor	222	PM ₁₀	1
57	Jorapokhar	Moderate	109	PM ₁₀	1
58	Kaithal	Poor	209	PM _{2.5}	1
59	Kalyan	Poor	231	PM _{2.5}	1
60	Kannur	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Very Poor	312	PM _{2.5}	2
62	Karnal	Poor	219	PM _{2.5}	1
63	Katni	Poor	269	PM ₁₀	1
64	Khanna	Moderate	109	PM ₁₀	1
65	Kohima	Moderate	138	PM ₁₀	1
66	Kolar	Satisfactory	54	O ₃	1
67	Kolkata	Very Poor	302	PM _{2.5}	7
68	Kollam	Moderate	191	PM _{2.5}	1
69	Koppal	Satisfactory	89	PM ₁₀	1
70	Kota	Moderate	142	PM _{2.5}	1
71	Kozhikode	Satisfactory	79	PM ₁₀	1
72	Kurukshetra	Poor	236	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Very Poor	324	PM _{2.5} , PM ₁₀	4
74	Ludhiana	Moderate	121	PM _{2.5}	1
75	Maihar	Satisfactory	64	PM ₁₀	1
76	Mandi Gobindgarh	Moderate	164	PM _{2.5}	1
77	Mandideep	Moderate	179	PM _{2.5}	1
78	Mandikhera	Poor	211	PM _{2.5}	1
79	Manesar	Moderate	174	PM _{2.5}	1
80	Manglore	Moderate	126	PM _{2.5}	1
81	Medikeri	Satisfactory	90	PM ₁₀	1
82	Meerut	Very Poor	308	PM _{2.5}	2
83	Moradabad	Very Poor	394	PM _{2.5}	1
84	Mumbai	Moderate	196	PM _{2.5} , PM ₁₀	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Poor	290	PM _{2.5}	2
86	Mysuru	Satisfactory	78	PM ₁₀	1
87	Nandesari	Satisfactory	98	CO	1
88	Narnaul	Very Poor	327	PM ₁₀	1
89	Nashik	Moderate	101	PM _{2.5}	1
90	Navi Mumbai	Moderate	163	PM _{2.5} , CO	3
91	Noida	Very Poor	331	PM _{2.5}	4
92	Pali	Moderate	194	PM ₁₀	1
93	Palwal	Moderate	107	PM ₁₀	1
94	Panchkula	Moderate	158	PM _{2.5}	1
95	Patiala	Moderate	163	PM _{2.5}	1
96	Patna	Poor	265	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	186	PM _{2.5}	1
98	Puducherry	Satisfactory	74	PM ₁₀	1
99	Pune	Moderate	144	PM _{2.5} , PM ₁₀	4
100	Rajamahendravaram	Moderate	151	PM _{2.5}	1
101	Ratlam	Moderate	113	PM ₁₀	1
102	Rohtak	Poor	241	PM _{2.5}	1
103	Sagar	Satisfactory	70	PM _{2.5}	1
104	Satna	Moderate	126	PM ₁₀	1
105	Shivamogga	Good	39	PM ₁₀	1
106	Siliguri	Poor	275	PM _{2.5}	1
107	Singrauli	Poor	244	PM _{2.5}	1
108	Sirsa	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Moderate	123	PM ₁₀	1
110	Sonipat	Moderate	186	PM ₁₀	1
111	Talcher	Moderate	126	PM _{2.5}	1
112	Thane	Poor	245	PM ₁₀	1
113	Thiruvananthapuram	Satisfactory	95	PM ₁₀ , PM _{2.5}	2
114	Thoothukudi	Satisfactory	58	PM ₁₀	1
115	Thrissur	Moderate	125	PM _{2.5}	1
116	Tirupati	Satisfactory	95	PM _{2.5}	1
117	Udaipur	Moderate	154	PM _{2.5}	1
118	Ujjain	Moderate	140	PM _{2.5}	1
119	Vapi	Poor	218	PM ₁₀	1
120	Varanasi	Poor	247	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	190	PM ₁₀	1
122	Vijayapura	Good	50	CO	1
123	Yadgir	Satisfactory	90	PM ₁₀	1
124	Yamunanagar	Poor	276	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Bidar, Coimbatore, Davanagere, Dewas, Dharuhera, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.