

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	73	PM ₁₀	2
2	Agra	Moderate	137	PM ₁₀	5
3	Ahmedabad	Moderate	137	O ₃ , NO ₂ , PM _{2.5}	8
4	Ajmer	Satisfactory	97	PM ₁₀	1
5	Alwar	Moderate	103	PM ₁₀	1
6	Amaravati	Good	36	PM ₁₀	1
7	Ambala	Moderate	133	PM ₁₀	1
8	Amritsar	Moderate	138	PM ₁₀	1
9	Ankleshwar	Satisfactory	94	PM _{2.5}	1
10	Araria	Satisfactory	78	PM _{2.5}	1
11	Arrah	Poor	206	PM ₁₀	1
12	Asansol	Poor	229	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	207	PM ₁₀	1
14	Aurangabad	Moderate	104	PM ₁₀	1
15	Baddi	Moderate	172	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Baghpat	Poor	244	PM ₁₀	1
18	Bahadurgarh	Poor	251	PM ₁₀	1
19	Ballabgarh	Poor	221	PM _{2.5}	1
20	Begusarai	Moderate	177	PM ₁₀	1
21	Bengaluru	Satisfactory	99	PM ₁₀ , PM _{2.5} , CO	10
22	Bhagalpur	Poor	261	PM ₁₀ , PM _{2.5}	2
23	Bhiwadi	Very Poor	343	PM _{2.5}	1
24	Bhiwani	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	138	PM ₁₀	1
26	Bidar	Satisfactory	94	PM ₁₀	1
27	Bilaspur	Satisfactory	55	со	1
28	Brajrajnagar	Poor	206	03	1
29	Bulandshahr	Poor	221	PM ₁₀	1
30	Chamarajanagar	Good	46	PM ₁₀	1
31	Chandigarh	Moderate	153	O ₃ , PM _{2.5} , PM ₁₀	3
32	Chandrapur	Satisfactory	100	PM ₁₀	2
33	Charkhi Dadri	Poor	253	PM _{2.5}	1
34	Chennai	Good	49	PM ₁₀ , CO	7
35	Chhapra	Very Poor	337	PM ₁₀	1
36	Chikkaballapur	Moderate	103	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	72	PM ₁₀	1
38	Coimbatore	Good	45	PM ₁₀	1
39	Damoh	Satisfactory	55	PM ₁₀	1
40	Darbhanga	Moderate	174	PM ₁₀	1
41	Davanagere	Satisfactory	94	PM ₁₀	1
42	Delhi	Poor	264	PM ₁₀ , PM _{2.5}	34
43	Dewas	Moderate	122	PM ₁₀	1
44	Dharuhera	Poor	278	PM ₁₀	1
45	Durgapur	Moderate	156	PM ₁₀	1
46	Eloor	Satisfactory	68	PM ₁₀	1
47	Ernakulam	Satisfactory	51	PM _{2.5}	1
48	Faridabad	Poor	262	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	144	PM ₁₀	1
50	Firozabad	Moderate	177	03	1
51	Gadag	Satisfactory	64	PM _{2.5}	1
52	Gandhinagar	Moderate	112	PM _{2.5} , PM ₁₀	3
53	Gangtok	Satisfactory	77	03	1
54	Gaya	Moderate	142	PM ₁₀ , PM _{2.5}	3
55	Ghaziabad	Poor	229	PM ₁₀	3
56	Gorakhpur	Satisfactory	61	PM ₁₀	1
57	Greater Noida	Poor	247	PM ₁₀	1
58	Gummidipoondi	Good	29	PM ₁₀	1
59	Gurugram	Poor	220	PM _{2.5} , PM ₁₀	4
60	Guwahati	Satisfactory	60	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Moderate	146	PM _{2.5}	1
62	Hajipur	Moderate	163	PM _{2.5}	1
63	Haldia	Satisfactory	54	PM ₁₀	1
64	Hapur	Moderate	142	PM _{2.5}	1
65	Hisar	Poor	226	PM _{2.5}	1
66	Howrah	Satisfactory	68	PM ₁₀	3
67	Hubballi	Satisfactory	98	PM ₁₀	1
68	Hyderabad	Moderate	108	PM ₁₀ , PM _{2.5}	5
69	Indore	Moderate	138	PM ₁₀	1
70	Jabalpur	Poor	232	PM ₁₀	1
71	Jaipur	Moderate	130	PM ₁₀ , O ₃	3
72	Jalandhar	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	164	PM ₁₀	1
74	Jind	Moderate	192	PM _{2.5}	1
75	Jodhpur	Poor	220	PM _{2.5}	1
76	Kaithal	Moderate	117	PM ₁₀	1
77	Kalaburgi	Moderate	106	PM ₁₀	1
78	Kalyan	Moderate	126	PM ₁₀	1
79	Kannur	Satisfactory	65	PM ₁₀	1
80	Kanpur	Moderate	123	PM ₁₀ , PM _{2.5}	3
81	Karnal	Moderate	113	PM ₁₀	1
82	Katni	Poor	207	PM ₁₀	1
83	Khanna	Moderate	126	PM ₁₀	1
84	Kishanganj	Satisfactory	62	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Moderate	117	PM ₁₀	1
86	Kolar	Moderate	102	PM _{2.5}	1
87	Kolkata	Satisfactory	65	PM ₁₀ , NO ₂ , O ₃	7
88	Kollam	Satisfactory	63	PM _{2.5}	1
89	Koppal	Satisfactory	53	PM ₁₀	1
90	Kota	Moderate	187	PM _{2.5}	1
91	Kozhikode	Satisfactory	55	PM ₁₀	1
92	Kurukshetra	Moderate	175	03	1
93	Lucknow	Moderate	188	PM _{2.5} , PM ₁₀	6
94	Ludhiana	Moderate	163	PM ₁₀	1
95	Madikeri	Satisfactory	76	PM ₁₀	1
96	Mandi Gobindgarh	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	122	PM ₁₀	1
98	Mandikhera	Satisfactory	88	PM ₁₀	1
99	Manesar	Very Poor	316	PM _{2.5}	1
100	Manglore	Satisfactory	57	со	1
101	Meerut	Poor	274	PM ₁₀ , PM _{2.5}	3
102	Moradabad	Moderate	146	PM _{2.5} , PM ₁₀	4
103	Motihari	Poor	207	PM _{2.5}	1
104	Mumbai	Moderate	104	PM ₁₀ , PM _{2.5} , CO	15
105	Munger	Poor	270	PM _{2.5}	1
106	Muzaffarnagar	Poor	251	PM _{2.5}	1
107	Muzaffarpur	Moderate	193	O ₃ , PM _{2.5} , PM ₁₀	3
108	Mysuru	Satisfactory	73	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	76	PM ₁₀	1
110	Naharlagun	Satisfactory	61	SO ₂	1
111	Narnaul	Moderate	175	PM _{2.5}	1
112	Nashik	Satisfactory	66	PM ₁₀	1
113	Navi Mumbai	Moderate	130	PM ₁₀	2
114	Noida	Poor	270	PM ₁₀	4
115	Pali	Moderate	131	PM ₁₀	1
116	Palwal	Moderate	108	со	1
117	Panchkula	Poor	201	PM _{2.5}	1
118	Patiala	Moderate	144	PM ₁₀	1
119	Patna	Poor	253	PM _{2.5} , PM ₁₀	6
120	Pithampur	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	117	PM ₁₀	3
122	Puducherry	Good	43	со	1
123	Pune	Moderate	134	PM _{2.5} , PM ₁₀	6
124	Purnia	Satisfactory	72	NO ₂	1
125	Raichur	Moderate	123	PM ₁₀	1
126	Rajamahendravaram	Good	47	PM ₁₀	1
127	Rajgir	Poor	214	PM _{2.5}	1
128	Ramanagara	Moderate	106	PM ₁₀	1
129	Ratlam	Moderate	156	PM ₁₀	1
130	Rohtak	Poor	221	PM _{2.5}	1
131	Rupnagar	Moderate	114	PM ₁₀	1
132	Sagar	Moderate	115	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Moderate	164	PM ₁₀	1
134	Sasaram	Moderate	160	O ₃	1
135	Satna	Satisfactory	56	PM ₁₀	1
136	Shillong	Satisfactory	59	PM ₁₀	1
137	Shivamogga	Satisfactory	54	PM ₁₀	1
138	Siliguri	Satisfactory	51	PM ₁₀	1
139	Singrauli	Very Poor	344	PM ₁₀	1
140	Sirsa	Moderate	124	PM ₁₀	1
141	Solapur	Moderate	105	PM ₁₀	1
142	Srinagar	Good	36	PM ₁₀	1
143	Talcher	Satisfactory	68	со	1
144	Thane	Moderate	164	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
146	Thoothukudi	Satisfactory	70	PM ₁₀	1
147	Thrissur	Satisfactory	60	PM _{2.5}	1
148	Tirupati	Satisfactory	71	PM ₁₀	1
149	Udupi	Good	48	03	1
150	Ujjain	Moderate	159	PM ₁₀	1
151	Varanasi	Moderate	127	O ₃ , PM ₁₀	4
152	Vatva	Moderate	118	PM _{2.5}	1
153	Vijayapura	Good	50	PM ₁₀	1
154	Visakhapatnam	Satisfactory	78	PM ₁₀	1
155	Yadgir	Satisfactory	91	PM ₁₀	1
156	Yamunanagar	Moderate	184	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Bettiah, Bhilai, Bihar Sharif, Buxar, Hassan, Jorapokhar, Katihar, Kochi, Maihar, Manguraha, Nandesari, Panipat, Samastipur, Siwan, Sonipat, Udaipur, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.