

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	265	PM _{2.5}	1
2	Ahmedabad	Moderate	101	PM _{2.5}	1
3	Ajmer	Satisfactory	84	PM ₁₀	1
4	Alwar	Satisfactory	78	PM ₁₀	1
5	Amaravati	Moderate	123	PM _{2.5}	1
6	Ambala	Moderate	176	O ₃	1
7	Amritsar	Satisfactory	92	PM _{2.5}	1
8	Ankleshwar	Moderate	133	PM ₁₀	1
9	Asanol	Moderate	115	PM _{2.5}	1
10	Aurangabad	Satisfactory	93	PM ₁₀	1
11	Baghpat	Poor	248	PM _{2.5}	1
12	Bahadurgarh	Moderate	116	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	321	PM _{2.5}	1
14	Bathinda	Moderate	110	PM _{2.5}	1
15	Bengaluru	Satisfactory	67	O ₃ , PM ₁₀ , CO	10
16	Bhiwadi	Poor	274	PM _{2.5}	1
17	Bhiwani	Moderate	132	PM _{2.5}	1
18	Bhopal	Moderate	115	PM _{2.5}	1
19	Bulandshahr	Very Poor	319	PM _{2.5}	1
20	Chandigarh	Satisfactory	87	PM ₁₀	1
21	Chandrapur	Satisfactory	62	PM _{2.5} , PM ₁₀	2
22	Chennai	Satisfactory	70	PM _{2.5} , CO, O ₃	4
23	Chikkaballapur	Satisfactory	59	PM ₁₀	1
24	Coimbatore	Satisfactory	66	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	137	PM _{2.5}	1
26	Delhi	Poor	288	PM _{2.5}	32
27	Dewas	Satisfactory	100	PM _{2.5}	1
28	Dharuhera	Moderate	140	PM ₁₀	1
29	Eloor	Moderate	151	03	1
30	Faridabad	Poor	293	PM _{2.5}	1
31	Fatehabad	Moderate	110	PM ₁₀	1
32	GandhiNagar	Satisfactory	57	PM ₁₀	1
33	Gaya	Moderate	142	PM _{2.5}	1
34	Ghaziabad	Very Poor	305	PM _{2.5}	4
35	Greater_Noida	Very Poor	301	PM _{2.5}	2
36	Gurugram	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	294	PM _{2.5}	1
38	Haldia	Satisfactory	89	PM ₁₀	1
39	Hapur	Moderate	120	PM ₁₀	1
40	Hisar	Moderate	151	PM _{2.5}	1
41	Howrah	Moderate	190	PM _{2.5}	3
42	Hubballi	Satisfactory	80	PM ₁₀	1
43	Hyderabad	Moderate	152	PM _{2.5}	6
44	Indore	Satisfactory	84	PM ₁₀	1
45	Jabalpur	Poor	254	PM _{2.5}	1
46	Jaipur	Moderate	107	PM ₁₀	3
47	Jalandhar	Moderate	120	PM _{2.5}	1
48	Jind	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	139	PM _{2.5}	1
50	Jorapokhar	Moderate	110	PM ₁₀	1
51	Kaithal	Moderate	127	PM ₁₀	1
52	Kalaburagi	Moderate	173	PM _{2.5}	1
53	Kalyan	Moderate	171	PM ₁₀	1
54	Kanpur	Very Poor	360	PM _{2.5}	1
55	Karnal	Moderate	166	PM _{2.5}	1
56	Katni	Moderate	195	PM _{2.5}	1
57	Khanna	Poor	250	PM _{2.5}	1
58	Kolkata	Moderate	152	PM _{2.5} , PM ₁₀	6
59	Kota	Satisfactory	92	PM ₁₀	1
60	Kurukshetra	Moderate	165	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Poor	291	PM _{2.5}	4
62	Ludhiana	Satisfactory	75	PM ₁₀	1
63	Maihar	Good	35	PM ₁₀	1
64	Mandi Gobindgarh	Very Poor	318	PM _{2.5}	1
65	Mandideep	Satisfactory	80	PM ₁₀	1
66	Mandikhera	Moderate	125	PM ₁₀	1
67	Manesar	Moderate	105	PM _{2.5}	1
68	Meerut	Poor	283	PM _{2.5}	3
69	Moradabad	Very Poor	356	PM _{2.5}	1
70	Mumbai	Moderate	155	PM ₁₀ , PM _{2.5}	9
71	Muzaffarpur	Poor	297	PM _{2.5}	1
72	Mysuru	Satisfactory	58	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Satisfactory	66	O ₃	1
74	Narnaul	Moderate	170	PM _{2.5}	1
75	Nashik	Satisfactory	84	PM _{2.5}	1
76	Navi Mumbai	Moderate	139	PM _{2.5} , CO	3
77	Noida	Poor	294	PM _{2.5}	4
78	Pali	Satisfactory	91	PM _{2.5}	1
79	Panchkula	Satisfactory	61	PM _{2.5}	1
80	Panipat	Moderate	186	PM ₁₀	1
81	Patiala	Satisfactory	97	PM ₁₀	1
82	Patna	Moderate	180	PM _{2.5} , CO, PM ₁₀	3
83	Pithampur	Moderate	104	PM ₁₀	1
84	Pune	Poor	219	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Satisfactory	95	PM _{2.5}	1
86	Ramanagara	Satisfactory	55	PM ₁₀	1
87	Ratlam	Moderate	107	PM ₁₀	1
88	Rohtak	Moderate	170	PM _{2.5}	1
89	Rupnagar	Satisfactory	79	PM ₁₀	1
90	Satna	Moderate	101	PM ₁₀	1
91	Shillong	Good	40	PM _{2.5}	1
92	Siliguri	Moderate	182	PM _{2.5}	1
93	Singrauli	Moderate	170	PM _{2.5}	1
94	Sirsa	Satisfactory	89	PM ₁₀	1
95	Sonipat	Moderate	126	PM ₁₀	1
96	Talcher	Poor	276	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	72	PM ₁₀	1
98	Thiruvananthapuram	Satisfactory	67	O ₃	1
99	Tirupati	Satisfactory	52	PM ₁₀	1
100	Udaipur	Satisfactory	95	PM ₁₀	1
101	Ujjain	Moderate	139	PM _{2.5}	1
102	Varanasi	Poor	263	PM _{2.5}	1
103	Vatva	Moderate	109	PM ₁₀	1
104	Visakhapatnam	Moderate	164	PM _{2.5}	1
105	Yadgir	Moderate	108	PM _{2.5}	1
106	Yamunanagar	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Palwal, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.