

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	PM ₁₀	1
2	Agra	Moderate	137	PM _{2.5} , PM ₁₀	4
3	Ahmedabad	Moderate	119	NO ₂ , PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	23	со	1
5	Ajmer	Satisfactory	85	PM ₁₀	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Satisfactory	62	PM ₁₀	1
8	Ambala	Poor	246	PM _{2.5}	1
9	Amritsar	Moderate	124	PM ₁₀	1
10	Ankleshwar	Moderate	191	PM _{2.5}	1
11	Aurangabad	Moderate	105	PM ₁₀	1
12	Bagalkot	Good	42	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	200	PM _{2.5}	1
14	Bahadurgarh	Poor	253	PM _{2.5}	1
15	Ballabgarh	Poor	236	PM _{2.5}	1
16	Bathinda	Satisfactory	99	PM ₁₀	1
17	Bengaluru	Satisfactory	66	PM ₁₀	7
18	Bettiah	Moderate	194	PM ₁₀	1
19	Bhagalpur	Poor	268	PM _{2.5}	1
20	Bhiwadi	Moderate	181	PM _{2.5}	1
21	Bhiwani	Poor	291	PM _{2.5}	1
22	Bhopal	Moderate	108	PM ₁₀	1
23	Bihar Sharif	Poor	267	PM ₁₀	1
24	Bilaspur	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Satisfactory	86	03	1
26	Bulandshahr	Poor	259	PM _{2.5}	1
27	Buxar	Poor	261	PM _{2.5}	1
28	Chamarajanagar	Good	36	PM ₁₀	1
29	Chandigarh	Moderate	121	PM _{2.5} , PM ₁₀	2
30	Chandrapur	Moderate	116	PM _{2.5}	2
31	Charkhi Dadri	Moderate	189	PM _{2.5}	1
32	Chennai	Good	36	O ₃ , PM ₁₀ , CO	7
33	Chhapra	Poor	284	PM _{2.5}	1
34	Chikkaballapur	Good	34	PM ₁₀	1
35	Chikkamagaluru	Good	36	PM ₁₀	1
36	Coimbatore	Satisfactory	89	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	107	PM ₁₀	1
38	Darbhanga	Poor	262	PM _{2.5}	1
39	Davanagere	Good	50	PM ₁₀	1
40	Delhi	Poor	289	PM ₁₀ , PM _{2.5}	37
41	Dewas	Moderate	101	PM ₁₀	1
42	Dharuhera	Poor	257	PM _{2.5}	1
43	Durgapur	Poor	221	PM _{2.5}	1
44	Eloor	Satisfactory	62	PM ₁₀	1
45	Ernakulam	Satisfactory	84	PM _{2.5}	1
46	Faridabad	Poor	263	PM _{2.5} , PM ₁₀	4
47	Fatehabad	Moderate	189	PM _{2.5}	1
48	Firozabad	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	52	PM ₁₀	1
50	Gandhinagar	Satisfactory	90	PM ₁₀ , SO ₂	3
51	Gaya	Moderate	180	PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Very Poor	303	PM _{2.5}	4
53	Gorakhpur	Satisfactory	63	PM ₁₀	1
54	Greater Noida	Poor	297	PM _{2.5}	2
55	Gurugram	Poor	257	PM _{2.5}	3
56	Guwahati	Moderate	148	PM _{2.5}	2
57	Gwalior	Poor	266	PM _{2.5}	1
58	Hajipur	Poor	223	PM _{2.5}	1
59	Haldia	Satisfactory	88	PM ₁₀	1
60	Hapur	Poor	300	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	55	PM ₁₀	1
62	Hisar	Poor	286	PM _{2.5}	1
63	Howrah	Moderate	164	PM _{2.5} , PM ₁₀	3
64	Hubballi	Satisfactory	86	PM ₁₀	1
65	Hyderabad	Moderate	102	PM _{2.5} , PM ₁₀	6
66	Indore	Satisfactory	98	PM _{2.5}	1
67	Jaipur	Moderate	142	PM ₁₀ , PM _{2.5}	2
68	Jalandhar	Poor	224	PM _{2.5}	1
69	Jind	Poor	252	PM _{2.5}	1
70	Jodhpur	Moderate	138	PM _{2.5}	1
71	Kaithal	Moderate	173	PM ₁₀	1
72	Kalaburgi	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	267	PM _{2.5}	1
74	Kannur	Moderate	130	PM _{2.5}	1
75	Kanpur	Poor	214	PM _{2.5}	3
76	Karnal	Moderate	124	PM _{2.5}	1
77	Katihar	Very Poor	383	PM ₁₀	1
78	Katni	Moderate	174	PM _{2.5}	1
79	Khanna	Moderate	125	PM _{2.5}	1
80	Kishanganj	Poor	294	PM _{2.5}	1
81	Kochi	Moderate	177	PM _{2.5}	1
82	Kohima	Satisfactory	86	PM ₁₀	1
83	Kolar	Satisfactory	59	PM ₁₀	1
84	Kolkata	Moderate	110	PM _{2.5} , PM ₁₀	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Moderate	145	PM ₁₀	1
86	Koppal	Satisfactory	73	O ₃	1
87	Kota	Moderate	157	PM _{2.5}	1
88	Kozhikode	Satisfactory	53	PM ₁₀	1
89	Lucknow	Moderate	182	PM _{2.5} , PM ₁₀	6
90	Ludhiana	Moderate	145	PM _{2.5}	1
91	Maihar	Satisfactory	70	PM _{2.5}	1
92	Mandi Gobindgarh	Moderate	159	PM _{2.5}	1
93	Mandideep	Satisfactory	67	SO ₂	1
94	Mandikhera	Satisfactory	77	PM _{2.5}	1
95	Manesar	Poor	272	PM _{2.5}	1
96	Manglore	Satisfactory	90	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Medikeri	Satisfactory	54	PM ₁₀	1
98	Meerut	Very Poor	308	PM _{2.5}	2
99	Moradabad	Poor	238	PM _{2.5}	2
100	Motihari	Moderate	196	PM _{2.5}	1
101	Mumbai	Poor	211	PM _{2.5}	21
102	Munger	Very Poor	349	PM _{2.5}	1
103	Muzaffarnagar	Poor	272	PM _{2.5}	1
104	Muzaffarpur	Poor	259	PM _{2.5}	3
105	Mysuru	Satisfactory	64	O ₃	1
106	Nagpur	Moderate	103	PM ₁₀	1
107	Narnaul	Moderate	169	PM _{2.5}	1
108	Nashik	Poor	253	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Poor	208	PM _{2.5} , PM ₁₀	2
110	Noida	Poor	277	PM _{2.5} , PM ₁₀	4
111	Pali	Satisfactory	93	PM _{2.5}	1
112	Panchkula	Satisfactory	89	PM _{2.5}	1
113	Panipat	Moderate	140	PM _{2.5}	1
114	Patiala	Moderate	144	PM _{2.5}	1
115	Patna	Poor	228	PM _{2.5} , PM ₁₀	6
116	Pithampur	Moderate	158	PM _{2.5}	1
117	Prayagraj	Moderate	115	PM _{2.5} , PM ₁₀	3
118	Puducherry	Good	34	O ₃	1
119	Pune	Moderate	151	PM _{2.5}	3
120	Purnia	Very Poor	306	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Satisfactory	95	PM ₁₀	1
122	Rajamahendravaram	Satisfactory	78	PM ₁₀	1
123	Ramanagara	Satisfactory	59	PM _{2.5}	1
124	Ratlam	Moderate	102	PM ₁₀	1
125	Rohtak	Poor	225	PM _{2.5}	1
126	Rupnagar	Moderate	186	PM _{2.5}	1
127	Sagar	Satisfactory	72	PM _{2.5}	1
128	Saharsa	Very Poor	322	PM ₁₀	1
129	Sasaram	Very Poor	314	PM _{2.5}	1
130	Satna	Satisfactory	56	PM ₁₀	1
131	Shillong	Good	22	SO ₂	1
132	Shivamogga	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	107	PM ₁₀	1
134	Sirsa	Moderate	139	PM ₁₀	1
135	Siwan	Very Poor	302	PM _{2.5}	1
136	Sonipat	Moderate	137	PM ₁₀	1
137	Srinagar	Satisfactory	63	PM ₁₀	1
138	Talcher	Satisfactory	80	PM _{2.5}	1
139	Thane	Poor	256	PM ₁₀	1
140	Thiruvananthapuram	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
141	Thoothukudi	Good	31	PM ₁₀	1
142	Thrissur	Satisfactory	78	PM ₁₀	1
143	Tirupati	Good	50	со	1
144	Udaipur	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	106	PM ₁₀	1
146	Vapi	Poor	229	PM _{2.5}	1
147	Varanasi	Moderate	149	PM _{2.5} , PM ₁₀	4
148	Vatva	Moderate	136	PM _{2.5}	1
149	Vijayapura	Good	44	PM ₁₀	1
150	Visakhapatnam	Satisfactory	70	PM ₁₀	1
151	Vrindavan	Moderate	138	PM _{2.5}	1
152	Yadgir	Satisfactory	74	PM ₁₀	1
153	Yamunanagar	Poor	264	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Bhilai, Bidar, Gummidipoondi, Jabalpur, Jorapokhar, Kurukshetra, Manguraha, Naharlagun, Nandesari, Palwal, Rajgir, Singrauli, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.