

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	229	PM _{2.5}	1
2	Agra	Satisfactory	62	O ₃	5
3	Ahmedabad	Moderate	130	PM ₁₀	6
4	Aizawl	Satisfactory	99	PM ₁₀	1
5	Ajmer	Moderate	106	PM _{2.5}	1
6	Alwar	Satisfactory	86	PM ₁₀	1
7	Amaravati	Satisfactory	59	со	1
8	Ambala	Satisfactory	73	PM ₁₀	1
9	Amritsar	Moderate	101	PM _{2.5}	1
10	Anantapur	Good	45	PM _{2.5}	1
11	Ankleshwar	Satisfactory	70	со	1
12	Araria	Moderate	166	PM ₁₀	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bhilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikkamagal

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	43	PM _{2.5}	1
14	Arrah	Moderate	146	PM ₁₀	1
15	Asansol	Moderate	170	PM _{2.5}	1
16	Aurangabad (Bihar)	Moderate	139	PM ₁₀	1
17	Aurangabad (Maharashtra)	Moderate	116	PM ₁₀	1
18	Baddi	Poor	212	O ₃	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Very Poor	306	O ₃	1
21	Ballabgarh	Satisfactory	97	PM ₁₀	1
22	Banswara	Moderate	106	PM ₁₀	1
23	Bareilly	Satisfactory	55	PM ₁₀	2
24	Baripada	Moderate	164	O ₃	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, nilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	102	O ₃	1
26	Bathinda	Satisfactory	64	PM ₁₀	1
27	Begusarai	Poor	242	PM ₁₀	1
28	Belgaum	Good	48	со	1
29	Bengaluru	Satisfactory	51	CO, NO ₂	11
30	Bhagalpur	Moderate	162	PM ₁₀	2
31	Bharatpur	Moderate	120	PM ₁₀	1
32	Bhilai	Satisfactory	53	PM ₁₀ , O ₃	3
33	Bhiwadi	Moderate	169	PM ₁₀	1
34	Bhiwani	Moderate	155	PM _{2.5}	1
35	Bhopal	Moderate	111	PM ₁₀	3
36	Bihar Sharif	Moderate	188	O ₃	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, illwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Moderate	177	PM ₁₀	1
38	Bileipada	Moderate	135	PM ₁₀	1
39	Brajrajnagar	Satisfactory	91	со	1
40	Bulandshahr	Moderate	119	03	1
41	Byrnihat	Moderate	186	PM _{2.5}	1
42	Chamarajanagar	Good	44	PM ₁₀	1
43	Chandigarh	Moderate	144	O ₃ , PM ₁₀	3
44	Chandrapur	Satisfactory	84	PM _{2.5}	1
45	Charkhi Dadri	Poor	251	PM _{2.5}	1
46	Chennai	Satisfactory	67	SO ₂	8
47	Chhal	Good	49	PM ₁₀	1
48	Chhapra	Poor	208	PM ₁₀	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, illwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	30	NO ₂	1
50	Chittorgarh	Moderate	106	PM ₁₀	1
51	Churu	Moderate	160	PM ₁₀	1
52	Coimbatore	Satisfactory	64	PM ₁₀	1
53	Cuddalore	Satisfactory	86	NO ₂	2
54	Damoh	Good	28	PM ₁₀	1
55	Dausa	Moderate	179	PM ₁₀	1
56	Davanagere	Good	28	PM ₁₀	1
57	Dehradun	Satisfactory	89	со	1
58	Delhi	Moderate	197	PM ₁₀ , PM _{2.5}	39
59	Dewas	Moderate	110	PM ₁₀	1
60	Dhanbad	Poor	202	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, illwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Moderate	110	PM _{2.5}	1
62	Dharwad	Satisfactory	88	PM _{2.5}	1
63	Dholpur	Moderate	120	03	1
64	Durgapur	Moderate	136	PM ₁₀	1
65	Faridabad	Moderate	118	PM _{2.5}	4
66	Fatehabad	Satisfactory	94	03	1
67	Firozabad	Good	42	O ₃	1
68	Gandhinagar	Moderate	137	PM _{2.5} , PM ₁₀	3
69	Gangtok	Satisfactory	58	O ₃	1
70	Gaya	Moderate	106	PM ₁₀ , CO	3
71	Ghaziabad	Moderate	161	PM _{2.5} , O ₃	4
72	Gorakhpur	Moderate	113	PM ₁₀	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, - Bhilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikkamaga

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	188	O ₃ , PM ₁₀	2
74	Gurugram	Poor	210	PM _{2.5}	4
75	Guwahati	Satisfactory	78	03	4
76	Gwalior	Moderate	132	O ₃ , PM ₁₀	4
77	Hajipur	Moderate	166	PM ₁₀	1
78	Haldia	Satisfactory	57	PM ₁₀	1
79	Hanumangarh	Moderate	161	PM ₁₀	1
80	Hapur	Moderate	119	03	1
81	Hisar	Moderate	133	PM _{2.5}	1
82	Hosur	Satisfactory	76	со	1
83	Howrah	Satisfactory	84	PM ₁₀	3
84	Hubballi	Satisfactory	84	PM ₁₀	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah,

Notes: Hass

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bhilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	77	PM ₁₀	13
86	Indore	Satisfactory	68	PM ₁₀	2
87	Jabalpur	Moderate	106	03	1
88	Jaipur	Moderate	128	PM ₁₀	4
89	Jalandhar	Satisfactory	87	PM ₁₀	1
90	Jhalawar	Moderate	125	PM ₁₀	1
91	Jhansi	Moderate	140	PM ₁₀	1
92	Jhunjhunu	Poor	300	O ₃	1
93	Jind	Moderate	141	PM _{2.5}	1
94	Jodhpur	Moderate	141	O ₃ , PM ₁₀	3
95	Jorapokhar	Moderate	165	PM ₁₀	1
96	Kadapa	Satisfactory	62	03	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

illwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Moderate	130	PM ₁₀	1
98	Kalaburgi	Satisfactory	58	PM ₁₀	2
99	Kalyan	Moderate	102	PM ₁₀	1
100	Kannur	Satisfactory	74	PM ₁₀	1
101	Kanpur	Satisfactory	100	PM ₁₀ , CO	3
102	Karauli	Moderate	152	03	1
103	Karnal	Satisfactory	78	PM ₁₀	1
104	Katihar	Moderate	171	PM _{2.5}	1
105	Katni	Satisfactory	84	PM ₁₀	1
106	Keonjhar	Moderate	116	PM _{2.5}	1
107	Khanna	Satisfactory	75	PM ₁₀	1
108	Khurja	Satisfactory	64	SO ₂	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, illwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Moderate	130	PM ₁₀	1
110	Kohima	Satisfactory	97	PM ₁₀	1
111	Kolhapur	Moderate	125	03	2
112	Kolkata	Satisfactory	90	O ₃ , PM _{2.5}	7
113	Kollam	Satisfactory	82	PM ₁₀	1
114	Korba	Satisfactory	70	NO ₂ , PM ₁₀	2
115	Kota	Moderate	153	PM _{2.5}	3
116	Kurukshetra	Moderate	126	PM ₁₀	1
117	Lucknow	Moderate	108	PM _{2.5}	6
118	Ludhiana	Moderate	171	PM _{2.5}	1
119	Madikeri	Good	24	O ₃	1
120	Mandi Gobindgarh	Moderate	147	PM ₁₀	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, ilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Notes:

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandideep	Satisfactory	90	PM ₁₀	1
122	Mandikhera	Satisfactory	81	PM ₁₀	1
123	Manesar	Moderate	182	PM _{2.5}	1
124	Mangalore	Good	42	PM ₁₀	1
125	Meerut	Moderate	152	03	3
126	Milupara	Good	47	PM ₁₀	1
127	Moradabad	Moderate	124	O ₃ , PM ₁₀	6
128	Motihari	Moderate	109	NO ₂	1
129	Mumbai	Satisfactory	91	PM ₁₀	18
130	Munger	Poor	204	PM ₁₀	1
131	Muzaffarnagar	Moderate	136	PM ₁₀	1
132	Muzaffarpur	Poor	242	PM _{2.5} , O ₃	3

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, - Bhilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikkamaga

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Good	48	O ₃	1
134	Nagaon	Moderate	102	O ₃	1
135	Nagpur	Moderate	102	PM ₁₀	1
136	Nalbari	Satisfactory	91	PM _{2.5}	1
137	Narnaul	Moderate	113	PM ₁₀	1
138	Nashik	Satisfactory	67	PM ₁₀	1
139	Navi Mumbai	Satisfactory	82	PM ₁₀	2
140	Noida	Moderate	189	PM ₁₀	4
141	Ooty	Good	49	SO ₂	1
142	Pali	Moderate	102	PM ₁₀	1
143	Palwal	Satisfactory	77	PM ₁₀	1
144	Panchkula	Satisfactory	82	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah,

illwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Moderate	115	PM ₁₀	1
146	Patna	Poor	212	PM _{2.5}	6
147	Pithampur	Satisfactory	68	PM ₁₀	1
148	Pratapgarh	Satisfactory	99	PM ₁₀	1
149	Prayagraj	Satisfactory	78	PM ₁₀	3
150	Puducherry	Satisfactory	57	03	1
151	Pune	Moderate	130	NO ₂	2
152	Purnia	Moderate	199	PM ₁₀	1
153	Raipur	Satisfactory	90	PM ₁₀	4
154	Rairangpur	Satisfactory	94	O ₃	1
155	Rajamahendravaram	Satisfactory	53	PM ₁₀	1
156	Rajgir	Moderate	132	PM ₁₀	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, ilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajsamand	Satisfactory	91	PM ₁₀	1
158	Ramanagara	Satisfactory	58	03	1
159	Ramanathapuram	Moderate	120	со	1
160	Ratlam	Satisfactory	84	PM ₁₀	1
161	Rishikesh	Satisfactory	55	03	1
162	Rohtak	Moderate	132	PM _{2.5}	1
163	Rourkela	Moderate	124	PM ₁₀	2
164	Rupnagar	Moderate	102	PM ₁₀	1
165	Sagar	Moderate	128	03	1
166	Saharsa	Moderate	164	PM ₁₀	1
167	Samastipur	Moderate	174	PM ₁₀	1
168	Sasaram	Very Poor	301	O ₃	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bhilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Moderate	116	PM ₁₀	1
170	Sawai Madhopur	Moderate	112	PM ₁₀	1
171	Shillong	Moderate	102	PM ₁₀	1
172	Shivamogga	Good	46	PM ₁₀	1
173	Sikar	Moderate	178	PM ₁₀	1
174	Silchar	Good	42	PM ₁₀	1
175	Siliguri	Satisfactory	75	PM ₁₀	1
176	Singrauli	Moderate	126	PM ₁₀	1
177	Sirohi	Satisfactory	100	O ₃	1
178	Sirsa	Satisfactory	86	PM ₁₀	1
179	Sivasagar	Good	31	PM ₁₀	1
180	Siwan	Moderate	174	PM ₁₀	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bhilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikkamaga

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Solapur	Satisfactory	92	PM ₁₀	1
182	Sri Ganganagar	Moderate	168	PM ₁₀	1
183	Srinagar	Satisfactory	57	PM ₁₀	1
184	Suakati	Moderate	111	PM ₁₀	1
185	Surat	Satisfactory	77	со	1
186	Tensa	Moderate	101	PM ₁₀	1
187	Thane	Satisfactory	93	03	1
188	Thiruvananthapuram	Good	38	PM ₁₀ , CO	2
189	Thoothukudi	Satisfactory	72	03	1
190	Thrissur	Satisfactory	70	PM ₁₀	1
191	Tonk	Moderate	136	PM ₁₀	1
192	Tumakuru	Satisfactory	70	PM ₁₀	1

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, illwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikl

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tumidih	Satisfactory	67	PM ₁₀	1
194	Udaipur	Moderate	103	PM _{2.5}	1
195	Ujjain	Moderate	127	O ₃	1
196	Vapi	Satisfactory	77	PM _{2.5}	1
197	Varanasi	Satisfactory	70	PM ₁₀ , O ₃	4
198	Vatva	Moderate	124	PM _{2.5}	1
199	Vijayapura	Good	49	PM ₁₀	1
200	Vijayawada	Good	37	PM ₁₀	1
201	Visakhapatnam	Satisfactory	89	PM ₁₀	1
202	Vrindavan	Moderate	131	PM ₁₀	1
203	Yadgir	Good	35	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah,

Bhilwara, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chikkamagaluru

Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi,

Notes: Hassan, Haveri, Imphal, Jaisalmer, Kanchipuram, Kashipur, Kochi, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Manguraha, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Salem, Sonipat, Talcher, Tirupati, Tirupur, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.