Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	37	PM_{10}	1
2	Agra	Good	38	$PM_{2.5}$, O_3, PM_{10}	6
3	Ahmedabad	Moderate	101	PM_{10}	1
4	Aizawl	Good	20	SO_2	1
5	Alwar	Satisfactory	61	PM_{10}	1
6	Amaravati	Good	36	O_3	1
7	Amritsar	Satisfactory	70	PM_{10}	1
8	Ankleshwar	Satisfactory	71	$PM_{2.5}$	1
9	Asansol	Satisfactory	96	PM_{10}	1
10	Aurangabad (Bihar)	Moderate	157	$PM_{2.5}$	1
11	Aurangabad (Maharashtra)	Good	50	PM_{10}	1
12	Baddi	Satisfactory	99	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	42	PM_{10}	1
14	Bahadurgarh	Satisfactory	84	PM_{10}	1
15	Ballabgarh	Good	44	$PM_{2.5}$	1
16	Bareilly	Good	28	PM_{10}	1
17	Bathinda	Satisfactory	76	PM_{10}	1
18	Bengaluru	Satisfactory	56	CO, PM_{10}	6
19	Bettiah	Satisfactory	80	PM_{10}	1
20	Bhagalpur	Moderate	134	$PM_{2.5}$	1
21	Bhiwadi	Satisfactory	93	PM_{10}	1
22	Bhopal	Satisfactory	92	CO	1
23	Bilaspur	Satisfactory	77	CO	1
24	Bulandshahr	Satisfactory	86	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Buxar	Moderate	171	$PM_{2.5}$	1
26	Chamarajanagar	Good	37	PM_{10}	1
27	Chandigarh	Satisfactory	57	PM_{10}	2
28	Chandrapur	Satisfactory	63	CO, PM_{10}	2
29	Charkhi Dadri	Satisfactory	83	PM_{10}	1
30	Chennai	Satisfactory	84	$PM_{2.5}$, PM_{10}	8
31	Chhapra	Satisfactory	88	PM_{10}	1
32	Chikkamagaluru	Good	34	PM_{10}	1
33	Coimbatore	Good	26	CO	1
34	Darbhanga	Satisfactory	57	PM_{10}	1
35	Davanagere	Good	22	PM_{10}	1
36	Delhi	Moderate	112	$PM_{2.5}$, PM_{10}	33

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dewas	Satisfactory	57	PM_{10}	1
38	Dharuhera	Satisfactory	93	PM_{10}	1
39	Eloor	Satisfactory	53	PM_{10}	1
40	Ernakulam	Good	32	NO_2	1
41	Faridabad	Moderate	122	$PM_{2.5}$	2
42	Fatehabad	Satisfactory	62	PM_{10}	1
43	Firozabad	Satisfactory	71	$PM_{2.5}$	1
44	Gadag	Good	41	$PM_{2.5}$	1
45	Gandhinagar	Good	48	PM_{10}	1
46	Gaya	Satisfactory	96	$PM_{2.5}$	2
47	Ghaziabad	Moderate	127	$PM_{2.5}$, PM_{10}	4
48	Gorakhpur	Good	46	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Satisfactory	96	PM_{10}	2
50	Gurugram	Moderate	109	PM_{10}, $PM_{2.5}$	3
51	Guwahati	Satisfactory	52	PM_{10}, O_3	2
52	Hajipur	Good	36	PM_{10}	1
53	Haldia	Good	33	CO	1
54	Hapur	Satisfactory	73	$PM_{2.5}$	1
55	Hassan	Satisfactory	62	SO_2	1
56	Haveri	Good	46	CO	1
57	Howrah	Satisfactory	58	PM_{10}, $PM_{2.5}$, CO	3
58	Hubballi	Satisfactory	54	CO	1
59	Hyderabad	Satisfactory	53	PM_{10}, CO, $PM_{2.5}$	12
60	Imphal	Good	41	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Indore	Satisfactory	74	PM_{10}	1
62	Jabalpur	Satisfactory	74	CO	1
63	Jaipur	Satisfactory	66	PM_{10}	2
64	Jalandhar	Satisfactory	61	PM_{10}	1
65	Jhansi	Satisfactory	53	PM_{10}	1
66	Jind	Satisfactory	65	$PM_{2.5}$	1
67	Jodhpur	Moderate	121	PM_{10}	1
68	Kaithal	Satisfactory	68	PM_{10}	1
69	Kanpur	Good	38	$PM_{2.5}$	4
70	Karnal	Satisfactory	62	PM_{10}	1
71	Katni	Satisfactory	69	PM_{10}	1
72	Khanna	Satisfactory	65	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kishanganj	Satisfactory	80	O_3	1
74	Kochi	Moderate	167	$PM_{2.5}$	1
75	Kohima	Satisfactory	72	PM_{10}	1
76	Kolkata	Good	41	O_3, PM_{10}	5
77	Kollam	Satisfactory	87	PM_{10}	1
78	Koppal	Satisfactory	68	CO	1
79	Kota	Satisfactory	56	PM_{10}	1
80	Kozhikode	Good	48	PM_{10}	1
81	Kurukshetra	Satisfactory	67	$PM_{2.5}$	1
82	Lucknow	Satisfactory	56	NO_2, CO, O_3	6
83	Ludhiana	Satisfactory	97	PM_{10}	1
84	Madikeri	Good	16	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandi Gobindgarh	Satisfactory	93	$PM_{2.5}$	1
86	Mandideep	Satisfactory	61	NO_2	1
87	Mandikhera	Good	28	CO	1
88	Manesar	Satisfactory	99	$PM_{2.5}$	1
89	Manglore	Good	48	CO	1
90	Meerut	Satisfactory	83	CO, PM_{10}, $PM_{2.5}$	3
91	Moradabad	Satisfactory	67	PM_{10}, CO, $PM_{2.5}$	5
92	Motihari	Satisfactory	61	O_3	1
93	Mumbai	Satisfactory	61	$PM_{2.5}$, CO, SO_2	13
94	Muzaffarnagar	Satisfactory	98	$PM_{2.5}$	1
95	Muzaffarpur	Satisfactory	69	CO	1
96	Mysuru	Satisfactory	51	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nagpur	Satisfactory	93	$PM_{2.5}$	1
98	Naharlagun	Good	23	SO_2	1
99	Nandesari	Moderate	112	CO	1
100	Narnaul	Good	44	$PM_{2.5}$	1
101	Navi Mumbai	Satisfactory	55	$PM_{2.5}$, PM_{10}	3
102	Noida	Moderate	101	PM_{10}	4
103	Pali	Satisfactory	74	PM_{10}	1
104	Palwal	Satisfactory	77	PM_{10}	1
105	Panchkula	Satisfactory	57	$PM_{2.5}$	1
106	Patiala	Satisfactory	57	PM_{10}	1
107	Patna	Moderate	108	PM_{10}, $PM_{2.5}$	5
108	Pithampur	Satisfactory	71	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Satisfactory	89	PM_{10}, SO_2	2
110	Puducherry	Good	45	PM_{10}	1
111	Purnia	Moderate	115	PM_{10}	1
112	Rajamahendravaram	Good	29	PM_{10}	1
113	Ratlam	Good	44	PM_{10}	1
114	Rohtak	Satisfactory	65	$PM_{2.5}$	1
115	Sagar	Good	49	CO	1
116	Satna	Good	45	PM_{10}	1
117	Shillong	Good	25	PM_{10}, $PM_{2.5}$	2
118	Shivamogga	Satisfactory	74	NO_2	1
119	Singrauli	Satisfactory	67	NO_2	1
120	Sirsa	Satisfactory	55	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, ~~Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif,~~ Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Solapur	Satisfactory	74	PM_{10}	1
122	Sonipat	Moderate	126	PM_{10}	1
123	Srinagar	Satisfactory	81	PM_{10}	1
124	Thane	Satisfactory	87	O_3	1
125	Thiruvananthapuram	Good	24	CO	1
126	Thoothukudi	Good	20	PM_{10}	1
127	Tirupati	Good	45	CO	1
128	Udaipur	Satisfactory	57	PM_{10}	1
129	Ujjain	Satisfactory	54	PM_{10}	1
130	Varanasi	Satisfactory	69	PM_{10}	4
131	Vijayapura	Good	39	PM_{10}	1
132	Visakhapatnam	Satisfactory	67	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vrindavan	Good	42	SO$_2$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Araria, Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Damoh, Dehradun, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kannur, Katihar, Khurja, Kolar, Maihar, Manguraha, Munger, Nashik, Panipat, Pune, Raichur, Rajgir, Ramanagara, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Thrissur, Udupi, Vapi, Vatva, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.