

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	210	PM _{2.5}	1
2	Agra	Poor	233	PM _{2.5}	1
3	Ahmedabad	Poor	216	PM ₁₀	1
4	Aizawl	Satisfactory	61	PM ₁₀	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Moderate	114	PM ₁₀	1
7	Amaravati	Moderate	139	PM _{2.5}	1
8	Ambala	Moderate	192	PM _{2.5}	1
9	Amritsar	Moderate	160	PM _{2.5}	1
10	Ankleshwar	Poor	299	NO ₂	1
11	Asansol	Poor	258	PM _{2.5}	1
12	Bagalkot	Good	34	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	333	PM _{2.5}	1
14	Bahadurgarh	Poor	291	PM _{2.5}	1
15	Ballabgarh	Moderate	132	PM _{2.5}	1
16	Bathinda	Moderate	137	PM _{2.5}	1
17	Bengaluru	Moderate	107	PM ₁₀ , PM _{2.5}	9
18	Bhiwadi	Poor	265	PM _{2.5}	1
19	Bhiwani	Moderate	153	PM ₁₀	1
20	Bhopal	Moderate	136	PM ₁₀	1
21	Brajrajnagar	Moderate	146	PM _{2.5}	1
22	Bulandshahr	Very Poor	335	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	96	PM _{2.5}	1
24	Chandigarh	Moderate	191	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	130	PM ₁₀	2
26	Charkhi Dadri	Very Poor	312	PM _{2.5}	1
27	Chennai	Satisfactory	83	PM ₁₀ , PM _{2.5}	7
28	Chikkaballapur	Satisfactory	91	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	80	PM _{2.5}	1
30	Damoh	Moderate	123	PM ₁₀	1
31	Davanagere	Satisfactory	86	PM ₁₀	1
32	Delhi	Very Poor	330	PM _{2.5}	36
33	Dharuhera	Moderate	186	PM ₁₀	1
34	Faridabad	Very Poor	317	PM _{2.5}	1
35	Fatehabad	Moderate	184	PM _{2.5}	1
36	Gandhinagar	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Poor	214	PM _{2.5} , O ₃	2
38	Ghaziabad	Very Poor	388	PM _{2.5}	1
39	Greater Noida	Very Poor	345	PM _{2.5}	1
40	Gummidipoondi	Moderate	160	PM _{2.5}	1
41	Gurugram	Very Poor	306	PM _{2.5}	4
42	Guwahati	Poor	279	PM _{2.5}	1
43	Gwalior	Moderate	147	PM _{2.5}	1
44	Hajipur	Moderate	171	PM _{2.5}	1
45	Haldia	Moderate	158	PM ₁₀	1
46	Hisar	Poor	292	PM _{2.5}	1
47	Howrah	Very Poor	325	PM ₁₀ , PM _{2.5}	3
48	Hubballi	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	144	PM _{2.5} , PM ₁₀	6
50	Indore	Moderate	183	PM _{2.5}	1
51	Jabalpur	Moderate	175	PM ₁₀	1
52	Jaipur	Moderate	120	PM _{2.5} , PM ₁₀	3
53	Jalandhar	Moderate	126	PM ₁₀	1
54	Jind	Poor	294	PM _{2.5}	1
55	Jodhpur	Moderate	165	PM _{2.5}	1
56	Jorapokhar	Moderate	134	PM ₁₀	1
57	Kaithal	Poor	225	PM _{2.5}	1
58	Kalyan	Poor	228	PM _{2.5}	1
59	Kannur	Satisfactory	94	PM _{2.5}	1
60	Kanpur	Poor	261	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Poor	265	PM _{2.5}	1
62	Katni	Poor	251	PM ₁₀	1
63	Khanna	Moderate	114	PM _{2.5}	1
64	Kolar	Satisfactory	71	03	1
65	Kolkata	Poor	286	PM _{2.5}	7
66	Kollam	Moderate	103	PM ₁₀	1
67	Koppal	Satisfactory	84	PM _{2.5}	1
68	Kota	Moderate	125	PM _{2.5}	1
69	Kozhikode	Satisfactory	75	PM ₁₀	1
70	Kurukshetra	Poor	294	PM _{2.5}	1
71	Lucknow	Poor	300	PM ₁₀ , PM _{2.5}	4
72	Ludhiana	Moderate	164	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Satisfactory	67	PM ₁₀	1
74	Mandi Gobindgarh	Moderate	136	PM ₁₀	1
75	Mandideep	Poor	232	PM ₁₀	1
76	Mandikhera	Moderate	186	PM _{2.5}	1
77	Manesar	Poor	275	PM _{2.5}	1
78	Manglore	Satisfactory	82	PM _{2.5}	1
79	Medikeri	Satisfactory	86	PM ₁₀	1
80	Meerut	Very Poor	336	PM _{2.5}	2
81	Moradabad	Very Poor	398	PM _{2.5}	1
82	Mumbai	Moderate	188	PM _{2.5} , O ₃	20
83	Muzaffarpur	Poor	283	PM _{2.5}	1
84	Mysuru	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Good	32	со	1
86	Nashik	Satisfactory	96	PM _{2.5}	1
87	Navi Mumbai	Poor	249	PM _{2.5}	3
88	Noida	Very Poor	339	PM _{2.5}	4
89	Pali	Moderate	162	PM ₁₀	1
90	Palwal	Moderate	128	PM ₁₀	1
91	Panchkula	Moderate	155	PM _{2.5}	1
92	Patiala	Poor	203	PM _{2.5}	1
93	Patna	Very Poor	333	PM _{2.5} , PM ₁₀	6
94	Pithampur	Moderate	132	PM _{2.5}	1
95	Puducherry	Satisfactory	84	PM ₁₀	1
96	Pune	Moderate	155	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	166	PM _{2.5}	1
98	Ramanagara	Satisfactory	98	PM _{2.5}	1
99	Ratlam	Poor	209	PM ₁₀	1
100	Rohtak	Very Poor	340	PM _{2.5}	1
101	Sagar	Satisfactory	84	PM _{2.5}	1
102	Satna	Moderate	102	PM ₁₀	1
103	Shivamogga	Satisfactory	58	PM ₁₀	1
104	Singrauli	Poor	279	PM ₁₀	1
105	Sirsa	Moderate	130	PM _{2.5}	1
106	Solapur	Moderate	114	PM ₁₀	1
107	Talcher	Moderate	166	PM ₁₀	1
108	Thane	Poor	271	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	67	PM ₁₀	2
110	Thoothukudi	Satisfactory	67	PM ₁₀	1
111	Thrissur	Moderate	102	03	1
112	Tirupati	Moderate	109	PM _{2.5}	1
113	Udaipur	Moderate	144	PM ₁₀	1
114	Ujjain	Moderate	194	PM ₁₀	1
115	Vapi	Poor	215	PM ₁₀	1
116	Varanasi	Poor	291	PM _{2.5}	1
117	Vatva	Very Poor	313	PM ₁₀	1
118	Vijayapura	Satisfactory	54	со	1
119	Visakhapatnam	Moderate	197	PM ₁₀	1
120	Yadgir	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Very Poor	313	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dewas, Durgapur, Eloor, Ernakulam, Gadag, Hapur, Kalaburgi, Kochi, Kohima, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Siliguri, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.