

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	142	PM _{2.5}	1
2	Agra	Poor	204	PM _{2.5}	1
3	Ahmedabad	Poor	235	PM ₁₀	1
4	Aizawl	Satisfactory	89	PM ₁₀	1
5	Ajmer	Moderate	102	PM ₁₀	1
6	Alwar	Moderate	108	PM ₁₀	1
7	Amaravati	Satisfactory	66	PM ₁₀	1
8	Ambala	Moderate	146	PM _{2.5}	1
9	Amritsar	Moderate	141	PM _{2.5}	1
10	Ankleshwar	Poor	211	PM _{2.5}	1
11	Asansol	Moderate	196	PM _{2.5}	1
12	Aurangabad	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	48	PM ₁₀	1
14	Baghpat	Poor	257	PM _{2.5}	1
15	Bahadurgarh	Poor	276	PM _{2.5}	1
16	Ballabgarh	Poor	277	PM _{2.5}	1
17	Bengaluru	Satisfactory	77	PM ₁₀ , CO	10
18	Bhiwadi	Poor	296	PM ₁₀	1
19	Bhopal	Moderate	151	PM ₁₀	1
20	Bidar	Moderate	101	PM ₁₀	1
21	Bulandshahr	Very Poor	305	PM _{2.5}	1
22	Chandigarh	Moderate	136	PM ₁₀	1
23	Chandrapur	Moderate	124	PM _{2.5} , PM ₁₀	2
24	Chennai	Satisfactory	89	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	75	PM _{2.5}	1
26	Chikkamagaluru	Satisfactory	59	03	1
27	Damoh	Satisfactory	60	PM _{2.5}	1
28	Davanagere	Satisfactory	79	PM ₁₀	1
29	Delhi	Poor	278	PM ₁₀	33
30	Dewas	Moderate	109	PM ₁₀	1
31	Dharuhera	Poor	238	PM ₁₀	1
32	Durgapur	Poor	289	PM _{2.5}	1
33	Ernakulam	Satisfactory	74	PM ₁₀	1
34	Faridabad	Very Poor	312	PM _{2.5} , PM ₁₀	4
35	Fatehabad	Moderate	125	PM ₁₀	1
36	Gandhinagar	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	114	PM _{2.5} , O ₃	2
38	Ghaziabad	Very Poor	388	PM ₁₀	4
39	Greater Noida	Very Poor	342	PM ₁₀	2
40	Gurugram	Poor	265	PM _{2.5}	3
41	Guwahati	Poor	250	PM ₁₀ , PM _{2.5}	2
42	Gwalior	Moderate	196	PM _{2.5}	1
43	Hajipur	Poor	237	PM ₁₀	1
44	Haldia	Satisfactory	97	PM ₁₀	1
45	Hapur	Poor	229	PM ₁₀	1
46	Hisar	Poor	270	PM _{2.5}	1
47	Howrah	Poor	212	PM _{2.5}	3
48	Hubballi	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	150	PM _{2.5} , PM ₁₀	5
50	Indore	Poor	229	PM ₁₀	1
51	Jabalpur	Moderate	169	PM ₁₀	1
52	Jaipur	Moderate	184	PM _{2.5} , PM ₁₀	3
53	Jalandhar	Moderate	168	PM _{2.5}	1
54	Jind	Poor	213	PM _{2.5}	1
55	Jodhpur	Moderate	154	PM ₁₀	1
56	Jorapokhar	Moderate	154	O ₃	1
57	Kaithal	Moderate	139	PM ₁₀	1
58	Kalaburgi	Moderate	106	PM ₁₀	1
59	Kalyan	Poor	247	PM _{2.5}	1
60	Kannur	Satisfactory	61	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Moderate	172	PM _{2.5}	2
62	Karnal	Moderate	150	PM ₁₀	1
63	Katni	Poor	233	PM ₁₀	1
64	Khanna	Moderate	119	PM ₁₀	1
65	Kohima	Moderate	127	PM ₁₀	1
66	Kolkata	Moderate	194	PM _{2.5} , O ₃	7
67	Kollam	Moderate	105	PM ₁₀	1
68	Koppal	Satisfactory	78	PM ₁₀	1
69	Kota	Moderate	106	PM ₁₀	1
70	Kozhikode	Satisfactory	80	PM ₁₀	1
71	Kurukshetra	Moderate	155	PM _{2.5}	1
72	Lucknow	Moderate	180	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	136	PM ₁₀	1
74	Maihar	Satisfactory	60	PM ₁₀	1
75	Mandi Gobindgarh	Moderate	157	PM _{2.5}	1
76	Mandideep	Moderate	169	PM ₁₀	1
77	Mandikhera	Moderate	103	PM _{2.5}	1
78	Manesar	Poor	266	PM _{2.5}	1
79	Manglore	Satisfactory	57	PM ₁₀	1
80	Medikeri	Good	48	PM ₁₀	1
81	Meerut	Poor	296	PM ₁₀	2
82	Moradabad	Very Poor	316	PM _{2.5}	1
83	Mumbai	Poor	224	PM _{2.5}	18
84	Muzaffarpur	Poor	276	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	59	03	1
86	Nandesari	Moderate	112	со	1
87	Narnaul	Moderate	194	PM ₁₀	1
88	Nashik	Moderate	103	PM _{2.5}	1
89	Navi Mumbai	Poor	238	PM _{2.5} , PM ₁₀	3
90	Noida	Poor	292	PM ₁₀	3
91	Pali	Moderate	156	PM ₁₀	1
92	Palwal	Moderate	118	PM ₁₀	1
93	Panchkula	Satisfactory	94	PM _{2.5}	1
94	Panipat	Moderate	103	SO ₂	1
95	Patiala	Moderate	129	PM ₁₀	1
96	Patna	Poor	214	PM _{2.5} , PM ₁₀ , NO ₂	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	120	03	1
98	Puducherry	Good	43	PM ₁₀	1
99	Pune	Moderate	120	PM _{2.5} , PM ₁₀	7
100	Raichur	Moderate	121	PM ₁₀	1
101	Rajamahendravaram	Moderate	112	PM ₁₀	1
102	Ramanagara	Moderate	162	03	1
103	Ratlam	Moderate	134	PM ₁₀	1
104	Rohtak	Moderate	167	PM _{2.5}	1
105	Rupnagar	Satisfactory	89	PM ₁₀	1
106	Sagar	Moderate	128	PM _{2.5}	1
107	Satna	Satisfactory	96	PM ₁₀	1
108	Shivamogga	Moderate	131	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Poor	264	PM ₁₀	1
110	Sirsa	Moderate	145	PM _{2.5}	1
111	Sonipat	Moderate	176	PM ₁₀	1
112	Talcher	Moderate	147	PM ₁₀	1
113	Thane	Very Poor	356	PM ₁₀	1
114	Thiruvananthapuram	Satisfactory	57	PM ₁₀	1
115	Thoothukudi	Good	50	PM ₁₀	1
116	Thrissur	Moderate	106	O ₃	1
117	Tirupati	Satisfactory	80	PM _{2.5}	1
118	Udaipur	Moderate	148	PM _{2.5}	1
119	Udupi	Moderate	189	O ₃	1
120	Ujjain	Moderate	179	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	161	PM ₁₀	1
122	Varanasi	Moderate	194	PM _{2.5}	1
123	Vatva	Very Poor	352	PM _{2.5}	1
124	Vijayapura	Good	40	со	1
125	Visakhapatnam	Moderate	136	PM ₁₀	1
126	Yadgir	Satisfactory	80	O ₃	1
127	Yamunanagar	Poor	231	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Eloor, Gadag, Gummidipoondi, Kochi, Kolar, Muzaffarnagar, Nagpur, Shillong, Siliguri, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.