

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	92	PM ₁₀	1
2	Agra	Poor	229	PM _{2.5}	5
3	Ahmedabad	Moderate	148	PM _{2.5} , CO, PM ₁₀	6
4	Aizawl	Good	19	со	1
5	Ajmer	Moderate	102	PM ₁₀	1
6	Alwar	Satisfactory	86	PM ₁₀	1
7	Amaravati	Moderate	105	PM ₁₀	1
8	Ambala	Moderate	109	PM ₁₀	1
9	Amritsar	Moderate	103	PM _{2.5}	1
10	Ankleshwar	Poor	270	PM _{2.5}	1
11	Asansol	Moderate	119	PM _{2.5}	1
12	Aurangabad	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	66	PM _{2.5}	1
14	Baghpat	Poor	236	PM _{2.5}	1
15	Bahadurgarh	Poor	227	PM _{2.5}	1
16	Ballabgarh	Poor	259	PM _{2.5}	1
17	Bathinda	Moderate	127	PM ₁₀	1
18	Bengaluru	Moderate	106	PM _{2.5} , PM ₁₀	8
19	Bhiwadi	Very Poor	306	PM _{2.5}	1
20	Bhiwani	Moderate	190	PM _{2.5}	1
21	Bhopal	Moderate	150	PM ₁₀	1
22	Bilaspur	Satisfactory	87	PM ₁₀	1
23	Brajrajnagar	Satisfactory	81	03	1
24	Bulandshahr	Poor	263	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Good	46	PM ₁₀	1
26	Chandigarh	Satisfactory	85	PM _{2.5} , PM ₁₀	2
27	Chandrapur	Moderate	149	PM ₁₀	2
28	Charkhi Dadri	Poor	223	PM _{2.5}	1
29	Chennai	Moderate	118	PM _{2.5} , PM ₁₀	7
30	Chikkaballapur	Satisfactory	85	PM _{2.5}	1
31	Chikkamagaluru	Satisfactory	66	PM _{2.5}	1
32	Damoh	Good	41	PM _{2.5}	1
33	Davanagere	Satisfactory	90	PM ₁₀	1
34	Delhi	Poor	232	PM ₁₀	37
35	Dewas	Satisfactory	89	PM _{2.5}	1
36	Dharuhera	Poor	207	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Poor	243	PM _{2.5}	1
38	Ernakulam	Satisfactory	63	СО	1
39	Faridabad	Poor	249	PM _{2.5} , PM ₁₀	4
40	Fatehabad	Moderate	156	03	1
41	Firozabad	Moderate	145	PM _{2.5}	1
42	Gandhinagar	Moderate	115	PM _{2.5} , PM ₁₀	3
43	Gaya	Moderate	109	PM _{2.5}	2
44	Ghaziabad	Poor	278	PM _{2.5}	4
45	Gorakhpur	Moderate	127	PM ₁₀	1
46	Greater Noida	Poor	232	PM _{2.5}	2
47	Gummidipoondi	Moderate	121	PM ₁₀	1
48	Gurugram	Moderate	168	PM ₁₀ , PM _{2.5} , CO	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Moderate	136	PM _{2.5}	2
50	Gwalior	Moderate	177	PM _{2.5}	1
51	Hajipur	Moderate	124	PM _{2.5}	1
52	Haldia	Satisfactory	89	PM ₁₀	1
53	Hapur	Poor	271	PM _{2.5}	1
54	Hisar	Poor	242	PM _{2.5}	1
55	Howrah	Moderate	138	PM _{2.5}	3
56	Hubballi	Satisfactory	99	PM ₁₀	1
57	Hyderabad	Moderate	142	PM _{2.5} , PM ₁₀	6
58	Indore	Moderate	148	PM ₁₀	1
59	Jabalpur	Moderate	113	PM ₁₀	1
60	Jaipur	Moderate	133	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Moderate	143	PM _{2.5}	1
62	Jind	Poor	245	PM _{2.5}	1
63	Jodhpur	Moderate	170	PM _{2.5}	1
64	Kaithal	Moderate	131	PM ₁₀	1
65	Kalaburgi	Moderate	119	PM ₁₀	1
66	Kalyan	Moderate	108	PM ₁₀	1
67	Kannur	Satisfactory	68	PM _{2.5}	1
68	Kanpur	Satisfactory	95	PM ₁₀ , PM _{2.5}	4
69	Karnal	Moderate	166	PM _{2.5}	1
70	Katni	Moderate	156	PM ₁₀	1
71	Khanna	Moderate	152	PM _{2.5}	1
72	Kochi	Satisfactory	51	СО	1

Possible Health Impacts

od Minimal Impact

Good	Willimai impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Satisfactory	64	PM ₁₀	1
74	Kolar	Moderate	104	PM ₁₀	1
75	Kolkata	Moderate	151	PM _{2.5}	7
76	Kollam	Satisfactory	76	со	1
77	Koppal	Satisfactory	60	03	1
78	Kota	Moderate	163	PM _{2.5}	1
79	Kozhikode	Good	48	PM ₁₀	1
80	Kurukshetra	Poor	216	PM _{2.5}	1
81	Lucknow	Moderate	128	PM _{2.5} , PM ₁₀	5
82	Ludhiana	Moderate	110	PM ₁₀	1
83	Mandi Gobindgarh	Moderate	125	PM ₁₀	1
84	Mandideep	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Moderate	159	PM _{2.5}	1
86	Manesar	Poor	228	PM _{2.5}	1
87	Manglore	Moderate	129	PM ₁₀	1
88	Medikeri	Moderate	103	03	1
89	Meerut	Poor	231	PM _{2.5} , PM ₁₀	3
90	Moradabad	Moderate	182	PM _{2.5}	1
91	Mumbai	Moderate	119	PM _{2.5} , PM ₁₀	14
92	Muzaffarnagar	Poor	232	PM _{2.5}	1
93	Muzaffarpur	Poor	209	PM _{2.5}	2
94	Mysuru	Satisfactory	55	PM ₁₀	1
95	Naharlagun	Satisfactory	52	PM ₁₀	1
96	Nandesari	Satisfactory	55	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Narnaul	Moderate	164	PM _{2.5}	1
98	Nashik	Satisfactory	75	PM _{2.5}	1
99	Navi Mumbai	Moderate	107	PM ₁₀ , PM _{2.5}	3
100	Noida	Poor	228	PM _{2.5} , PM ₁₀	4
101	Pali	Moderate	118	PM ₁₀	1
102	Palwal	Moderate	191	03	1
103	Panchkula	Satisfactory	68	PM _{2.5}	1
104	Panipat	Moderate	195	PM ₁₀	1
105	Patiala	Moderate	112	PM ₁₀	1
106	Patna	Moderate	162	O ₃ , PM _{2.5} , PM ₁₀	5
107	Pithampur	Moderate	154	PM _{2.5}	1
108	Prayagraj	Moderate	144	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Puducherry	Moderate	103	O ₃	1
110	Pune	Moderate	102	PM _{2.5}	4
111	Rajamahendravaram	Moderate	119	PM ₁₀	1
112	Ramanagara	Moderate	118	PM _{2.5}	1
113	Ratlam	Moderate	136	PM _{2.5}	1
114	Rohtak	Poor	217	PM _{2.5}	1
115	Rupnagar	Moderate	197	PM ₁₀	1
116	Sagar	Good	47	PM _{2.5}	1
117	Satna	Satisfactory	72	PM ₁₀	1
118	Shivamogga	Good	43	O ₃	1
119	Siliguri	Satisfactory	81	PM ₁₀	1
120	Singrauli	Poor	210	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Moderate	148	PM ₁₀	1
122	Sonipat	Moderate	175	PM ₁₀	1
123	Srinagar	Moderate	119	со	1
124	Talcher	Satisfactory	95	PM ₁₀	1
125	Thiruvananthapuram	Good	32	со	1
126	Thoothukudi	Satisfactory	51	O ₃	1
127	Tirupati	Satisfactory	92	PM _{2.5}	1
128	Udaipur	Moderate	125	PM ₁₀	1
129	Ujjain	Moderate	108	PM ₁₀	1
130	Vapi	Moderate	173	PM _{2.5}	1
131	Varanasi	Satisfactory	75	PM ₁₀	4
132	Vatva	Moderate	126	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vijayapura	Satisfactory	55	PM _{2.5}	1
134	Visakhapatnam	Moderate	103	PM ₁₀	1
135	Vrindavan	Poor	228	PM _{2.5}	1
136	Yadgir	Satisfactory	83	PM ₁₀	1
137	Yamunanagar	Moderate	166	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Gadag, Hassan, Jorapokhar, Maihar, Motihari, Nagpur, Raichur, Shillong, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.