

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO <sub>2</sub>	1
2	Agra	Satisfactory	74	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	6
4	Ajmer	Satisfactory	56	PM <sub>10</sub>	1
5	Alwar	Satisfactory	64	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	55	PM <sub>10</sub>	1
7	Ambala	Moderate	141	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	61	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	79	PM <sub>10</sub>	1
10	Asansol	Satisfactory	67	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	71	PM <sub>10</sub>	1
12	Bagalkot	Good	29	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	74	PM <sub>10</sub>	1
14	Bahadurgarh	Satisfactory	73	PM <sub>10</sub>	1
15	Ballabgarh	Moderate	104	PM <sub>10</sub>	1
16	Bathinda	Good	31	со	1
17	Bengaluru	Satisfactory	57	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	8
18	Bhiwadi	Moderate	171	PM <sub>2.5</sub>	1
19	Bhiwani	Satisfactory	81	PM <sub>2.5</sub>	1
20	Bhopal	Satisfactory	52	PM <sub>10</sub>	1
21	Bidar	Moderate	101	SO <sub>2</sub>	1
22	Bihar Sharif	Moderate	102	NO <sub>2</sub>	1
23	Bulandshahr	Satisfactory	59	PM <sub>10</sub>	1
24	Chamarajanagar	Good	41	PM <sub>10</sub>	1

#### Possible Health Impacts

## Minimal Inners

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	86	PM <sub>2.5</sub> , PM <sub>10</sub>	2
26	Chandrapur	Good	45	PM <sub>10</sub>	2
27	Charkhi Dadri	Poor	228	PM <sub>2.5</sub>	1
28	Chennai	Satisfactory	61	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	7
29	Chikkaballapur	Good	31	NO <sub>2</sub>	1
30	Chikkamagaluru	Good	32	PM <sub>10</sub>	1
31	Damoh	Good	18	NO <sub>2</sub>	1
32	Darbhanga	Moderate	119	PM <sub>10</sub>	1
33	Davanagere	Good	19	со	1
34	Delhi	Moderate	101	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	33
35	Dewas	Good	46	PM <sub>10</sub>	1
36	Dharuhera	Moderate	125	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Moderate	147	PM <sub>2.5</sub>	1
38	Eloor	Satisfactory	77	со	1
39	Ernakulam	Good	25	со	1
40	Faridabad	Satisfactory	87	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
41	Fatehabad	Satisfactory	67	PM <sub>10</sub>	1
42	Firozabad	Good	37	PM <sub>2.5</sub>	1
43	Gadag	Good	21	SO <sub>2</sub>	1
44	Gandhinagar	Satisfactory	72	PM <sub>2.5</sub> , PM <sub>10</sub>	2
45	Gaya	Satisfactory	68	O <sub>3</sub>	2
46	Ghaziabad	Satisfactory	96	PM <sub>10</sub>	4
47	Gorakhpur	Good	21	O <sub>3</sub>	1
48	Greater Noida	Satisfactory	100	PM <sub>10</sub>	2

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gurugram	Moderate	111	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Guwahati	Good	50	SO <sub>2</sub>	2
51	Gwalior	Satisfactory	58	PM <sub>10</sub>	2
52	Hajipur	Satisfactory	62	PM <sub>10</sub>	1
53	Haldia	Satisfactory	65	PM <sub>10</sub>	1
54	Hapur	Satisfactory	54	со	1
55	Hassan	Good	39	PM <sub>10</sub>	1
56	Hisar	Moderate	115	PM <sub>2.5</sub>	1
57	Howrah	Satisfactory	62	PM <sub>10</sub>	3
58	Hubballi	Satisfactory	67	СО	1
59	Hyderabad	Satisfactory	71	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	5
60	Indore	Satisfactory	59	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jabalpur	Good	45	PM <sub>10</sub>	1
62	Jaipur	Satisfactory	59	PM <sub>10</sub>	2
63	Jalandhar	Satisfactory	55	PM <sub>10</sub>	1
64	Jind	Satisfactory	66	PM <sub>2.5</sub>	1
65	Jodhpur	Moderate	134	PM <sub>10</sub>	1
66	Kaithal	Satisfactory	76	PM <sub>10</sub>	1
67	Kalyan	Good	34	PM <sub>2.5</sub>	1
68	Kannur	Satisfactory	56	PM <sub>10</sub>	1
69	Kanpur	Good	43	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	3
70	Karnal	Satisfactory	91	SO <sub>2</sub>	1
71	Katni	Good	39	PM <sub>10</sub>	1
72	Khanna	Satisfactory	87	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kochi	Good	41	СО	1
74	Kohima	Good	34	PM <sub>10</sub>	1
75	Kolar	Good	45	SO <sub>2</sub>	1
76	Kolkata	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	7
77	Kollam	Satisfactory	99	со	1
78	Koppal	Good	33	со	1
79	Kota	Satisfactory	66	PM <sub>2.5</sub>	1
80	Kozhikode	Satisfactory	60	СО	1
81	Kurukshetra	Satisfactory	74	PM <sub>10</sub>	1
82	Lucknow	Satisfactory	72	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
83	Ludhiana	Satisfactory	53	PM <sub>10</sub>	1
84	Maihar	Good	24	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandi Gobindgarh	Moderate	104	PM <sub>2.5</sub>	1
86	Mandideep	Satisfactory	54	PM <sub>10</sub>	1
87	Mandikhera	Good	50	PM <sub>2.5</sub>	1
88	Manesar	Moderate	128	PM <sub>2.5</sub>	1
89	Medikeri	Good	45	SO <sub>2</sub>	1
90	Meerut	Satisfactory	52	CO, O <sub>3</sub>	2
91	Mumbai	Satisfactory	59	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	18
92	Muzaffarnagar	Satisfactory	80	со	1
93	Muzaffarpur	Satisfactory	59	O <sub>3</sub> , PM <sub>2.5</sub>	2
94	Mysuru	Good	30	PM <sub>10</sub>	1
95	Nagpur	Satisfactory	68	со	1
96	Naharlagun	Good	36	SO <sub>2</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nandesari	Moderate	141	PM <sub>2.5</sub>	1
98	Narnaul	Satisfactory	58	PM <sub>2.5</sub>	1
99	Nashik	Good	44	PM <sub>10</sub>	1
100	Noida	Satisfactory	91	PM <sub>10</sub>	4
101	Pali	Satisfactory	59	со	1
102	Palwal	Satisfactory	72	PM <sub>10</sub>	1
103	Panchkula	Good	47	03	1
104	Panipat	Satisfactory	80	PM <sub>10</sub>	1
105	Patiala	Satisfactory	72	PM <sub>10</sub>	1
106	Patna	Satisfactory	60	PM <sub>10</sub> , O <sub>3</sub>	5
107	Pithampur	Satisfactory	62	PM <sub>2.5</sub>	1
108	Prayagraj	Good	48	PM <sub>10</sub>	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Puducherry	Satisfactory	64	03	1
110	Pune	Satisfactory	66	CO, PM <sub>2.5</sub>	7
111	Rajamahendravaram	Satisfactory	69	PM <sub>10</sub>	1
112	Ramanagara	Good	33	PM <sub>10</sub>	1
113	Ratlam	Good	45	PM <sub>10</sub>	1
114	Rohtak	Satisfactory	92	PM <sub>2.5</sub>	1
115	Rupnagar	Moderate	105	PM <sub>10</sub>	1
116	Sagar	Good	28	со	1
117	Satna	Satisfactory	54	PM <sub>10</sub>	1
118	Shillong	Good	11	SO <sub>2</sub>	1
119	Shivamogga	Good	45	PM <sub>10</sub>	1
120	Siliguri	Good	35	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Satisfactory	54	PM <sub>10</sub>	1
122	Sirsa	Satisfactory	62	PM <sub>10</sub>	1
123	Solapur	Good	43	PM <sub>10</sub>	1
124	Sonipat	Good	36	PM <sub>2.5</sub>	1
125	Srinagar	Satisfactory	69	PM <sub>10</sub>	1
126	Talcher	Satisfactory	86	со	1
127	Thane	Satisfactory	84	PM <sub>10</sub>	1
128	Thiruvananthapuram	Good	45	CO, O <sub>3</sub>	2
129	Thoothukudi	Good	35	PM <sub>10</sub>	1
130	Thrissur	Satisfactory	73	SO <sub>2</sub>	1
131	Udaipur	Moderate	120	PM <sub>10</sub>	1
132	Udupi	Satisfactory	87	СО	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Satisfactory	100	PM <sub>10</sub>	1
134	Vapi	Satisfactory	68	PM <sub>10</sub>	1
135	Varanasi	Good	50	PM <sub>10</sub>	4
136	Vatva	Moderate	105	PM <sub>10</sub>	1
137	Vijayapura	Satisfactory	55	со	1
138	Visakhapatnam	Satisfactory	85	PM <sub>10</sub>	1
139	Vrindavan	Satisfactory	57	PM <sub>10</sub>	1
140	Yadgir	Good	36	PM <sub>10</sub>	1
141	Yamunanagar	Satisfactory	92	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Kalaburgi, Manglore, Moradabad, Motihari, Navi Mumbai, Raichur, Tirupati as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.