

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	44	PM <sub>10</sub>	2
2	Agra	Moderate	122	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	6
4	Ajmer	Poor	240	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	100	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	82	03	1
7	Ambala	Moderate	132	PM <sub>10</sub>	1
8	Ankleshwar	Satisfactory	81	PM <sub>10</sub>	1
9	Asansol	Satisfactory	92	PM <sub>10</sub>	1
10	Aurangabad (Bihar)	Poor	239	PM <sub>10</sub>	1
11	Aurangabad (Maharashtra)	Satisfactory	91	PM <sub>2.5</sub>	1
12	Baddi	Moderate	115	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM <sub>2.5</sub>	1
14	Baghpat	Moderate	151	PM <sub>2.5</sub>	1
15	Bahadurgarh	Poor	215	PM <sub>2.5</sub>	1
16	Ballabgarh	Moderate	186	PM <sub>2.5</sub>	1
17	Bareilly	Moderate	153	PM <sub>10</sub>	1
18	Bathinda	Satisfactory	100	PM <sub>10</sub>	1
19	Begusarai	Moderate	102	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	78	PM <sub>10</sub> , CO	8
21	Bhagalpur	Satisfactory	91	PM <sub>2.5</sub>	1
22	Bhiwadi	Very Poor	320	PM <sub>2.5</sub>	1
23	Bhiwani	Poor	230	PM <sub>2.5</sub>	1
24	Bhopal	Moderate	142	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Severe	413	PM <sub>10</sub>	1
26	Bilaspur	Satisfactory	68	PM <sub>10</sub>	1
27	Bulandshahr	Poor	202	PM <sub>10</sub>	1
28	Buxar	Poor	250	PM <sub>2.5</sub>	1
29	Chamarajanagar	Good	44	PM <sub>10</sub>	1
30	Chandigarh	Moderate	126	O <sub>3</sub> , PM <sub>10</sub>	3
31	Chandrapur	Satisfactory	86	PM <sub>10</sub> , CO	2
32	Charkhi Dadri	Moderate	186	PM <sub>10</sub>	1
33	Chennai	Satisfactory	83	O <sub>3</sub> , PM <sub>10</sub>	8
34	Chhapra	Moderate	175	PM <sub>10</sub>	1
35	Chikkaballapur	Good	49	03	1
36	Chikkamagaluru	Good	45	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	135	PM <sub>10</sub>	1
38	Davanagere	Good	50	PM <sub>10</sub>	1
39	Delhi	Poor	227	PM <sub>10</sub>	31
40	Dewas	Moderate	126	PM <sub>10</sub>	1
41	Durgapur	Moderate	119	PM <sub>10</sub>	1
42	Eloor	Satisfactory	67	PM <sub>2.5</sub>	1
43	Ernakulam	Good	39	СО	1
44	Faridabad	Poor	248	PM <sub>10</sub> , PM <sub>2.5</sub>	3
45	Fatehabad	Moderate	150	PM <sub>10</sub>	1
46	Firozabad	Moderate	108	O <sub>3</sub> , PM <sub>10</sub>	2
47	Gadag	Satisfactory	76	PM <sub>2.5</sub>	1
48	Gandhinagar	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	27	PM <sub>10</sub>	1
50	Gaya	Moderate	172	O <sub>3</sub> , PM <sub>2.5</sub>	2
51	Ghaziabad	Poor	258	PM <sub>10</sub> , O <sub>3</sub>	4
52	Gorakhpur	Satisfactory	62	03	1
53	Greater Noida	Poor	242	PM <sub>10</sub>	2
54	Gummidipoondi	Good	45	PM <sub>2.5</sub>	1
55	Gurugram	Poor	240	PM <sub>10</sub> , PM <sub>2.5</sub>	3
56	Guwahati	Satisfactory	53	O <sub>3</sub> , PM <sub>2.5</sub>	2
57	Gwalior	Moderate	198	PM <sub>10</sub>	1
58	Hajipur	Moderate	139	PM <sub>2.5</sub>	1
59	Haldia	Satisfactory	82	PM <sub>10</sub>	1
60	Hapur	Poor	235	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	38	PM <sub>10</sub>	1
62	Hisar	Moderate	155	PM <sub>10</sub>	1
63	Howrah	Satisfactory	83	PM <sub>10</sub>	3
64	Hyderabad	Moderate	117	O <sub>3</sub> , PM <sub>10</sub>	10
65	Imphal	Satisfactory	85	SO <sub>2</sub>	1
66	Indore	Moderate	110	PM <sub>10</sub>	1
67	Jabalpur	Moderate	158	PM <sub>10</sub>	1
68	Jaipur	Moderate	148	PM <sub>10</sub> , PM <sub>2.5</sub>	3
69	Jalandhar	Moderate	113	PM <sub>10</sub>	1
70	Jhansi	Moderate	179	PM <sub>10</sub>	1
71	Jind	Moderate	163	PM <sub>2.5</sub>	1
72	Jodhpur	Moderate	170	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	133	PM <sub>10</sub>	1
74	Kalaburgi	Moderate	110	PM <sub>10</sub>	1
75	Kalyan	Satisfactory	100	PM <sub>10</sub>	1
76	Kannur	Satisfactory	71	PM <sub>10</sub>	1
77	Kanpur	Moderate	185	PM <sub>10</sub> , PM <sub>2.5</sub>	3
78	Karnal	Moderate	104	PM <sub>10</sub>	1
79	Katihar	Moderate	167	PM <sub>10</sub>	1
80	Katni	Poor	206	PM <sub>10</sub>	1
81	Khanna	Moderate	116	PM <sub>10</sub>	1
82	Khurja	Moderate	136	PM <sub>10</sub>	1
83	Kochi	Satisfactory	65	PM <sub>2.5</sub>	1
84	Kohima	Satisfactory	79	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	86	PM <sub>10</sub> , NO <sub>2</sub>	7
86	Kollam	Satisfactory	55	PM <sub>10</sub>	1
87	Koppal	Satisfactory	61	03	1
88	Kota	Moderate	129	PM <sub>2.5</sub>	1
89	Kozhikode	Satisfactory	73	PM <sub>10</sub>	1
90	Kurukshetra	Poor	275	03	1
91	Lucknow	Moderate	199	PM <sub>2.5</sub> , PM <sub>10</sub>	6
92	Ludhiana	Satisfactory	79	O <sub>3</sub>	1
93	Madikeri	Good	36	PM <sub>10</sub>	1
94	Maihar	Good	45	PM <sub>10</sub>	1
95	Mandi Gobindgarh	Moderate	193	PM <sub>2.5</sub>	1
96	Mandideep	Satisfactory	97	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	97	PM <sub>10</sub>	1
98	Manesar	Poor	219	PM <sub>2.5</sub>	1
99	Manglore	Satisfactory	75	NO <sub>2</sub>	1
100	Meerut	Poor	212	PM <sub>10</sub>	3
101	Moradabad	Moderate	154	O <sub>3</sub> , PM <sub>10</sub>	4
102	Motihari	Moderate	160	03	1
103	Mumbai	Satisfactory	77	PM <sub>10</sub> , PM <sub>2.5</sub>	16
104	Munger	Moderate	184	PM <sub>10</sub>	1
105	Muzaffarnagar	Moderate	186	03	1
106	Muzaffarpur	Moderate	129	PM <sub>2.5</sub> , PM <sub>10</sub>	3
107	Mysuru	Satisfactory	70	03	1
108	Nagpur	Moderate	135	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Moderate	109	PM <sub>2.5</sub>	1
110	Narnaul	Moderate	113	PM <sub>10</sub>	1
111	Nashik	Satisfactory	63	PM <sub>10</sub>	1
112	Navi Mumbai	Satisfactory	94	CO, PM <sub>10</sub>	2
113	Noida	Poor	239	PM <sub>10</sub>	4
114	Pali	Satisfactory	91	PM <sub>2.5</sub>	1
115	Palwal	Moderate	150	PM <sub>10</sub>	1
116	Panchkula	Satisfactory	86	PM <sub>2.5</sub>	1
117	Patiala	Moderate	108	PM <sub>10</sub>	1
118	Patna	Moderate	189	PM <sub>10</sub> , PM <sub>2.5</sub>	6
119	Pithampur	Moderate	119	PM <sub>10</sub>	1
120	Prayagraj	Moderate	140	PM <sub>10</sub> , O <sub>3</sub>	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	54	PM <sub>10</sub>	1
122	Pune	Moderate	128	PM <sub>2.5</sub>	4
123	Raichur	Satisfactory	86	PM <sub>10</sub>	1
124	Rajamahendravaram	Satisfactory	85	PM <sub>10</sub>	1
125	Ramanagara	Good	39	PM <sub>10</sub>	1
126	Ratlam	Moderate	105	PM <sub>10</sub>	1
127	Rohtak	Moderate	193	PM <sub>2.5</sub>	1
128	Rupnagar	Satisfactory	90	PM <sub>10</sub>	1
129	Sagar	Satisfactory	100	PM <sub>2.5</sub>	1
130	Saharsa	Poor	214	PM <sub>10</sub>	1
131	Samastipur	Poor	268	PM <sub>10</sub>	1
132	Satna	Satisfactory	80	O <sub>3</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	43	NO <sub>2</sub>	1
134	Shivamogga	Satisfactory	61	PM <sub>10</sub>	1
135	Siliguri	Good	40	PM <sub>10</sub>	1
136	Singrauli	Very Poor	313	PM <sub>10</sub>	1
137	Sirsa	Moderate	177	03	1
138	Solapur	Satisfactory	76	PM <sub>10</sub>	1
139	Srinagar	Satisfactory	54	PM <sub>10</sub>	1
140	Talcher	Moderate	101	SO <sub>2</sub>	1
141	Thane	Moderate	103	03	1
142	Thiruvananthapuram	Good	35	со	1
143	Thoothukudi	Good	44	O <sub>3</sub>	1
144	Tirupati	Satisfactory	81	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	88	PM <sub>10</sub>	1
146	Ujjain	Moderate	162	PM <sub>10</sub>	1
147	Varanasi	Moderate	142	O <sub>3</sub> , PM <sub>10</sub>	3
148	Vatva	Satisfactory	99	PM <sub>10</sub>	1
149	Vijayapura	Satisfactory	56	PM <sub>10</sub>	1
150	Vrindavan	Moderate	125	PM <sub>10</sub>	1
151	Yadgir	Satisfactory	83	PM <sub>10</sub>	1
152	Yamunanagar	Moderate	152	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Arrah, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Damoh, Dehradun, Dharuhera, Haveri, Hubballi, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Panipat, Purnia, Rajgir, Sasaram, Siwan, Sonipat, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.