

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	SO ₂	1
2	Agra	Moderate	104	PM ₁₀	6
3	Ahmedabad	Moderate	118	PM ₁₀ , PM _{2.5}	5
4	Ajmer	Satisfactory	84	PM ₁₀	1
5	Alwar	Satisfactory	82	PM ₁₀	1
6	Amaravati	Satisfactory	61	PM ₁₀	1
7	Ambala	Moderate	153	PM _{2.5}	1
8	Amritsar	Satisfactory	100	PM ₁₀	1
9	Anantapur	Good	47	03	1
10	Ankleshwar	Satisfactory	55	PM ₁₀	1
11	Araria	Satisfactory	83	PM ₁₀	1
12	Ariyalur	Good	47	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnaga Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Notes: Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	148	PM ₁₀	1
14	Asansol	Satisfactory	96	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	168	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	86	PM ₁₀	1
17	Baddi	Poor	239	O ₃	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Poor	244	PM ₁₀	1
20	Bahadurgarh	Moderate	195	PM ₁₀	1
21	Ballabgarh	Moderate	114	PM ₁₀	1
22	Banswara	Satisfactory	100	PM ₁₀	1
23	Bareilly	Satisfactory	84	PM ₁₀	2
24	Baripada	Poor	219	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	197	O ₃	1
26	Bathinda	Satisfactory	97	PM ₁₀	1
27	Bengaluru	Satisfactory	55	PM _{2.5} , PM ₁₀	10
28	Bhagalpur	Moderate	121	PM ₁₀	2
29	Bharatpur	Moderate	142	PM ₁₀	1
30	Bhilai	Satisfactory	59	PM ₁₀	2
31	Bhiwadi	Moderate	190	PM ₁₀	1
32	Bhopal	Satisfactory	70	PM ₁₀	3
33	Bidar	Good	30	NH ₃	1
34	Bikaner	Moderate	178	PM _{2.5}	1
35	Bileipada	Moderate	116	PM ₁₀	1
36	Bulandshahr	Moderate	140	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai, Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnaga

Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bundi	Moderate	164	со	1
38	Byrnihat	Poor	241	PM ₁₀	1
39	Chamarajanagar	Good	44	PM ₁₀	1
40	Chandigarh	Moderate	172	O ₃ , PM ₁₀	3
41	Charkhi Dadri	Very Poor	332	PM _{2.5}	1
42	Chennai	Satisfactory	68	со	7
43	Chhal	Satisfactory	76	PM ₁₀	1
44	Chhapra	Moderate	199	PM ₁₀	1
45	Chikkaballapur	Good	45	PM ₁₀	1
46	Chikkamagaluru	Good	50	со	1
47	Chittorgarh	Satisfactory	78	PM ₁₀	1
48	Coimbatore	Moderate	191	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur,

Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Cuddalore	Satisfactory	90	NO ₂	2
50	Damoh	Good	20	PM ₁₀	1
51	Dausa	Moderate	162	PM ₁₀	1
52	Dehradun	Satisfactory	97	PM ₁₀	1
53	Delhi	Moderate	199	PM _{2.5} , PM ₁₀	37
54	Dewas	Satisfactory	96	PM ₁₀	1
55	Dharuhera	Poor	210	PM ₁₀	1
56	Dholpur	Satisfactory	63	O ₃	1
57	Dindigul	Good	47	SO ₂	1
58	Durgapur	Satisfactory	98	PM ₁₀	1
59	Eloor	Satisfactory	80	PM ₁₀	1
60	Faridabad	Moderate	146	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur,

Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Fatehabad	Moderate	138	O ₃	1
62	Firozabad	Moderate	125	PM ₁₀	2
63	Gadag	Good	47	SO ₂	1
64	Gandhinagar	Satisfactory	80	PM _{2.5} , PM ₁₀	3
65	Gangtok	Good	47	03	1
66	Gaya	Moderate	126	O ₃ , PM _{2.5}	3
67	Ghaziabad	Moderate	194	PM ₁₀	4
68	Gorakhpur	Moderate	121	PM ₁₀	1
69	Greater Noida	Poor	244	PM ₁₀	2
70	Gurugram	Poor	267	PM _{2.5}	4
71	Guwahati	Good	33	PM ₁₀	3
72	Gwalior	Moderate	116	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Satisfactory	98	PM ₁₀	1
74	Haldia	Satisfactory	54	PM ₁₀	1
75	Hanumangarh	Poor	214	PM ₁₀	1
76	Hapur	Moderate	194	03	1
77	Haveri	Good	37	PM ₁₀	1
78	Howrah	Satisfactory	65	PM ₁₀	3
79	Hubballi	Satisfactory	74	PM ₁₀ , CO	2
80	Hyderabad	Satisfactory	78	PM ₁₀	9
81	Indore	Satisfactory	58	PM ₁₀	2
82	Jabalpur	Moderate	104	PM ₁₀	1
83	Jaipur	Moderate	118	PM ₁₀	6
84	Jaisalmer	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
 * In case of a city with multiple monitoring loc
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jalandhar	Moderate	166	PM ₁₀	1
86	Jhalawar	Satisfactory	64	PM ₁₀	1
87	Jhansi	Satisfactory	71	PM _{2.5}	1
88	Jhunjhunu	Moderate	111	03	1
89	Jind	Moderate	134	PM _{2.5}	1
90	Jodhpur	Satisfactory	82	PM ₁₀ , O ₃	3
91	Kadapa	Satisfactory	70	O ₃	1
92	Kaithal	Moderate	149	PM ₁₀	1
93	Kalyan	Satisfactory	55	NO ₂	1
94	Kanchipuram	Very Poor	320	O ₃	1
95	Kanpur	Moderate	119	PM ₁₀	4
96	Karauli	Satisfactory	74	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Moderate	133	PM ₁₀	1
98	Katihar	Satisfactory	85	со	1
99	Katni	Moderate	134	PM ₁₀	1
100	Keonjhar	Satisfactory	85	PM ₁₀	1
101	Khanna	Satisfactory	92	PM ₁₀	1
102	Khurja	Moderate	110	PM _{2.5}	1
103	Kishanganj	Satisfactory	63	PM ₁₀	1
104	Kochi	Satisfactory	69	СО	1
105	Kohima	Satisfactory	60	PM ₁₀	1
106	Kolhapur	Satisfactory	74	O ₃ , PM ₁₀	2
107	Kolkata	Satisfactory	54	PM ₁₀	7
108	Koppal	Satisfactory	64	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Moderate	157	PM _{2.5} , PM ₁₀	2
110	Kota	Moderate	107	03	3
111	Kunjemura	Satisfactory	79	PM ₁₀	1
112	Kurukshetra	Poor	208	PM _{2.5}	1
113	Lucknow	Moderate	174	PM _{2.5} , PM ₁₀	6
114	Ludhiana	Moderate	147	PM ₁₀	1
115	Madikeri	Good	40	O ₃	1
116	Mandi Gobindgarh	Moderate	107	PM ₁₀	1
117	Mandideep	Satisfactory	89	PM ₁₀	1
118	Mandikhera	Satisfactory	74	PM ₁₀	1
119	Manesar	Poor	222	PM _{2.5}	1
120	Mangalore	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai, Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnaga

Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manguraha	Satisfactory	84	PM ₁₀	1
122	Meerut	Poor	272	PM ₁₀	3
123	Milupara	Satisfactory	81	PM ₁₀	1
124	Moradabad	Moderate	171	PM _{2.5}	5
125	Motihari	Satisfactory	71	NO ₂	1
126	Mumbai	Satisfactory	70	PM ₁₀	17
127	Muzaffarnagar	Poor	236	PM _{2.5}	1
128	Muzaffarpur	Moderate	135	O ₃	3
129	Mysuru	Satisfactory	68	O ₃	1
130	Nagaon	Satisfactory	68	O ₃	1
131	Nagpur	Satisfactory	66	O ₃	1
132	Nashik	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Navi Mumbai	Satisfactory	74	PM ₁₀	2
134	Nayagarh	Satisfactory	63	PM ₁₀	1
135	Noida	Poor	256	PM ₁₀	4
136	Pali	Moderate	109	PM ₁₀	1
137	Palkalaiperur	Good	38	PM ₁₀	1
138	Palwal	Satisfactory	87	PM ₁₀	1
139	Panchkula	Moderate	184	PM _{2.5}	1
140	Panipat	Moderate	170	PM ₁₀	1
141	Patiala	Moderate	109	03	1
142	Patna	Moderate	172	PM _{2.5}	6
143	Pimpri Chinchwad	Satisfactory	98	PM _{2.5} , PM ₁₀	2
144	Pithampur	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pratapgarh	Satisfactory	93	PM ₁₀	1
146	Prayagraj	Satisfactory	80	PM ₁₀	3
147	Puducherry	Good	44	PM ₁₀	1
148	Pune	Moderate	102	NO ₂ , PM _{2.5}	3
149	Purnia	Moderate	102	PM ₁₀	1
150	Raipur	Satisfactory	66	PM ₁₀ , NO ₂	4
151	Rairangpur	Satisfactory	79	03	1
152	Rajamahendravaram	Satisfactory	60	PM ₁₀	1
153	Rajgir	Moderate	142	PM ₁₀	1
154	Rajsamand	Satisfactory	88	со	1
155	Ramanagara	Satisfactory	73	03	1
156	Ratlam	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rishikesh	Satisfactory	79	03	1
158	Rohtak	Moderate	103	PM _{2.5}	1
159	Rourkela	Moderate	104	PM ₁₀	2
160	Rupnagar	Moderate	193	PM ₁₀	1
161	Sagar	Satisfactory	73	O ₃	1
162	Saharsa	Satisfactory	93	PM ₁₀	1
163	Salem	Satisfactory	81	SO ₂	1
164	Samastipur	Moderate	144	PM ₁₀	1
165	Sasaram	Poor	214	O ₃	1
166	Satna	Moderate	128	PM ₁₀	1
167	Shillong	Good	46	PM ₁₀	1
168	Shivamogga	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sikar	Moderate	133	PM ₁₀	1
170	Silchar	Satisfactory	60	СО	1
171	Siliguri	Satisfactory	56	PM ₁₀	1
172	Singrauli	Moderate	179	PM ₁₀	1
173	Sirsa	Moderate	172	PM ₁₀	1
174	Sivasagar	Good	19	PM ₁₀	1
175	Siwan	Moderate	155	PM ₁₀	1
176	Solapur	Moderate	112	PM ₁₀	2
177	Sri Ganganagar	Poor	235	PM ₁₀	1
178	Srinagar	Moderate	130	PM _{2.5}	1
179	Surat	Poor	222	PM ₁₀	1
180	Talcher	Satisfactory	78	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai, Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnaga

Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tensa	Satisfactory	53	PM ₁₀	1
182	Thiruvananthapuram	Good	36	PM ₁₀ , CO	2
183	Thoothukudi	Satisfactory	56	03	1
184	Tirupati	Satisfactory	65	PM ₁₀	2
185	Tonk	Moderate	131	PM ₁₀	1
186	Udaipur	Moderate	109	PM ₁₀	1
187	Ujjain	Moderate	110	PM _{2.5}	1
188	Vapi	Satisfactory	67	PM ₁₀	1
189	Varanasi	Satisfactory	82	PM ₁₀	4
190	Vatva	Moderate	105	PM ₁₀	1
191	Vijayapura	Good	49	PM ₁₀	1
192	Vijayawada	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Notes: Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake

- and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Visakhapatnam	Satisfactory	93	PM ₁₀	1
194	Vrindavan	Moderate	158	PM ₁₀	1
195	Yadgir	Good	48	PM _{2.5}	1
196	Yamunanagar	Moderate	157	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baran, Begusarai,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Belgaum, Bettiah, Bhilwara, Bhiwani, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chandrapur, Chengalpattu, Chittoor, Churu, Darbhanga, Davanagere, Dhanbad, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Munger, Nagaur, Naharlagun, Nalbari, Nandesari, Narnaul, Ooty, Raichur, Ramanathapuram, Sawai Madhopur, Sirohi, Sonipat, Suakati, Thane, Thrissur, Tirupur, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.