

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	24	SO ₂	1
2	Agra	Good	50	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	88	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	91	PM ₁₀	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Good	29	03	1
8	Ambala	Good	50	PM ₁₀	1
9	Amritsar	Satisfactory	80	PM ₁₀	1
10	Ankleshwar	Satisfactory	96	PM ₁₀	1
11	Asansol	Good	43	PM ₁₀	1
12	Aurangabad	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	43	PM ₁₀	1
14	Baghpat	Satisfactory	53	PM ₁₀	1
15	Bahadurgarh	Satisfactory	70	PM _{2.5}	1
16	Ballabgarh	Satisfactory	98	03	1
17	Bengaluru	Good	43	CO, PM ₁₀ , NO ₂	9
18	Bhiwadi	Satisfactory	73	PM ₁₀	1
19	Bhiwani	Satisfactory	75	PM _{2.5}	1
20	Bhopal	Good	48	со	1
21	Bulandshahr	Good	42	PM ₁₀	1
22	Chamarajanagar	Good	37	PM ₁₀	1
23	Chandigarh	Satisfactory	60	O ₃ , PM ₁₀	2
24	Chandrapur	Good	28	CO, PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Notes: Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,

Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	60	CO, O ₃ , PM ₁₀	6
26	Chikkaballapur	Satisfactory	52	NO ₂	1
27	Chikkamagaluru	Good	27	PM ₁₀	1
28	Damoh	Good	39	PM _{2.5}	1
29	Delhi	Satisfactory	81	PM ₁₀ , CO	35
30	Dewas	Good	35	PM ₁₀	1
31	Dharuhera	Satisfactory	79	СО	1
32	Eloor	Satisfactory	70	СО	1
33	Ernakulam	Good	37	СО	1
34	Faridabad	Satisfactory	87	PM ₁₀ , O ₃	2
35	Fatehabad	Satisfactory	98	PM ₁₀	1
36	Firozabad	Good	21	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Notes: Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	20	со	1
38	Gandhinagar	Satisfactory	62	PM ₁₀ , PM _{2.5}	2
39	Ghaziabad	Satisfactory	72	PM ₁₀ , CO	4
40	Greater Noida	Satisfactory	64	PM ₁₀ , O ₃	2
41	Gummidipoondi	Satisfactory	62	PM ₁₀	1
42	Gurugram	Moderate	101	PM ₁₀ , PM _{2.5} , NO ₂	3
43	Guwahati	Satisfactory	58	SO ₂ , PM _{2.5}	2
44	Gwalior	Satisfactory	70	PM ₁₀	2
45	Hajipur	Good	50	со	1
46	Haldia	Good	35	PM ₁₀	1
47	Hapur	Satisfactory	51	со	1
48	Hassan	Satisfactory	60	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Notes: Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	136	PM ₁₀	1
50	Howrah	Good	31	CO, O ₃	3
51	Hubballi	Good	41	PM ₁₀	1
52	Hyderabad	Good	36	NO ₂ , PM ₁₀	4
53	Indore	Satisfactory	53	PM ₁₀	1
54	Jabalpur	Satisfactory	58	PM ₁₀	1
55	Jaipur	Satisfactory	97	PM ₁₀ , PM _{2.5}	2
56	Jalandhar	Satisfactory	51	PM ₁₀	1
57	Jind	Satisfactory	89	PM _{2.5}	1
58	Jodhpur	Moderate	120	PM ₁₀	1
59	Kaithal	Satisfactory	68	PM ₁₀	1
60	Kalaburgi	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar,

Notes:

Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,
Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar,
Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur,
Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as
data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Satisfactory	52	PM _{2.5}	1
62	Kannur	Good	37	O ₃	1
63	Kanpur	Good	34	PM _{2.5} , PM ₁₀ , O ₃	3
64	Karnal	Good	46	PM ₁₀	1
65	Katni	Good	46	PM ₁₀	1
66	Khanna	Satisfactory	66	PM ₁₀	1
67	Kochi	Good	31	со	1
68	Kohima	Good	44	PM ₁₀	1
69	Kolar	Good	42	со	1
70	Kolkata	Good	33	PM ₁₀ , CO	5
71	Kota	Satisfactory	58	PM ₁₀	1
72	Kozhikode	Satisfactory	73	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	67	PM ₁₀	1
74	Lucknow	Good	50	CO, O ₃ , PM ₁₀	6
75	Ludhiana	Satisfactory	78	PM ₁₀	1
76	Mandi Gobindgarh	Good	42	PM _{2.5}	1
77	Mandideep	Satisfactory	78	со	1
78	Mandikhera	Satisfactory	61	PM ₁₀	1
79	Medikeri	Moderate	118	СО	1
80	Meerut	Satisfactory	64	NO ₂ , PM ₁₀	3
81	Moradabad	Good	45	PM ₁₀	1
82	Mumbai	Satisfactory	74	PM _{2.5} , PM ₁₀ , CO	16
83	Muzaffarnagar	Satisfactory	68	PM ₁₀	1
84	Muzaffarpur	Good	38	CO, PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Notes: Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Naharlagun	Good	39	SO ₂	1
86	Narnaul	Satisfactory	73	PM _{2.5}	1
87	Nashik	Good	49	PM ₁₀	1
88	Navi Mumbai	Satisfactory	91	PM _{2.5} , PM ₁₀ , CO	3
89	Noida	Satisfactory	69	CO, PM ₁₀	3
90	Pali	Satisfactory	60	PM _{2.5}	1
91	Palwal	Satisfactory	75	PM ₁₀	1
92	Panipat	Satisfactory	63	PM ₁₀	1
93	Patiala	Satisfactory	55	PM ₁₀	1
94	Patna	Good	38	PM ₁₀	2
95	Pithampur	Satisfactory	69	PM ₁₀	1
96	Prayagraj	Good	26	PM _{2.5} , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Notes: Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga,

Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Good	41	03	1
98	Pune	Satisfactory	81	SO ₂ , CO	5
99	Rajamahendravaram	Good	34	PM ₁₀	1
100	Ramanagara	Good	42	03	1
101	Ratlam	Good	42	PM ₁₀	1
102	Rohtak	Satisfactory	91	NO ₂	1
103	Sagar	Good	28	PM _{2.5}	1
104	Satna	Good	43	PM ₁₀	1
105	Shillong	Good	17	SO ₂	1
106	Siliguri	Good	34	PM ₁₀	1
107	Singrauli	Satisfactory	63	со	1
108	Sirsa	Moderate	104	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Notes: Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Satisfactory	80	PM ₁₀	1
110	Srinagar	Satisfactory	76	PM ₁₀	1
111	Talcher	Good	25	со	1
112	Thiruvananthapuram	Poor	214	PM _{2.5} , O ₃	2
113	Thoothukudi	Satisfactory	89	со	1
114	Tirupati	Good	38	со	1
115	Udaipur	Satisfactory	77	PM ₁₀	1
116	Ujjain	Satisfactory	76	O ₃	1
117	Varanasi	Good	31	PM ₁₀ , O ₃	4
118	Vatva	Satisfactory	90	PM ₁₀	1
119	Visakhapatnam	Satisfactory	70	PM ₁₀	1
120	Vrindavan	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Good	34	PM ₁₀	1
122	Yamunanagar	Satisfactory	90	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Notes: Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Davanagere, Durgapur, Gaya, Gorakhpur, Jorapokhar, Kollam, Koppal, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Nandesari, Panchkula, Raichur, Rupnagar, Shivamogga, Solapur, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.