

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	PM <sub>10</sub>	1
2	Agra	Satisfactory	68	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	77	NO <sub>2</sub> , CO, PM <sub>10</sub>	8
4	Aizawl	Good	23	SO <sub>2</sub>	1
5	Alwar	Satisfactory	58	PM <sub>10</sub>	1
6	Amritsar	Good	43	PM <sub>10</sub>	1
7	Ankleshwar	Satisfactory	74	PM <sub>2.5</sub>	1
8	Asansol	Satisfactory	62	PM <sub>10</sub>	1
9	Aurangabad	Satisfactory	58	со	1
10	Bagalkot	Good	39	PM <sub>10</sub>	1
11	Bahadurgarh	Good	46	PM <sub>10</sub>	1
12	Ballabgarh	Satisfactory	59	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	45	со	1
14	Bengaluru	Satisfactory	52	CO, PM <sub>10</sub> , O <sub>3</sub>	8
15	Bhiwadi	Satisfactory	85	PM <sub>10</sub>	1
16	Bhiwani	Satisfactory	56	03	1
17	Bhopal	Satisfactory	70	PM <sub>10</sub>	1
18	Bilaspur	Good	35	PM <sub>10</sub>	1
19	Bulandshahr	Good	38	03	1
20	Chamarajanagar	Good	42	PM <sub>10</sub>	1
21	Chandigarh	Good	33	со	1
22	Chandrapur	Good	44	PM <sub>10</sub>	2
23	Charkhi Dadri	Satisfactory	54	со	1
24	Chennai	Satisfactory	66	PM <sub>10</sub> , CO	6

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	36	PM <sub>10</sub>	1
26	Chikkamagaluru	Good	32	PM <sub>10</sub>	1
27	Damoh	Satisfactory	59	PM <sub>2.5</sub>	1
28	Davanagere	Good	19	со	1
29	Delhi	Satisfactory	64	PM <sub>10</sub> , CO	37
30	Dewas	Good	44	PM <sub>10</sub>	1
31	Dharuhera	Satisfactory	86	СО	1
32	Durgapur	Satisfactory	88	PM <sub>10</sub>	1
33	Eloor	Good	50	PM <sub>2.5</sub>	1
34	Faridabad	Satisfactory	78	PM <sub>10</sub> , O <sub>3</sub>	4
35	Fatehabad	Good	33	03	1
36	Firozabad	Good	36	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	20	со	1
38	Gandhinagar	Good	44	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	3
39	Gaya	Satisfactory	56	PM <sub>2.5</sub> , PM <sub>10</sub>	2
40	Ghaziabad	Satisfactory	51	CO, PM <sub>10</sub>	3
41	Gorakhpur	Good	29	PM <sub>10</sub>	1
42	Greater Noida	Satisfactory	74	PM <sub>10</sub>	2
43	Gummidipoondi	Satisfactory	94	PM <sub>10</sub>	1
44	Gurugram	Satisfactory	53	PM <sub>10</sub> , PM <sub>2.5</sub>	4
45	Guwahati	Satisfactory	70	SO <sub>2</sub> , PM <sub>10</sub>	2
46	Gwalior	Satisfactory	76	PM <sub>10</sub>	2
47	Hajipur	Satisfactory	75	со	1
48	Haldia	Good	47	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Good	46	СО	1
50	Hisar	Good	30	PM <sub>2.5</sub>	1
51	Howrah	Satisfactory	63	PM <sub>10</sub>	2
52	Hubballi	Good	47	PM <sub>10</sub>	1
53	Hyderabad	Good	40	NO <sub>2</sub> , CO, PM <sub>10</sub>	5
54	Indore	Satisfactory	56	PM <sub>10</sub>	1
55	Jabalpur	Good	50	PM <sub>10</sub>	1
56	Jaipur	Satisfactory	52	PM <sub>10</sub>	2
57	Jalandhar	Good	48	PM <sub>10</sub>	1
58	Jodhpur	Satisfactory	61	PM <sub>10</sub>	1
59	Kaithal	Satisfactory	51	03	1
60	Kalyan	Satisfactory	62	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Good	48	PM <sub>2.5</sub>	1
62	Kanpur	Good	38	NO <sub>2</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	4
63	Katni	Good	49	PM <sub>10</sub>	1
64	Khanna	Good	28	PM <sub>10</sub>	1
65	Kochi	Good	43	со	1
66	Kohima	Good	48	PM <sub>10</sub>	1
67	Kolkata	Satisfactory	61	PM <sub>10</sub>	5
68	Kollam	Satisfactory	90	со	1
69	Koppal	Good	36	O <sub>3</sub>	1
70	Kota	Satisfactory	63	PM <sub>2.5</sub>	1
71	Kozhikode	Good	49	со	1
72	Kurukshetra	Good	34	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Satisfactory	62	CO, O <sub>3</sub> , PM <sub>10</sub>	5
74	Ludhiana	Good	39	03	1
75	Maihar	Good	36	PM <sub>10</sub>	1
76	Mandideep	Satisfactory	69	PM <sub>10</sub>	1
77	Mandikhera	Good	30	PM <sub>10</sub>	1
78	Manesar	Satisfactory	67	PM <sub>10</sub>	1
79	Medikeri	Good	23	O <sub>3</sub>	1
80	Meerut	Good	45	CO, O <sub>3</sub> , PM <sub>10</sub>	3
81	Moradabad	Satisfactory	98	PM <sub>2.5</sub>	1
82	Mumbai	Satisfactory	66	O <sub>3</sub> , CO, PM <sub>10</sub>	16
83	Muzaffarnagar	Good	44	PM <sub>10</sub>	1
84	Muzaffarpur	Satisfactory	62	CO, O <sub>3</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	54	PM <sub>10</sub>	1
86	Naharlagun	Good	44	PM <sub>10</sub>	1
87	Nandesari	Satisfactory	59	со	1
88	Narnaul	Satisfactory	60	PM <sub>2.5</sub>	1
89	Nashik	Good	38	PM <sub>10</sub>	1
90	Navi Mumbai	Satisfactory	75	PM <sub>2.5</sub> , CO	3
91	Noida	Satisfactory	60	CO, PM <sub>10</sub> , NO <sub>2</sub>	4
92	Pali	Satisfactory	62	PM <sub>10</sub>	1
93	Palwal	Satisfactory	72	PM <sub>10</sub>	1
94	Panchkula	Satisfactory	56	03	1
95	Panipat	Satisfactory	51	SO <sub>2</sub>	1
96	Patiala	Good	29	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	71	O <sub>3</sub> , PM <sub>10</sub>	5
98	Pithampur	Satisfactory	73	PM <sub>10</sub>	1
99	Prayagraj	Good	36	PM <sub>10</sub> , PM <sub>2.5</sub>	3
100	Puducherry	Good	50	03	1
101	Pune	Satisfactory	74	SO <sub>2</sub> , CO	7
102	Raichur	Good	22	PM <sub>10</sub>	1
103	Rajamahendravaram	Good	39	PM <sub>10</sub>	1
104	Ramanagara	Good	36	PM <sub>10</sub>	1
105	Ratlam	Satisfactory	53	PM <sub>2.5</sub>	1
106	Rohtak	Satisfactory	82	NO <sub>2</sub>	1
107	Rupnagar	Satisfactory	73	PM <sub>10</sub>	1
108	Sagar	Good	26	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	53	PM <sub>10</sub>	1
110	Shillong	Good	16	SO <sub>2</sub>	1
111	Shivamogga	Good	37	PM <sub>10</sub>	1
112	Siliguri	Satisfactory	52	PM <sub>10</sub>	1
113	Singrauli	Satisfactory	61	PM <sub>10</sub>	1
114	Sirsa	Good	49	03	1
115	Solapur	Good	49	PM <sub>10</sub>	1
116	Sonipat	Satisfactory	52	PM <sub>10</sub>	1
117	Srinagar	Satisfactory	65	PM <sub>10</sub>	1
118	Talcher	Good	29	O <sub>3</sub>	1
119	Thiruvananthapuram	Good	42	PM <sub>10</sub> , CO	2
120	Thoothukudi	Good	36	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	41	со	1
122	Udaipur	Satisfactory	98	PM <sub>10</sub>	1
123	Ujjain	Satisfactory	70	PM <sub>10</sub>	1
124	Vapi	Satisfactory	51	PM <sub>10</sub>	1
125	Varanasi	Good	34	CO, PM <sub>10</sub>	4
126	Vatva	Satisfactory	72	PM <sub>10</sub>	1
127	Vijayapura	Satisfactory	75	СО	1
128	Visakhapatnam	Satisfactory	70	PM <sub>10</sub>	1
129	Yadgir	Satisfactory	55	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Ambala, Baghpat, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Ernakulam, Hassan, Jind, Jorapokhar, Kalaburgi, Karnal, Kolar, Mandi Gobindgarh, Manglore, Motihari, Nagpur, Thane, Thrissur, Udupi, Vrindavan, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.