

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	47	PM <sub>10</sub>	1
2	Agra	Satisfactory	52	O <sub>3</sub>	6
3	Ahmedabad	Satisfactory	72	PM <sub>10</sub> , CO	8
4	Aizawl	Good	16	со	1
5	Ajmer	Moderate	131	PM <sub>10</sub>	1
6	Alwar	Satisfactory	91	PM <sub>10</sub>	1
7	Amaravati	Good	32	СО	1
8	Ambala	Good	38	O <sub>3</sub>	1
9	Amravati	Good	50	PM <sub>10</sub>	2
10	Anantapur	Good	41	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	100	O <sub>3</sub>	1
12	Araria	Satisfactory	54	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Guddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura,

Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal,

Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	45	PM <sub>10</sub>	1
14	Arrah	Moderate	107	PM <sub>10</sub>	1
15	Asansol	Good	35	PM <sub>10</sub>	1
16	Aurangabad (Bihar)	Moderate	103	со	1
17	Aurangabad (Maharashtra)	Moderate	106	PM <sub>10</sub>	2
18	Baddi	Moderate	113	PM <sub>10</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Baghpat	Satisfactory	77	O <sub>3</sub>	1
21	Banswara	Satisfactory	76	PM <sub>10</sub>	1
22	Baran	Satisfactory	82	O <sub>3</sub>	1
23	Baripada	Good	49	PM <sub>10</sub>	1
24	Barmer	Satisfactory	81	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

### Coimbatore, Guddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpi

Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	100	PM <sub>2.5</sub>	1
26	Belapur	Good	43	со	1
27	Belgaum	Good	48	со	1
28	Bengaluru	Good	42	PM <sub>10</sub> , CO	10
29	Bettiah	Moderate	121	PM <sub>10</sub>	1
30	Bhagalpur	Moderate	111	PM <sub>10</sub>	2
31	Bharatpur	Satisfactory	75	O <sub>3</sub>	1
32	Bhilai	Good	30	NO <sub>2</sub> , CO	3
33	Bhiwadi	Satisfactory	96	PM <sub>10</sub>	1
34	Bhiwandi	Good	47	PM <sub>2.5</sub>	1
35	Bhiwani	Moderate	191	PM <sub>2.5</sub>	1
36	Bhopal	Satisfactory	65	PM <sub>10</sub>	2

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura,

Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal,

Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	148	PM <sub>10</sub>	1
38	Bikaner	Moderate	120	PM <sub>10</sub>	1
39	Bileipada	Satisfactory	80	PM <sub>10</sub>	1
40	Bulandshahr	Good	48	PM <sub>2.5</sub>	1
41	Bundi	Moderate	133	PM <sub>10</sub>	1
42	Byrnihat	Poor	236	PM <sub>10</sub>	1
43	Chamarajanagar	Good	40	PM <sub>10</sub>	1
44	Chandigarh	Satisfactory	87	PM <sub>10</sub>	3
45	Chandrapur	Satisfactory	89	PM <sub>10</sub>	1
46	Charkhi Dadri	Satisfactory	76	PM <sub>2.5</sub>	1
47	Chennai	Satisfactory	73	NO <sub>2</sub> , CO	7
48	Chhal	Good	33	со	1

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura,

Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Moderate	152	PM <sub>10</sub>	1
50	Chikkamagaluru	Good	23	PM <sub>10</sub>	1
51	Chittoor	Good	43	03	1
52	Chittorgarh	Satisfactory	72	PM <sub>2.5</sub>	1
53	Churu	Satisfactory	73	PM <sub>10</sub>	1
54	Damoh	Good	21	PM <sub>10</sub>	1
55	Dausa	Satisfactory	85	PM <sub>10</sub>	1
56	Dehradun	Satisfactory	61	СО	1
57	Delhi	Satisfactory	71	CO, PM <sub>10</sub>	36
58	Dharuhera	Poor	229	PM <sub>2.5</sub>	1
59	Dharwad	Good	42	PM <sub>10</sub>	1
60	Dhule	Satisfactory	81	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura,

Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal,

Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dindigul	Satisfactory	54	PM <sub>10</sub>	1
62	Durgapur	Good	30	PM <sub>10</sub>	1
63	Faridabad	Moderate	156	PM <sub>10</sub>	3
64	Firozabad	Satisfactory	56	PM <sub>2.5</sub> , O <sub>3</sub>	2
65	Gadag	Good	46	SO <sub>2</sub>	1
66	Gandhinagar	Satisfactory	77	PM <sub>2.5</sub>	3
67	Gangtok	Good	48	SO <sub>2</sub>	1
68	Gaya	Satisfactory	78	CO, O <sub>3</sub>	3
69	Ghaziabad	Satisfactory	70	СО	4
70	Gorakhpur	Satisfactory	68	PM <sub>10</sub>	1
71	Greater Noida	Satisfactory	64	PM <sub>10</sub> , O <sub>3</sub>	2
72	Gummidipoondi	Satisfactory	58	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

### Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpu

Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Moderate	111	PM <sub>10</sub> , PM <sub>2.5</sub>	3
74	Guwahati	Satisfactory	66	PM <sub>2.5</sub> , PM <sub>10</sub>	4
75	Gwalior	Satisfactory	98	PM <sub>10</sub> , PM <sub>2.5</sub>	4
76	Hajipur	Moderate	105	PM <sub>10</sub>	1
77	Hanumangarh	Moderate	135	PM <sub>10</sub>	1
78	Hapur	Good	27	03	1
79	Hisar	Satisfactory	78	PM <sub>2.5</sub>	1
80	Howrah	Good	47	NO <sub>2</sub>	3
81	Hubballi	Moderate	173	со	2
82	Hyderabad	Satisfactory	52	PM <sub>10</sub> , NO <sub>2</sub>	12
83	Indore	Satisfactory	76	PM <sub>10</sub>	1
84	Jabalpur	Satisfactory	67	PM <sub>10</sub>	2

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

### Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpu

Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jaipur	Satisfactory	79	PM <sub>10</sub>	6
86	Jaisalmer	Satisfactory	71	PM <sub>10</sub>	1
87	Jalandhar	Moderate	102	PM <sub>10</sub>	1
88	Jalgaon	Satisfactory	79	PM <sub>10</sub>	1
89	Jalna	Satisfactory	71	PM <sub>2.5</sub>	1
90	Jhalawar	Satisfactory	60	03	1
91	Jhunjhunu	Satisfactory	77	O <sub>3</sub>	1
92	Jind	Satisfactory	70	PM <sub>2.5</sub>	1
93	Jodhpur	Satisfactory	93	PM <sub>10</sub>	4
94	Kadapa	Good	31	NO <sub>2</sub>	1
95	Kalyan	Moderate	131	O <sub>3</sub>	1
96	Kanchipuram	Good	42	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi,

Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphai, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kannur	Satisfactory	78	PM <sub>10</sub>	1
98	Kanpur	Poor	220	O <sub>3</sub>	3
99	Karauli	Satisfactory	60	03	1
100	Karnal	Good	46	PM <sub>2.5</sub>	1
101	Katihar	Moderate	126	со	1
102	Katni	Satisfactory	66	PM <sub>10</sub>	1
103	Keonjhar	Good	38	PM <sub>10</sub>	1
104	Khanna	Satisfactory	81	со	1
105	Khurja	Moderate	162	PM <sub>2.5</sub>	1
106	Kishanganj	Satisfactory	69	PM <sub>10</sub>	1
107	Kochi	Satisfactory	88	PM <sub>10</sub>	1
108	Kohima	Good	43	SO <sub>2</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

### <del>Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpt</del>

Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Good	38	PM <sub>10</sub>	2
110	Kolkata	Good	38	03	7
111	Kollam	Satisfactory	85	PM <sub>10</sub>	1
112	Koppal	Good	19	SO <sub>2</sub>	1
113	Korba	Good	43	NO <sub>2</sub>	1
114	Kota	Satisfactory	81	PM <sub>10</sub> , PM <sub>2.5</sub>	3
115	Latur	Good	30	СО	1
116	Lucknow	Satisfactory	66	CO, PM <sub>10</sub>	6
117	Ludhiana	Moderate	127	PM <sub>10</sub>	1
118	Madikeri	Good	16	O <sub>3</sub>	1
119	Maihar	Good	48	СО	1
120	Mandi Gobindgarh	Good	43	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Guddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura,

Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandideep	Satisfactory	100	03	1
122	Mandikhera	Moderate	115	PM <sub>10</sub>	1
123	Manesar	Satisfactory	78	PM <sub>10</sub>	1
124	Mangalore	Satisfactory	51	PM <sub>10</sub>	1
125	Manguraha	Moderate	166	O <sub>3</sub>	1
126	Meerut	Satisfactory	62	CO, PM <sub>10</sub>	3
127	Moradabad	Moderate	138	O <sub>3</sub>	6
128	Motihari	Satisfactory	52	PM <sub>10</sub>	1
129	Mumbai	Satisfactory	61	PM <sub>10</sub> , O <sub>3</sub>	17
130	Muzaffarpur	Moderate	130	O <sub>3</sub> , CO	3
131	Mysuru	Satisfactory	57	O <sub>3</sub>	1
132	Nagaon	Satisfactory	100	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

### Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpi

Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaur	Satisfactory	90	PM <sub>10</sub>	1
134	Nagpur	Satisfactory	58	PM <sub>10</sub>	4
135	Naharlagun	Good	30	PM <sub>2.5</sub>	1
136	Nanded	Good	40	03	1
137	Narnaul	Satisfactory	92	PM <sub>2.5</sub>	1
138	Nashik	Good	36	PM <sub>10</sub>	3
139	Navi Mumbai	Satisfactory	67	СО	3
140	Nayagarh	Good	38	NO <sub>2</sub>	1
141	Noida	Satisfactory	55	O <sub>3</sub>	4
142	Ooty	Satisfactory	60	PM <sub>10</sub>	1
143	Pali	Moderate	126	PM <sub>10</sub>	1
144	Palkalaiperur	Satisfactory	65	SO <sub>2</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura,

Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Parbhani	Moderate	103	PM <sub>10</sub>	1
146	Patiala	Satisfactory	53	PM <sub>10</sub>	1
147	Patna	Moderate	135	PM <sub>2.5</sub>	6
148	Pimpri Chinchwad	Good	33	CO, PM <sub>10</sub>	3
149	Pithampur	Satisfactory	79	PM <sub>10</sub>	1
150	Pratapgarh	Satisfactory	69	PM <sub>10</sub>	1
151	Prayagraj	Satisfactory	51	PM <sub>10</sub>	2
152	Puducherry	Satisfactory	65	PM <sub>10</sub>	1
153	Pune	Moderate	105	NO <sub>2</sub> , PM <sub>10</sub>	5
154	Purnia	Satisfactory	87	PM <sub>10</sub>	1
155	Raichur	Good	46	O <sub>3</sub>	1
156	Raipur	Satisfactory	62	PM <sub>10</sub> , NO <sub>2</sub>	4

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

# Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal,

Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Good	49	PM <sub>10</sub>	1
158	Rajamahendravaram	Good	28	PM <sub>10</sub>	1
159	Rajgir	Good	43	PM <sub>10</sub>	1
160	Rajsamand	Satisfactory	84	PM <sub>10</sub>	1
161	Ramanagara	Satisfactory	67	03	1
162	Ramanathapuram	Satisfactory	54	PM <sub>10</sub>	1
163	Ratlam	Good	40	NO <sub>2</sub>	1
164	Rishikesh	Good	34	PM <sub>10</sub>	1
165	Rohtak	Moderate	107	PM <sub>2.5</sub>	1
166	Rourkela	Satisfactory	51	со	1
167	Rupnagar	Moderate	112	PM <sub>10</sub>	1
168	Sagar	Good	50	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura,

Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Saharsa	Satisfactory	76	PM <sub>10</sub>	1
170	Samastipur	Satisfactory	91	PM <sub>10</sub>	1
171	Sangli	Good	26	O <sub>3</sub>	1
172	Sasaram	Satisfactory	54	O <sub>3</sub>	1
173	Satna	Satisfactory	62	PM <sub>10</sub>	1
174	Shillong	Good	23	SO <sub>2</sub>	1
175	Shivamogga	Satisfactory	59	O <sub>3</sub>	1
176	Sikar	Satisfactory	55	O <sub>3</sub>	1
177	Silchar	Good	37	СО	1
178	Siliguri	Good	42	PM <sub>10</sub>	1
179	Singrauli	Satisfactory	68	PM <sub>10</sub>	1
180	Sirohi	Satisfactory	83	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

### Coimbatore, Guddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpi

Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sivasagar	Good	28	PM <sub>10</sub>	1
182	Siwan	Moderate	110	PM <sub>10</sub>	1
183	Solapur	Satisfactory	55	PM <sub>10</sub>	3
184	Sri Ganganagar	Moderate	102	PM <sub>10</sub>	1
185	Suakati	Satisfactory	76	O <sub>3</sub>	1
186	Thane	Good	41	PM <sub>10</sub>	1
187	Thiruvananthapuram	Good	38	PM <sub>10</sub>	2
188	Thoothukudi	Satisfactory	69	PM <sub>10</sub>	1
189	Thrissur	Satisfactory	74	PM <sub>10</sub>	1
190	Tirupati	Good	39	СО	1
191	Tumakuru	Satisfactory	88	СО	1
192	Tumidih	Satisfactory	51	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura,

Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal,

Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Satisfactory	67	PM <sub>10</sub>	1
194	Ujjain	Satisfactory	92	СО	1
195	Varanasi	Good	50	SO <sub>2</sub>	4
196	Vatva	Satisfactory	76	PM <sub>2.5</sub>	1
197	Vijayapura	Good	49	PM <sub>10</sub>	1
198	Vijayawada	Good	42	O <sub>3</sub>	1
199	Visakhapatnam	Satisfactory	81	PM <sub>10</sub>	1
200	Vrindavan	Poor	210	PM <sub>10</sub>	1
201	Yadgir	Good	30	СО	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Amritsar, Badlapur, Bahadurgarh, Ballabgarh, Bareilly, Begusarai, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur,

## -Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dholpur, Eloor, Ernakulam, Fatehabad, Haldia, Hassan, Haveri, Hosur, Imphal, Jhansi,

Jorapokhar, Kaithal, Kalaburgi, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Nalbari, Nandesari, Palwal, Panchkula, Panipat, Salem, Sawai Madhopur, Sirsa, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Tonk, Udupi, Vapi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.