

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	29	PM ₁₀	1
2	Agra	Good	45	PM ₁₀ , O ₃	5
3	Ahmedabad	Satisfactory	59	NO ₂ , PM ₁₀ , PM _{2.5}	8
4	Ajmer	Good	44	PM ₁₀	1
5	Alwar	Satisfactory	54	PM ₁₀	1
6	Amaravati	Good	45	PM ₁₀	1
7	Ambala	Satisfactory	69	PM ₁₀	1
8	Amritsar	Satisfactory	62	PM ₁₀	1
9	Ankleshwar	Satisfactory	53	со	1
10	Asansol	Good	48	03	1
11	Aurangabad	Satisfactory	65	PM ₁₀	1
12	Bagalkot	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	58	NO ₂	1
14	Ballabgarh	Satisfactory	58	PM ₁₀	1
15	Bengaluru	Satisfactory	65	CO, PM ₁₀ , PM _{2.5}	10
16	Bhiwadi	Satisfactory	68	PM ₁₀	1
17	Bhiwani	Good	45	PM ₁₀	1
18	Bhopal	Good	45	PM ₁₀	1
19	Bulandshahr	Good	38	03	1
20	Chamarajanagar	Good	41	PM ₁₀	1
21	Chandigarh	Satisfactory	54	O ₃ , PM ₁₀	2
22	Chandrapur	Good	45	PM ₁₀	2
23	Charkhi Dadri	Good	45	PM _{2.5}	1
24	Chennai	Satisfactory	55	PM ₁₀ , CO	7

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	88	PM ₁₀	1
26	Chikkamagaluru	Good	26	PM ₁₀	1
27	Davanagere	Good	27	PM ₁₀	1
28	Delhi	Satisfactory	70	PM ₁₀ , CO	37
29	Dewas	Good	18	NO ₂	1
30	Dharuhera	Satisfactory	69	PM ₁₀	1
31	Durgapur	Good	41	PM ₁₀	1
32	Eloor	Satisfactory	70	со	1
33	Ernakulam	Good	47	PM ₁₀	1
34	Faridabad	Satisfactory	58	O ₃ , PM ₁₀	3
35	Fatehabad	Good	49	03	1
36	Firozabad	Good	32	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	35	PM ₁₀	1
38	Gandhinagar	Good	41	CO, O ₃	3
39	Gaya	Satisfactory	70	CO, O ₃	2
40	Ghaziabad	Satisfactory	64	CO, PM ₁₀	4
41	Greater Noida	Satisfactory	58	PM ₁₀ , O ₃	2
42	Gummidipoondi	Moderate	118	PM ₁₀	1
43	Gurugram	Good	45	PM ₁₀ , O ₃	4
44	Guwahati	Satisfactory	66	SO ₂	2
45	Gwalior	Good	36	PM ₁₀ , O ₃	2
46	Hajipur	Good	50	O ₃	1
47	Haldia	Good	37	со	1
48	Hapur	Good	47	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	67	PM ₁₀	1
50	Hisar	Good	48	PM ₁₀	1
51	Howrah	Good	39	со	2
52	Hubballi	Satisfactory	76	PM ₁₀	1
53	Hyderabad	Good	48	NO ₂ , PM ₁₀ , PM _{2.5}	5
54	Indore	Good	40	со	1
55	Jabalpur	Good	39	со	1
56	Jaipur	Good	46	PM ₁₀ , O ₃	2
57	Jalandhar	Satisfactory	78	PM ₁₀	1
58	Jind	Good	35	со	1
59	Jodhpur	Satisfactory	63	PM ₁₀	1
60	Kaithal	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	60	PM ₁₀	1
62	Kanpur	Good	36	NO ₂ , O ₃ , CO	4
63	Karnal	Good	46	PM ₁₀	1
64	Katni	Good	39	со	1
65	Khanna	Satisfactory	54	PM ₁₀	1
66	Kochi	Good	44	со	1
67	Kohima	Satisfactory	56	PM ₁₀	1
68	Kolar	Satisfactory	62	PM ₁₀	1
69	Kolkata	Good	36	NO ₂ , O ₃ , CO	5
70	Kollam	Satisfactory	99	со	1
71	Koppal	Satisfactory	60	со	1
72	Kozhikode	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	53	PM ₁₀	1
74	Lucknow	Satisfactory	54	PM ₁₀ , CO, NO ₂	6
75	Ludhiana	Good	42	PM ₁₀	1
76	Mandi Gobindgarh	Satisfactory	80	PM _{2.5}	1
77	Mandideep	Satisfactory	68	SO ₂	1
78	Mandikhera	Good	36	со	1
79	Manesar	Good	44	PM ₁₀	1
80	Medikeri	Good	26	O ₃	1
81	Meerut	Good	48	O ₃ , CO, PM ₁₀	3
82	Moradabad	Moderate	116	PM _{2.5}	1
83	Mumbai	Satisfactory	66	PM ₁₀ , CO	17
84	Muzaffarnagar	Satisfactory	78	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Satisfactory	52	со	1
86	Mysuru	Good	32	PM ₁₀	1
87	Nagpur	Satisfactory	67	со	1
88	Nandesari	Moderate	179	PM _{2.5}	1
89	Narnaul	Good	42	NO ₂	1
90	Navi Mumbai	Satisfactory	62	PM ₁₀ , CO	2
91	Noida	Satisfactory	66	CO, NO ₂ , PM ₁₀	4
92	Pali	Satisfactory	57	PM ₁₀	1
93	Palwal	Satisfactory	72	PM ₁₀	1
94	Panchkula	Satisfactory	53	PM _{2.5}	1
95	Patiala	Good	33	03	1
96	Patna	Good	46	O ₃ , CO, PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Satisfactory	63	PM ₁₀	1
98	Prayagraj	Good	19	PM ₁₀ , O ₃ , CO	3
99	Puducherry	Satisfactory	84	03	1
100	Pune	Satisfactory	64	CO, SO ₂ , PM _{2.5}	6
101	Raichur	Satisfactory	66	PM ₁₀	1
102	Rajamahendravaram	Good	44	PM ₁₀	1
103	Ramanagara	Good	47	PM ₁₀	1
104	Ratlam	Good	22	PM ₁₀	1
105	Rohtak	Satisfactory	96	со	1
106	Rupnagar	Satisfactory	63	PM ₁₀	1
107	Sagar	Good	25	PM ₁₀	1
108	Satna	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	16	SO ₂	1
110	Shivamogga	Good	42	PM ₁₀	1
111	Siliguri	Good	34	PM ₁₀	1
112	Singrauli	Satisfactory	52	со	1
113	Sirsa	Good	36	NO ₂	1
114	Sonipat	Satisfactory	69	PM ₁₀	1
115	Srinagar	Moderate	196	PM ₁₀	1
116	Thiruvananthapuram	Good	48	PM ₁₀ , CO	2
117	Tirupati	Good	47	PM ₁₀	1
118	Udaipur	Satisfactory	66	PM ₁₀	1
119	Ujjain	Satisfactory	52	O ₃	1
120	Vapi	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Good	16	CO, NO ₂	4
122	Vatva	Satisfactory	55	PM ₁₀	1
123	Vijayapura	Satisfactory	64	PM _{2.5}	1
124	Visakhapatnam	Moderate	108	PM ₁₀	1
125	Vrindavan	Good	26	PM ₁₀	1
126	Yadgir	Satisfactory	54	PM ₁₀	1
127	Yamunanagar	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Gorakhpur, Jorapokhar, Kalyan, Kannur, Kota, Maihar, Manglore, Motihari, Naharlagun, Nashik, Panipat, Solapur, Talcher, Thane, Thoothukudi, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.