

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	116	PM _{2.5}	1
2	Agra	Moderate	117	O ₃ , PM ₁₀	5
3	Ahmedabad	Satisfactory	84	CO, PM ₁₀	4
4	Ajmer	Moderate	137	PM ₁₀	1
5	Alwar	Moderate	110	PM ₁₀	1
6	Amaravati	Good	40	03	1
7	Ambala	Satisfactory	90	со	1
8	Amritsar	Satisfactory	88	PM ₁₀	1
9	Anantapur	Satisfactory	52	PM ₁₀	1
10	Ankleshwar	Satisfactory	69	PM ₁₀	1
11	Araria	Moderate	155	PM ₁₀	1
12	Arrah	Moderate	153 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi,

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	112	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	119	PM ₁₀	1
15	Aurangabad (Maharashtra)	Good	50	PM ₁₀	1
16	Baddi	Satisfactory	86	PM ₁₀	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Moderate	156	PM ₁₀	1
19	Ballabgarh	Moderate	113	PM ₁₀	1
20	Banswara	Moderate	125	PM ₁₀	1
21	Bareilly	Satisfactory	80	PM ₁₀	2
22	Barmer	Moderate	116	PM ₁₀	1
23	Bathinda	Moderate	152	PM ₁₀	1
24	Begusarai	Poor	240 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi,

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	35	СО	1
26	Bengaluru	Satisfactory	63	PM _{2.5} , PM ₁₀	10
27	Bettiah	Moderate	174	PM ₁₀	1
28	Bhagalpur	Moderate	179	PM ₁₀	1
29	Bharatpur	Moderate	174	PM ₁₀	1
30	Bhilai	Satisfactory	73	PM ₁₀	3
31	Bhiwani	Satisfactory	55	со	1
32	Bhopal	Moderate	154	PM ₁₀	2
33	Bidar	Good	25	СО	1
34	Bihar Sharif	Good	47	PM ₁₀	1
35	Bikaner	Moderate	169	PM ₁₀	1
36	Bilaspur	Satisfactory	77	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	164	PM ₁₀	1
38	Brajrajnagar	Satisfactory	71	PM ₁₀	1
39	Bulandshahr	Moderate	117	PM ₁₀	1
40	Byrnihat	Satisfactory	100	PM ₁₀	1
41	Chamarajanagar	Good	41	PM ₁₀	1
42	Chandigarh	Satisfactory	78	PM ₁₀	3
43	Chandrapur	Satisfactory	71	СО	1
44	Charkhi Dadri	Moderate	164	PM _{2.5}	1
45	Chennai	Satisfactory	78	O ₃ , CO	7
46	Chhal	Satisfactory	85	PM ₁₀	1
47	Chhapra	Poor	231	PM ₁₀	1
48	Chikkaballapur	Good	39 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

-Hassan, Hosur, Imphal, Jaisalmer, Jaigaon, Jaina, Jorapokhar, Kalaburg

Notes:

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal,
Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar,
Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur,
Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan,
Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar,
Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Good	41	PM ₁₀	1
50	Chittoor	Good	39	O ₃	1
51	Chittorgarh	Moderate	146	PM ₁₀	1
52	Churu	Satisfactory	87	PM ₁₀	1
53	Cuddalore	Good	42	PM _{2.5}	2
54	Damoh	Moderate	111	PM ₁₀	1
55	Dausa	Satisfactory	100	PM ₁₀	1
56	Davanagere	Good	30	PM ₁₀	1
57	Dehradun	Satisfactory	97	СО	1
58	Delhi	Moderate	144	PM ₁₀	28
59	Dewas	Satisfactory	72	PM ₁₀	1
60	Dhanbad	Moderate	195 * AC	CO I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Moderate	152	PM ₁₀	1
62	Dholpur	Satisfactory	91	PM ₁₀	1
63	Durgapur	Moderate	125	PM ₁₀	1
64	Eloor	Satisfactory	59	PM ₁₀	1
65	Faridabad	Moderate	125	PM ₁₀ , PM _{2.5}	4
66	Fatehabad	Moderate	109	O ₃	1
67	Firozabad	Moderate	124	PM ₁₀	1
68	Gandhinagar	Moderate	102	PM _{2.5} , PM ₁₀	2
69	Gangtok	Satisfactory	59	SO ₂	1
70	Gaya	Moderate	101	PM ₁₀ , O ₃	2
71	Ghaziabad	Moderate	156	PM ₁₀	4
72	Gorakhpur	Moderate	179 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

- Hassan, Hosur, Imphal, Jaisalmer, Jaigaon, Jaina, Jorapokhar, Kalaburgi,

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur,

Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	200	PM ₁₀	2
74	Gummidipoondi	Satisfactory	66	PM ₁₀	1
75	Gurugram	Moderate	164	PM _{2.5}	4
76	Guwahati	Satisfactory	58	CO, SO ₂	4
77	Gwalior	Moderate	132	PM _{2.5}	4
78	Hajipur	Poor	203	PM ₁₀	1
79	Haldia	Moderate	117	PM ₁₀	1
80	Hanumangarh	Moderate	164	PM ₁₀	1
81	Haveri	Good	37	со	1
82	Hisar	Moderate	127	PM ₁₀	1
83	Howrah	Moderate	127	PM ₁₀	3
84	Hubballi	Satisfactory	58 * AC	PM ₁₀ , CO I is not calculated for today's bullet	2 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphal, Jaisalmer, Jalgaon, Jalna, Jorapokhar, Kalaburgi,

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	71	PM _{2.5} , PM ₁₀	10
86	Indore	Moderate	146	PM ₁₀	1
87	Jabalpur	Moderate	142	PM ₁₀	1
88	Jaipur	Moderate	154	PM ₁₀	6
89	Jalandhar	Satisfactory	83	PM ₁₀	1
90	Jhalawar	Poor	202	PM _{2.5}	1
91	Jhansi	Moderate	111	PM ₁₀	1
92	Jhunjhunu	Moderate	161	PM _{2.5}	1
93	Jind	Moderate	127	со	1
94	Jodhpur	Satisfactory	89	PM ₁₀	3
95	Kadapa	Good	28	PM _{2.5}	1
96	Kaithal	Moderate	158 * AC	PM ₂ , I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphal, Jaisalmer, Jalgaon, Jalna, Jorapokhar, Kalaburgi,

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kannur	Satisfactory	70	PM ₁₀	1
98	Kanpur	Satisfactory	92	PM ₁₀	4
99	Karnal	Satisfactory	96	PM ₁₀	1
100	Kashipur	Moderate	124	PM ₁₀	1
101	Katihar	Moderate	184	PM ₁₀	1
102	Katni	Moderate	163	PM ₁₀	1
103	Khanna	Satisfactory	74	PM ₁₀	1
104	Khurja	Poor	259	03	1
105	Kishanganj	Moderate	143	PM ₁₀	1
106	Kochi	Satisfactory	69	со	1
107	Kohima	Satisfactory	51	SO ₂	1
108	Kolkata	Moderate	126 * AC	PM ₁₀ , PM _{2,5} I is not calculated for today's bullet	7 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Satisfactory	94	PM ₁₀	1
110	Kota	Moderate	133	PM ₁₀ , PM _{2.5}	3
111	Kunjemura	Moderate	142	PM ₁₀	1
112	Kurukshetra	Moderate	106	PM ₁₀	1
113	Lucknow	Moderate	166	PM _{2.5}	6
114	Ludhiana	Satisfactory	71	PM ₁₀	1
115	Madikeri	Good	29	PM ₁₀	1
116	Maihar	Moderate	115	PM ₁₀	1
117	Mandi Gobindgarh	Moderate	139	PM _{2.5}	1
118	Mandikhera	Moderate	101	PM ₁₀	1
119	Manesar	Good	32	PM _{2.5}	1
120	Mangalore	Satisfactory	64 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Satisfactory	90	PM ₁₀ , PM _{2.5}	2
122	Milupara	Satisfactory	90	PM ₁₀	1
123	Moradabad	Moderate	128	PM ₁₀	6
124	Motihari	Moderate	162	PM ₁₀	1
125	Mumbai	Satisfactory	63	PM ₁₀ , NO ₂	12
126	Munger	Moderate	180	PM _{2.5}	1
127	Muzaffarnagar	Moderate	129	PM ₁₀	1
128	Muzaffarpur	Moderate	181	PM _{2.5} , NO ₂	3
129	Mysuru	Satisfactory	52	O ₃	1
130	Nagaon	Satisfactory	57	O ₃	1
131	Nagpur	Moderate	108	PM ₁₀	1
132	Nalbari	Satisfactory	72 * AQ	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Narnaul	Moderate	109	PM ₁₀	1
134	Nashik	Satisfactory	51	PM ₁₀	1
135	Nayagarh	Moderate	130	PM ₁₀	1
136	Noida	Moderate	144	PM ₁₀ , CO	4
137	Pali	Satisfactory	94	PM ₁₀	1
138	Palwal	Good	44	PM _{2.5}	1
139	Panipat	Moderate	131	PM _{2.5}	1
140	Patiala	Satisfactory	77	PM ₁₀	1
141	Patna	Poor	209	PM ₁₀ , NO ₂	6
142	Pimpri Chinchwad	Good	23	PM ₁₀	1
143	Pithampur	Moderate	124	PM ₁₀	1
144	Pratapgarh	Moderate	142 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hesur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kalaburgi,

Notes:
Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal,
Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar,
Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur,
Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan,
Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar,
Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Prayagraj	Moderate	184	PM ₁₀	3
146	Puducherry	Good	49	со	1
147	Pune	Moderate	104	NO ₂ , PM ₁₀	5
148	Purnia	Satisfactory	93	PM _{2.5}	1
149	Raichur	Satisfactory	91	03	1
150	Raipur	Satisfactory	68	PM ₁₀	4
151	Rajamahendravaram	Good	36	PM ₁₀	1
152	Rajgir	Moderate	156	PM ₁₀	1
153	Rajsamand	Poor	230	PM ₁₀	1
154	Ramanagara	Good	38	PM ₁₀	1
155	Ratlam	Moderate	120	PM ₁₀	1
156	Rishikesh	Satisfactory	53 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi,

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rohtak	Satisfactory	85	PM _{2.5}	1
158	Rourkela	Moderate	108	PM ₁₀	2
159	Rupnagar	Moderate	159	PM ₁₀	1
160	Sagar	Moderate	128	PM ₁₀	1
161	Saharsa	Moderate	166	PM ₁₀	1
162	Samastipur	Moderate	128	PM ₁₀	1
163	Sasaram	Poor	206	PM _{2.5}	1
164	Satna	Poor	245	PM ₁₀	1
165	Sawai Madhopur	Moderate	130	PM ₁₀	1
166	Shillong	Good	50	PM ₁₀ , PM _{2.5}	2
167	Shivamogga	Good	49	PM ₁₀	1
168	Sikar	Moderate	148 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kaiaburgi

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Silchar	Good	32	со	1
170	Siliguri	Satisfactory	66	PM ₁₀	1
171	Singrauli	Moderate	116	PM ₁₀	1
172	Sirohi	Moderate	101	PM ₁₀	1
173	Sirsa	Satisfactory	76	PM ₁₀	1
174	Sivasagar	Good	17	PM ₁₀	1
175	Solapur	Satisfactory	81	PM ₁₀	1
176	Sonipat	Moderate	156	PM ₁₀	1
177	Sri Ganganagar	Moderate	116	PM ₁₀	1
178	Srinagar	Satisfactory	97	PM ₁₀	1
179	Talcher	Satisfactory	68	PM ₁₀	1
180	Thiruvananthapuram	Good	26 * AC	CO, PM	2 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphai, Jaisaimer, Jaigaon, Jaina, Jorapokhar, Kalaburg

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thoothukudi	Satisfactory	51	PM ₁₀	1
182	Thrissur	Satisfactory	59	PM ₁₀	1
183	Tirupati	Good	36	NO ₂	2
184	Tirupur	Good	24	PM ₁₀	1
185	Tonk	Moderate	179	PM ₁₀	1
186	Tumakuru	Satisfactory	53	со	1
187	Tumidih	Satisfactory	58	PM ₁₀	1
188	Udaipur	Moderate	118	PM ₁₀	1
189	Vapi	Moderate	116	СО	1
190	Varanasi	Moderate	181	PM _{2.5} , PM ₁₀	4
191	Vatva	Moderate	103	PM ₁₀	1
192	Vijayapura	Good	49	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Akola,

Notes:

Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

- Hassan, Hosur, Imphal, Jaisalmer, Jaigaon, Jaina, Jorapokhar, Kalaburgi,

Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur, Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan, Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Visakhapatnam	Moderate	102	PM ₁₀	1
194	Vrindavan	Satisfactory	63	PM ₁₀	1
195	Yamunanagar	Satisfactory	82	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Akola, Amravati, Ariyalur, Badlapur, Bahadurgarh, Baran, Baripada, Belapur, Bhilwara, Bhiwadi, Bhiwandi, Boisar, Bundi, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dhule, Dindigul, Ernakulam, Gadag, Hapur,

Hassan, Hosur, Imphal, Jaisalmer, Jalgaon, Jalna, Jorapokhar, Kalabur

Notes:
Kalyan, Kanchipuram, Karauli, Keonjhar, Kolar, Kolhapur, Kollam, Koppal,
Kozhikode, Latur, Mahad, Malegaon, Mandideep, Manguraha, Mira-Bhayandar,
Nagaur, Naharlagun, Nanded, Nandesari, Navi Mumbai, Ooty, Palkalaiperur,
Panchkula, Parbhani, Rairangpur, Ramanathapuram, Salem, Sangli, Siwan,
Suakati, Surat, Tensa, Thane, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar,
Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases