

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	28	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	4
3	Ahmedabad	Satisfactory	89	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	9
4	Ajmer	Satisfactory	59	PM <sub>10</sub>	1
5	Alwar	Satisfactory	60	PM <sub>2.5</sub>	1
6	Amaravati	Good	24	03	1
7	Ambala	Satisfactory	63	PM <sub>10</sub>	1
8	Ankleshwar	Satisfactory	98	PM <sub>10</sub>	1
9	Asansol	Satisfactory	83	PM <sub>10</sub>	1
10	Bagalkot	Good	25	со	1
11	Baghpat	Satisfactory	95	PM <sub>10</sub>	1
12	Bahadurgarh	Satisfactory	96	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar,
  Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi,
  Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong,
  Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	63	PM <sub>10</sub>	1
14	Bathinda	Good	40	PM <sub>10</sub>	1
15	Bengaluru	Satisfactory	52	CO, PM <sub>2.5</sub> , NO <sub>2</sub>	7
16	Bhiwadi	Moderate	116	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	109	PM <sub>10</sub>	1
18	Bhopal	Satisfactory	98	PM <sub>10</sub>	1
19	Brajrajnagar	Satisfactory	100	СО	1
20	Bulandshahr	Satisfactory	71	03	1
21	Chamarajanagar	Satisfactory	51	PM <sub>10</sub>	1
22	Chandigarh	Satisfactory	73	PM <sub>10</sub>	1
23	Chandrapur	Good	41	PM <sub>10</sub>	2
24	Charkhi Dadri	Moderate	111	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	54	CO, O <sub>3</sub> , PM <sub>10</sub>	8
26	Chikkaballapur	Good	30	NO <sub>2</sub>	1
27	Chikkamagaluru	Good	28	03	1
28	Damoh	Good	27	PM <sub>2.5</sub>	1
29	Davanagere	Good	19	03	1
30	Delhi	Satisfactory	97	PM <sub>10</sub> , PM <sub>2.5</sub>	34
31	Dewas	Satisfactory	85	PM <sub>10</sub>	1
32	Dharuhera	Moderate	121	PM <sub>10</sub>	1
33	Eloor	Satisfactory	99	со	1
34	Faridabad	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	4
35	Fatehabad	Moderate	162	03	1
36	Gadag	Satisfactory	60	SO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	3
38	Gaya	Satisfactory	54	PM <sub>2.5</sub>	2
39	Ghaziabad	Satisfactory	92	PM <sub>10</sub>	4
40	Gorakhpur	Good	23	PM <sub>2.5</sub>	1
41	Greater Noida	Satisfactory	84	PM <sub>10</sub>	2
42	Gurugram	Satisfactory	96	PM <sub>10</sub> , PM <sub>2.5</sub>	3
43	Guwahati	Good	48	SO <sub>2</sub> , PM <sub>10</sub>	2
44	Gwalior	Satisfactory	71	PM <sub>10</sub>	1
45	Hajipur	Satisfactory	58	PM <sub>2.5</sub>	1
46	Haldia	Satisfactory	78	PM <sub>10</sub>	1
47	Hapur	Good	35	PM <sub>10</sub>	1
48	Hassan	Good	31	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar,
  Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi,
  Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong,
  Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	141	PM <sub>10</sub>	1
50	Howrah	Satisfactory	62	PM <sub>10</sub>	2
51	Hubballi	Good	38	PM <sub>10</sub>	1
52	Hyderabad	Good	37	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	5
53	Indore	Satisfactory	81	PM <sub>10</sub>	1
54	Jabalpur	Satisfactory	64	PM <sub>10</sub>	1
55	Jaipur	Moderate	105	PM <sub>10</sub>	3
56	Jalandhar	Moderate	128	PM <sub>10</sub>	1
57	Jind	Moderate	160	PM <sub>2.5</sub>	1
58	Jodhpur	Moderate	104	PM <sub>10</sub>	1
59	Kaithal	Satisfactory	100	PM <sub>10</sub>	1
60	Kalyan	Good	42	СО	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar,
  Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi,
  Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong,
  Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Good	43	PM <sub>10</sub>	1
62	Kanpur	Satisfactory	59	O <sub>3</sub> , PM <sub>2.5</sub>	3
63	Karnal	Satisfactory	60	PM <sub>2.5</sub>	1
64	Katni	Satisfactory	88	PM <sub>10</sub>	1
65	Khanna	Satisfactory	66	PM <sub>10</sub>	1
66	Kohima	Good	32	SO <sub>2</sub>	1
67	Kolar	Satisfactory	83	СО	1
68	Kolkata	Satisfactory	67	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	6
69	Kollam	Good	50	со	1
70	Koppal	Satisfactory	74	со	1
71	Kota	Satisfactory	77	PM <sub>10</sub>	1
72	Kozhikode	Good	27	со	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar,
  Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi,
  Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong,
  Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	90	PM <sub>10</sub>	1
74	Lucknow	Satisfactory	66	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	5
75	Ludhiana	Satisfactory	84	PM <sub>10</sub>	1
76	Maihar	Satisfactory	59	PM <sub>2.5</sub>	1
77	Mandi Gobindgarh	Moderate	136	PM <sub>2.5</sub>	1
78	Mandikhera	Satisfactory	76	PM <sub>10</sub>	1
79	Manesar	Moderate	104	PM <sub>2.5</sub>	1
80	Manglore	Satisfactory	73	NO <sub>2</sub>	1
81	Medikeri	Good	25	со	1
82	Meerut	Satisfactory	76	PM <sub>10</sub>	2
83	Moradabad	Satisfactory	68	PM <sub>10</sub>	1
84	Mumbai	Satisfactory	59	O <sub>3</sub> , CO, PM <sub>10</sub>	17

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar,
  Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi,
  Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong,
  Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Satisfactory	98	PM <sub>10</sub>	1
86	Muzaffarpur	Satisfactory	52	со	1
87	Mysuru	Good	27	PM <sub>10</sub>	1
88	Nagpur	Satisfactory	83	03	1
89	Nandesari	Satisfactory	83	PM <sub>2.5</sub>	1
90	Narnaul	Moderate	149	PM <sub>10</sub>	1
91	Nashik	Good	30	NO <sub>2</sub>	1
92	Navi Mumbai	Good	49	PM <sub>2.5</sub>	1
93	Noida	Satisfactory	94	CO, PM <sub>10</sub>	2
94	Pali	Satisfactory	97	PM <sub>10</sub>	1
95	Palwal	Satisfactory	98	PM <sub>10</sub>	1
96	Panchkula	Satisfactory	84	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar,
  Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi,
  Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong,
  Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Satisfactory	99	PM <sub>10</sub>	1
98	Patiala	Satisfactory	73	PM <sub>10</sub>	1
99	Patna	Satisfactory	70	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	5
100	Pithampur	Satisfactory	58	PM <sub>10</sub>	1
101	Prayagraj	Satisfactory	98	PM <sub>10</sub> , PM <sub>2.5</sub>	2
102	Puducherry	Good	28	O <sub>3</sub>	1
103	Pune	Satisfactory	76	PM <sub>10</sub> , CO, SO <sub>2</sub>	6
104	Rajamahendravaram	Good	40	PM <sub>10</sub>	1
105	Ramanagara	Good	31	SO <sub>2</sub>	1
106	Ratlam	Satisfactory	77	PM <sub>10</sub>	1
107	Rohtak	Moderate	126	PM <sub>2.5</sub>	1
108	Rupnagar	Good	49	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	29	PM <sub>2.5</sub>	1
110	Satna	Satisfactory	80	PM <sub>10</sub>	1
111	Shivamogga	Good	50	PM <sub>10</sub>	1
112	Siliguri	Good	49	PM <sub>2.5</sub>	1
113	Singrauli	Moderate	102	PM <sub>10</sub>	1
114	Sirsa	Moderate	141	PM <sub>10</sub>	1
115	Solapur	Good	31	O <sub>3</sub>	1
116	Sonipat	Moderate	155	PM <sub>10</sub>	1
117	Srinagar	Moderate	141	PM <sub>10</sub>	1
118	Talcher	Satisfactory	78	со	1
119	Thane	Satisfactory	70	PM <sub>10</sub>	1
120	Thiruvananthapuram	Good	50	CO, NO <sub>2</sub>	2

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	37	PM <sub>10</sub>	1
122	Thrissur	Satisfactory	55	O <sub>3</sub>	1
123	Tirupati	Good	38	со	1
124	Udaipur	Moderate	106	PM <sub>10</sub>	1
125	Ujjain	Satisfactory	93	PM <sub>10</sub>	1
126	Vapi	Satisfactory	53	PM <sub>10</sub>	1
127	Varanasi	Satisfactory	58	PM <sub>10</sub>	3
128	Vatva	Moderate	119	PM <sub>10</sub>	1
129	Vijayapura	Moderate	103	со	1
130	Visakhapatnam	Satisfactory	92	PM <sub>10</sub>	1
131	Yadgir	Good	22	O <sub>3</sub>	1
132	Yamunanagar	Moderate	102	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Aurangabad, Bidar, Coimbatore, Durgapur, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Mandideep, Naharlagun, Raichur, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.