



Air Quality Index on Jun 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	174	PM _{2.5}	1
2	Ahmedabad	Poor	207	NO ₂	1
3	Ajmer	Moderate	107	PM ₁₀	1
4	Alwar	Moderate	142	PM _{2.5}	1
5	Amaravati	Good	34	OZONE	1
6	Ambala	Moderate	178	PM _{2.5}	1
7	Amritsar	Satisfactory	97	PM ₁₀	1
8	Asanol	Good	49	PM _{2.5}	1
9	Aurangabad	Satisfactory	80	NO ₂	1
10	Baghpat	Poor	211	PM ₁₀	1
11	Bahadurgarh	Moderate	157	PM ₁₀	1
12	Ballabgarh	Poor	296	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Dewas, Durgapur, Hubballi, Kalaburagi, Loni_Dehat, Muzaffarpur, Nashik, Patiala, Pune, Ratlam, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpqb.nic.in>) may be referred.



Air Quality Index on Jun 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	93	PM ₁₀	1
14	Bengaluru	Satisfactory	69	PM ₁₀ , PM _{2.5}	8
15	Bhiwadi	Moderate	187	PM ₁₀	1
16	Bhiwani	Poor	208	PM _{2.5}	1
17	Brajrajnagar	Satisfactory	92	CO	1
18	Bulandshahr	Poor	209	OZONE	1
19	Chandrapur	Satisfactory	60	OZONE	1
20	Chennai	Good	48	PM _{2.5}	1
21	Coimbatore	Satisfactory	64	PM _{2.5}	1
22	Delhi	Moderate	191	PM ₁₀ , PM _{2.5}	37
23	Dharuhera	Poor	205	PM ₁₀	1
24	Eloor	Good	48	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Dewas, Durgapur, Hubballi, Kalaburagi, Loni_Dehat, Muzaffarpur, Nashik, Patiala, Pune, Ratlam, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jun 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Satisfactory	91	NO ₂	1
26	Fatehabad	Moderate	184	PM ₁₀	1
27	GandhiNagar	Satisfactory	65	PM ₁₀	1
28	Gaya	Satisfactory	63	OZONE	1
29	Ghaziabad	Poor	226	PM ₁₀	3
30	Greater_Noida	Poor	228	PM ₁₀	2
31	Gurugram	Moderate	152	PM _{2.5}	1
32	Guwahati	Good	38	PM _{2.5}	1
33	Haldia	Good	35	PM ₁₀	1
34	Hisar	Moderate	156	PM ₁₀	1
35	Howrah	Satisfactory	69	PM ₁₀ , PM _{2.5}	3
36	Hyderabad	Good	29	OZONE, PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Dewas, Durgapur, Hubballi, Kalaburagi, Loni_Dehat, Muzaffarpur, Nashik, Patiala, Pune, Ratlam, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jun 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Moderate	132	PM _{2.5} , PM ₁₀	3
38	Jalandhar	Moderate	125	PM ₁₀	1
39	Jind	Moderate	172	PM ₁₀	1
40	Jodhpur	Moderate	150	PM _{2.5}	1
41	Kaithal	Moderate	171	PM ₁₀	1
42	Kalyan	Satisfactory	65	CO	1
43	Kanpur	Moderate	109	OZONE	1
44	Karnal	Poor	256	PM _{2.5}	1
45	Khanna	Moderate	114	PM ₁₀	1
46	Kolkata	Satisfactory	58	OZONE, PM ₁₀	3
47	Kota	Satisfactory	87	PM ₁₀	1
48	Kurukshetra	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Dewas, Durgapur, Hubballi, Kalaburagi, Loni_Dehat, Muzaffarpur, Nashik, Patiala, Pune, Ratlam, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jun 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Lucknow	Moderate	187	PM _{2.5}	4
50	Ludhiana	Satisfactory	78	PM ₁₀	1
51	Maihar	Satisfactory	52	PM ₁₀	1
52	Mandi Gobindgarh	Moderate	150	PM ₁₀	1
53	Mandideep	Satisfactory	57	PM ₁₀	1
54	Mandikhera	Moderate	164	PM ₁₀	1
55	Manesar	Moderate	171	PM _{2.5}	1
56	Moradabad	Moderate	175	PM ₁₀	1
57	Mumbai	Good	42	CO, PM ₁₀ , OZONE	10
58	Muzaffarnagar	Moderate	144	PM ₁₀	1
59	Nagpur	Good	43	PM ₁₀	1
60	Narnaul	Poor	206	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Dewas, Durgapur, Hubballi, Kalaburagi, Loni_Dehat, Muzaffarpur, Nashik, Patiala, Pune, Ratlam, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jun 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Navi Mumbai	Satisfactory	56	CO, PM ₁₀	3
62	Noida	Poor	208	PM ₁₀	4
63	Pali	Satisfactory	89	PM _{2.5}	1
64	Palwal	Moderate	190	PM _{2.5}	1
65	Panchkula	Satisfactory	75	PM _{2.5}	1
66	Panipat	Moderate	128	PM ₁₀	1
67	Patna	Moderate	116	NO ₂	1
68	Pithampur	Satisfactory	75	PM ₁₀	1
69	Rajamahendravaram	Satisfactory	62	OZONE	1
70	Rohtak	Moderate	140	PM _{2.5}	1
71	Rupnagar	Satisfactory	100	PM _{2.5}	1
72	Satna	Satisfactory	64	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Dewas, Durgapur, Hubballi, Kalaburagi, Loni_Dehat, Muzaffarpur, Nashik, Patiala, Pune, Ratlam, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpqb.nic.in>) may be referred.



Air Quality Index on Jun 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Siliguri	Good	47	PM ₁₀	1
74	Sirsa	Moderate	178	PM ₁₀	1
75	Solapur	Good	36	OZONE	1
76	Talcher	Satisfactory	88	PM ₁₀	1
77	Thane	Moderate	120	CO	1
78	Thiruvananthapuram	Good	47	PM ₁₀	1
79	Tirupati	Good	44	PM ₁₀	1
80	Udaipur	Satisfactory	91	PM ₁₀	1
81	Ujjain	Satisfactory	71	OZONE	1
82	Vapi	Good	40	CO	1
83	Varanasi	Moderate	154	OZONE	1
84	Vatva	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Dewas, Durgapur, Hubballi, Kalaburagi, Loni_Dehat, Muzaffarpur, Nashik, Patiala, Pune, Ratlam, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jun 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Visakhapatnam	Satisfactory	99	PM ₁₀	1
86	Yamunanagar	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Chikkaballapur, Damoh, Dewas, Durgapur, Hubballi, Kalaburagi, Loni_Dehat, Muzaffarpur, Nashik, Patiala, Pune, Ratlam, Singrauli, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.