

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	26	PM ₁₀	1
2	Agra	Good	49	PM ₁₀ , O ₃	5
3	Ahmedabad	Satisfactory	60	NO ₂ , CO, PM ₁₀	8
4	Aizawl	Good	23	SO ₂	1
5	Ajmer	Satisfactory	53	PM ₁₀	1
6	Alwar	Satisfactory	59	PM ₁₀	1
7	Amaravati	Good	24	PM ₁₀	1
8	Ambala	Satisfactory	72	PM ₁₀	1
9	Amritsar	Good	34	PM ₁₀	1
10	Ankleshwar	Satisfactory	59	PM _{2.5}	1
11	Asansol	Good	48	03	1
12	Aurangabad	Very Poor	373	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	25	со	1
14	Bahadurgarh	Satisfactory	64	NO ₂	1
15	Ballabgarh	Satisfactory	75	PM _{2.5}	1
16	Bathinda	Good	46	со	1
17	Bengaluru	Good	50	CO, PM ₁₀	9
18	Bhiwadi	Moderate	127	PM _{2.5}	1
19	Bhiwani	Good	45	PM ₁₀	1
20	Bhopal	Satisfactory	51	со	1
21	Brajrajnagar	Good	44	со	1
22	Bulandshahr	Satisfactory	96	PM ₁₀	1
23	Chamarajanagar	Good	43	PM ₁₀	1
24	Chandigarh	Moderate	112	O ₃ , CO	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	16	CO, PM ₁₀	2
26	Charkhi Dadri	Good	49	PM _{2.5}	1
27	Chennai	Satisfactory	52	PM ₁₀ , CO	7
28	Chikkamagaluru	Good	25	03	1
29	Delhi	Satisfactory	89	PM _{2.5} , PM ₁₀	36
30	Dewas	Good	43	PM ₁₀	1
31	Durgapur	Good	24	SO ₂	1
32	Eloor	Satisfactory	70	со	1
33	Ernakulam	Good	44	со	1
34	Faridabad	Satisfactory	82	O ₃ , PM ₁₀	3
35	Fatehabad	Good	31	03	1
36	Firozabad	Good	29	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	17	O ₃	1
38	Gandhinagar	Good	43	CO, PM _{2.5}	3
39	Gaya	Satisfactory	62	со	2
40	Ghaziabad	Satisfactory	94	PM ₁₀ , CO	4
41	Gorakhpur	Good	19	PM ₁₀	1
42	Greater Noida	Satisfactory	98	PM ₁₀	2
43	Gummidipoondi	Satisfactory	66	PM ₁₀	1
44	Gurugram	Satisfactory	88	PM _{2.5}	4
45	Guwahati	Satisfactory	76	SO ₂ , PM ₁₀	2
46	Gwalior	Satisfactory	56	PM _{2.5} , PM ₁₀	2
47	Hajipur	Satisfactory	55	03	1
48	Haldia	Good	41	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Satisfactory	54	со	1
50	Hassan	Good	40	PM ₁₀	1
51	Hisar	Good	45	PM _{2.5}	1
52	Howrah	Good	36	со	2
53	Hubballi	Good	26	со	1
54	Hyderabad	Good	32	NO ₂ , SO ₂ , CO	6
55	Indore	Good	47	O ₃	1
56	Jabalpur	Satisfactory	51	со	1
57	Jaipur	Good	49	PM ₁₀ , O ₃	2
58	Jalandhar	Good	37	PM ₁₀	1
59	Jind	Good	37	PM _{2.5}	1
60	Jodhpur	Satisfactory	64	PM ₁₀	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Good	49	03	1
62	Kalaburgi	Good	36	03	1
63	Kanpur	Good	47	NO ₂ , PM ₁₀ , O ₃	4
64	Karnal	Good	30	со	1
65	Katni	Satisfactory	62	PM ₁₀	1
66	Khanna	Good	41	PM ₁₀	1
67	Kochi	Good	44	СО	1
68	Kolkata	Good	33	O ₃ , PM ₁₀ , CO	5
69	Kollam	Satisfactory	100	со	1
70	Koppal	Satisfactory	59	со	1
71	Kota	Satisfactory	57	NO ₂	1
72	Kozhikode	Satisfactory	62	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Good	37	PM ₁₀	1
74	Lucknow	Satisfactory	64	PM ₁₀ , NO ₂ , CO	6
75	Ludhiana	Good	45	PM ₁₀	1
76	Mandi Gobindgarh	Good	42	PM ₁₀	1
77	Mandideep	Satisfactory	53	PM ₁₀	1
78	Mandikhera	Good	29	PM ₁₀	1
79	Manglore	Good	37	СО	1
80	Medikeri	Satisfactory	58	СО	1
81	Meerut	Good	44	PM ₁₀ , O ₃	2
82	Moradabad	Moderate	113	PM _{2.5}	1
83	Mumbai	Satisfactory	52	PM ₁₀ , CO, O ₃	16
84	Muzaffarnagar	Satisfactory	98	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Good	41	PM ₁₀	1
86	Mysuru	Good	29	PM ₁₀	1
87	Nagpur	Satisfactory	67	со	1
88	Naharlagun	Satisfactory	54	PM ₁₀	1
89	Narnaul	Satisfactory	59	PM _{2.5}	1
90	Nashik	Good	33	со	1
91	Navi Mumbai	Good	35	CO, PM ₁₀	2
92	Noida	Satisfactory	95	CO, PM _{2.5} , NO ₂	3
93	Pali	Satisfactory	68	PM ₁₀	1
94	Palwal	Satisfactory	78	PM ₁₀	1
95	Panchkula	Satisfactory	52	O ₃	1
96	Panipat	Satisfactory	53	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Good	32	O ₃	1
98	Patna	Satisfactory	56	O ₃ , PM ₁₀ , CO	5
99	Pithampur	Satisfactory	70	PM ₁₀	1
100	Prayagraj	Satisfactory	52	PM ₁₀	3
101	Puducherry	Good	47	03	1
102	Pune	Satisfactory	85	NO ₂ , CO	5
103	Raichur	Good	26	PM ₁₀	1
104	Rajamahendravaram	Good	39	PM ₁₀	1
105	Ramanagara	Good	31	PM ₁₀	1
106	Ratlam	Good	50	PM ₁₀	1
107	Rohtak	Satisfactory	92	NO ₂	1
108	Rupnagar	Satisfactory	73	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	22	NO ₂	1
110	Satna	Good	44	PM ₁₀	1
111	Shillong	Good	15	SO ₂	1
112	Shivamogga	Good	40	PM ₁₀	1
113	Siliguri	Good	48	PM ₁₀	1
114	Singrauli	Satisfactory	80	PM ₁₀	1
115	Sirsa	Good	36	NO ₂	1
116	Sonipat	Good	50	NO ₂	1
117	Srinagar	Moderate	148	PM ₁₀	1
118	Talcher	Good	45	со	1
119	Thiruvananthapuram	Good	40	O ₃	2
120	Thoothukudi	Good	46	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	36	СО	1
122	Udaipur	Satisfactory	96	PM ₁₀	1
123	Ujjain	Satisfactory	72	PM ₁₀	1
124	Vapi	Good	41	PM ₁₀	1
125	Varanasi	Good	31	PM ₁₀	4
126	Vatva	Satisfactory	59	PM ₁₀	1
127	Vijayapura	Satisfactory	54	СО	1
128	Visakhapatnam	Satisfactory	60	PM ₁₀	1
129	Vrindavan	Good	39	PM ₁₀	1
130	Yadgir	Good	15	O ₃	1
131	Yamunanagar	Moderate	125	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manesar, Motihari, Nandesari, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.