

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	25	PM <sub>10</sub>	1
2	Agra	Good	36	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	156	PM <sub>2.5</sub>	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	84	PM <sub>10</sub>	1
6	Alwar	Satisfactory	63	PM <sub>10</sub>	1
7	Amaravati	Good	28	со	1
8	Ambala	Satisfactory	62	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	74	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	58	03	1
11	Ankleshwar	Moderate	101	PM <sub>10</sub>	1
12	Araria	Satisfactory	83	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	97	O <sub>3</sub>	1
14	Asansol	Satisfactory	77	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	84	PM <sub>10</sub>	1
16	Baddi	Satisfactory	89	O <sub>3</sub>	1
17	Bagalkot	Good	38	СО	1
18	Bahadurgarh	Satisfactory	73	PM <sub>2.5</sub>	1
19	Ballabgarh	Moderate	128	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	54	PM <sub>10</sub>	2
21	Belgaum	Good	47	СО	1
22	Bengaluru	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub>	7
23	Bettiah	Good	27	O <sub>3</sub>	1
24	Bhilai	Good	33	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Satisfactory	98	PM <sub>10</sub>	1
26	Bhiwani	Good	48	O <sub>3</sub>	1
27	Bhopal	Satisfactory	78	PM <sub>10</sub> , O <sub>3</sub>	2
28	Bidar	Satisfactory	89	со	1
29	Bilaspur	Satisfactory	54	PM <sub>10</sub>	1
30	Bulandshahr	Moderate	135	PM <sub>2.5</sub>	1
31	Buxar	Satisfactory	67	со	1
32	Chamarajanagar	Good	41	PM <sub>10</sub>	1
33	Chandigarh	Satisfactory	51	O <sub>3</sub> , CO, PM <sub>10</sub>	3
34	Chandrapur	Good	32	PM <sub>10</sub>	1
35	Charkhi Dadri	Satisfactory	54	PM <sub>10</sub>	1
36	Chengalpattu	Satisfactory	77	SO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	58	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
38	Chhapra	Satisfactory	84	PM <sub>10</sub>	1
39	Chikkaballapur	Satisfactory	54	PM <sub>10</sub>	1
40	Chikkamagaluru	Good	35	PM <sub>10</sub>	1
41	Coimbatore	Satisfactory	54	со	1
42	Davanagere	Good	19	PM <sub>10</sub>	1
43	Dehradun	Good	29	PM <sub>10</sub>	1
44	Delhi	Moderate	143	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	31
45	Dewas	Satisfactory	77	PM <sub>10</sub>	1
46	Dharuhera	Moderate	152	PM <sub>10</sub>	1
47	Durgapur	Satisfactory	92	PM <sub>10</sub>	1
48	Eloor	Satisfactory	65	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Satisfactory	77	СО	1
50	Faridabad	Moderate	161	PM <sub>10</sub> , O <sub>3</sub>	3
51	Fatehabad	Satisfactory	60	PM <sub>10</sub>	1
52	Firozabad	Satisfactory	51	PM <sub>10</sub> , SO <sub>2</sub>	2
53	Gadag	Good	26	SO <sub>2</sub>	1
54	Gandhinagar	Satisfactory	100	PM <sub>2.5</sub>	1
55	Gangtok	Good	15	SO <sub>2</sub>	1
56	Gaya	Satisfactory	56	CO, NO <sub>2</sub> , PM <sub>10</sub>	3
57	Ghaziabad	Moderate	167	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
58	Gorakhpur	Good	50	SO <sub>2</sub>	1
59	Greater Noida	Moderate	180	O <sub>3</sub> , PM <sub>10</sub>	2
60	Gummidipoondi	Good	25	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	4
62	Guwahati	Good	48	PM <sub>10</sub>	2
63	Hajipur	Satisfactory	65	PM <sub>10</sub>	1
64	Haldia	Good	30	PM <sub>10</sub>	1
65	Hapur	Satisfactory	77	PM <sub>10</sub>	1
66	Hassan	Good	43	PM <sub>2.5</sub>	1
67	Haveri	Good	30	со	1
68	Hisar	Satisfactory	59	03	1
69	Hosur	Satisfactory	73	со	1
70	Howrah	Good	42	PM <sub>10</sub> , CO	2
71	Hyderabad	Good	49	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	11
72	Imphal	Moderate	105	O <sub>3</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Satisfactory	80	PM <sub>10</sub>	1
74	Jabalpur	Good	29	СО	1
75	Jaipur	Satisfactory	76	O <sub>3</sub> , CO	3
76	Jalandhar	Satisfactory	53	PM <sub>10</sub>	1
77	Jhansi	Good	35	PM <sub>10</sub>	1
78	Jind	Satisfactory	54	со	1
79	Jodhpur	Satisfactory	86	PM <sub>10</sub>	1
80	Jorapokhar	Satisfactory	99	PM <sub>10</sub>	1
81	Kaithal	Satisfactory	51	PM <sub>10</sub>	1
82	Kalaburgi	Good	38	SO <sub>2</sub>	1
83	Kannur	Satisfactory	66	PM <sub>10</sub>	1
84	Kanpur	Good	34	PM <sub>10</sub> , CO	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Satisfactory	58	PM <sub>10</sub>	1
86	Katihar	Satisfactory	67	PM <sub>2.5</sub>	1
87	Katni	Satisfactory	58	PM <sub>10</sub>	1
88	Khanna	Good	36	PM <sub>10</sub>	1
89	Khurja	Satisfactory	98	PM <sub>10</sub>	1
90	Kishanganj	Good	47	03	1
91	Kochi	Satisfactory	87	PM <sub>2.5</sub>	1
92	Kolkata	Good	34	O <sub>3</sub> , NO <sub>2</sub> , PM <sub>10</sub>	6
93	Kollam	Satisfactory	55	PM <sub>10</sub>	1
94	Koppal	Moderate	101	O <sub>3</sub>	1
95	Kota	Moderate	113	PM <sub>10</sub>	1
96	Kozhikode	Satisfactory	77	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kurukshetra	Satisfactory	70	PM <sub>2.5</sub>	1
98	Lucknow	Satisfactory	52	CO, PM <sub>10</sub> , O <sub>3</sub>	6
99	Ludhiana	Satisfactory	71	PM <sub>10</sub>	1
100	Madikeri	Good	23	SO <sub>2</sub>	1
101	Maihar	Good	11	SO <sub>2</sub>	1
102	Mandi Gobindgarh	Satisfactory	60	PM <sub>10</sub>	1
103	Mandideep	Good	42	03	1
104	Mandikhera	Good	30	PM <sub>10</sub>	1
105	Manesar	Satisfactory	91	PM <sub>2.5</sub>	1
106	Manglore	Satisfactory	60	со	1
107	Manguraha	Good	25	со	1
108	Meerut	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Moradabad	Satisfactory	69	PM <sub>2.5</sub> , PM <sub>10</sub>	6
110	Motihari	Satisfactory	62	03	1
111	Mumbai	Satisfactory	73	NO <sub>2</sub> , PM <sub>10</sub> , CO	14
112	Muzaffarnagar	Moderate	120	PM <sub>2.5</sub>	1
113	Muzaffarpur	Satisfactory	59	CO, PM <sub>10</sub>	3
114	Mysuru	Satisfactory	66	PM <sub>10</sub>	1
115	Nagpur	Satisfactory	61	СО	1
116	Nandesari	Poor	204	PM <sub>2.5</sub>	1
117	Narnaul	Satisfactory	64	PM <sub>10</sub>	1
118	Nashik	Good	43	PM <sub>2.5</sub>	1
119	Navi Mumbai	Satisfactory	76	CO, PM <sub>2.5</sub>	2
120	Noida	Moderate	188	O <sub>3</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ooty	Good	49	SO <sub>2</sub>	1
122	Pali	Satisfactory	82	PM <sub>10</sub>	1
123	Palwal	Satisfactory	66	PM <sub>10</sub>	1
124	Panchkula	Good	29	NO <sub>2</sub>	1
125	Panipat	Moderate	101	PM <sub>10</sub>	1
126	Patiala	Satisfactory	55	PM <sub>10</sub>	1
127	Patna	Satisfactory	60	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	6
128	Pithampur	Satisfactory	94	PM <sub>10</sub>	1
129	Prayagraj	Good	41	O <sub>3</sub> , SO <sub>2</sub>	3
130	Rajamahendravaram	Good	23	со	1
131	Rajgir	Satisfactory	66	со	1
132	Ramanagara	Good	38	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanathapuram	Good	14	O <sub>3</sub>	1
134	Ratlam	Satisfactory	73	PM <sub>10</sub>	1
135	Rohtak	Satisfactory	55	PM <sub>2.5</sub>	1
136	Rupnagar	Satisfactory	59	PM <sub>10</sub>	1
137	Sagar	Satisfactory	58	со	1
138	Saharsa	Good	46	PM <sub>10</sub>	1
139	Samastipur	Satisfactory	96	PM <sub>10</sub>	1
140	Sasaram	Satisfactory	66	со	1
141	Satna	Good	44	PM <sub>10</sub>	1
142	Shillong	Good	22	PM <sub>10</sub> , SO <sub>2</sub>	2
143	Shivamogga	Good	44	PM <sub>10</sub>	1
144	Siliguri	Good	38	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Singrauli	Satisfactory	82	NO <sub>2</sub>	1
146	Sirsa	Satisfactory	98	03	1
147	Sivasagar	Good	18	PM <sub>10</sub>	1
148	Siwan	Good	50	со	1
149	Solapur	Satisfactory	70	PM <sub>10</sub>	1
150	Sonipat	Satisfactory	91	PM <sub>10</sub>	1
151	Srinagar	Satisfactory	74	PM <sub>10</sub>	1
152	Talcher	Satisfactory	93	PM <sub>2.5</sub>	1
153	Thane	Satisfactory	57	PM <sub>10</sub>	1
154	Thiruvananthapuram	Good	31	со	1
155	Thoothukudi	Good	37	PM <sub>10</sub>	1
156	Thrissur	Satisfactory	55	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Tirupati	Good	39	со	1
158	Tiruppur	Moderate	178	PM <sub>10</sub>	1
159	Udaipur	Satisfactory	98	PM <sub>10</sub>	1
160	Varanasi	Satisfactory	53	PM <sub>10</sub> , NO <sub>2</sub>	4
161	Vatva	Moderate	134	PM <sub>2.5</sub>	1
162	Vijayapura	Good	39	PM <sub>10</sub>	1
163	Vrindavan	Satisfactory	53	SO <sub>2</sub>	1
164	Yadgir	Good	31	SO <sub>2</sub>	1
165	Yamunanagar	Satisfactory	61	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Baghpat, Bathinda, Begusarai, Bhagalpur, Bihar Sharif, Brajrajnagar, Damoh,
  Darbhanga, Dindigul, Gwalior, Hubballi, Kalyan, Kohima, Kolar, Munger,
  Naharlagun, Puducherry, Pune, Purnia, Raichur, Salem, Udupi, Ujjain, Vapi,
  Visakhapatnam, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.