



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	123	CO	1
2	Ahmedabad	Satisfactory	54	O ₃	1
3	Aizawl	Good	20	CO	1
4	Ajmer	Satisfactory	60	PM ₁₀	1
5	Alwar	Satisfactory	57	PM ₁₀	1
6	Amaravati	Good	29	O ₃	1
7	Ambala	Satisfactory	69	PM ₁₀	1
8	Amritsar	Satisfactory	85	PM ₁₀	1
9	Ankleshwar	Good	44	CO	1
10	Asansol	Satisfactory	72	PM _{2.5}	1
11	Aurangabad	Good	42	CO	1
12	Bagalkot	Good	37	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	99	CO	1
14	Ballabgarh	Moderate	140	PM ₁₀	1
15	Bengaluru	Good	36	NO ₂ , O ₃ , PM ₁₀	8
16	Bhiwadi	Satisfactory	70	PM ₁₀	1
17	Bhiwani	Satisfactory	52	O ₃	1
18	Bhopal	Good	48	O ₃	1
19	Bulandshahr	Satisfactory	93	PM ₁₀	1
20	Chandigarh	Satisfactory	68	PM ₁₀	1
21	Chandrapur	Good	33	NO ₂	1
22	Charkhi Dadri	Satisfactory	83	PM _{2.5}	1
23	Chennai	Satisfactory	55	CO, O ₃	4
24	Chikkaballapur	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* Index calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	29	PM ₁₀	1
26	Coimbatore	Good	39	NO ₂	1
27	Damoh	Good	20	PM ₁₀	1
28	Delhi	Satisfactory	67	CO, PM ₁₀	33
29	Dewas	Good	48	PM ₁₀	1
30	Dharuhera	Good	39	CO	1
31	Eloor	Good	37	PM ₁₀	1
32	Faridabad	Satisfactory	60	PM ₁₀ , PM _{2.5}	2
33	Gandhinagar	Good	38	O ₃	1
34	Gaya	Good	36	PM ₁₀	1
35	Ghaziabad	Satisfactory	77	PM ₁₀	3
36	Greater Noida	Satisfactory	90	CO, PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Satisfactory	57	PM _{2.5} , PM ₁₀	3
38	Guwahati	Satisfactory	51	PM _{2.5}	1
39	Gwalior	Good	49	O ₃	1
40	Hajipur	Satisfactory	57	PM ₁₀	1
41	Hapur	Satisfactory	84	PM ₁₀	1
42	Hisar	Moderate	152	O ₃	1
43	Howrah	Satisfactory	76	PM ₁₀ , PM _{2.5}	3
44	Hubballi	Good	14	CO	1
45	Hyderabad	Good	26	NO ₂ , PM ₁₀ , O ₃	5
46	Indore	Good	44	O ₃	1
47	Jabalpur	Good	43	O ₃	1
48	Jaipur	Satisfactory	71	PM ₁₀ , O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jalandhar	Satisfactory	54	PM ₁₀	1
50	Jind	Satisfactory	59	PM ₁₀	1
51	Jodhpur	Moderate	106	PM ₁₀	1
52	Jorapokhar	Satisfactory	81	CO	1
53	Kaithal	Satisfactory	54	PM ₁₀	1
54	Kalyan	Good	19	PM ₁₀	1
55	Kannur	Good	23	CO	1
56	Kanpur	Satisfactory	57	O ₃	1
57	Karnal	Satisfactory	66	SO ₂	1
58	Katni	Good	50	PM ₁₀	1
59	Khanna	Satisfactory	61	PM ₁₀	1
60	Kochi	Satisfactory	78	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Satisfactory	79	PM _{2.5} , O ₃	5
62	Kota	Good	39	PM ₁₀	1
63	Kozhikode	Good	24	PM ₁₀	1
64	Kurukshetra	Satisfactory	52	PM ₁₀	1
65	Lucknow	Satisfactory	54	PM ₁₀ , O ₃	3
66	Ludhiana	Good	33	O ₃	1
67	Maihar	Good	24	NO ₂	1
68	Mandideep	Satisfactory	52	O ₃	1
69	Meerut	Satisfactory	93	PM ₁₀	3
70	Mumbai	Good	26	SO ₂ , PM ₁₀ , CO	7
71	Muzaffarnagar	Satisfactory	92	PM ₁₀	1
72	Muzaffarpur	Satisfactory	82	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Satisfactory	70	O ₃	1
74	Navi Mumbai	Good	28	CO	1
75	Noida	Satisfactory	83	CO, PM ₁₀	3
76	Pali	Satisfactory	70	PM ₁₀	1
77	Panchkula	Satisfactory	84	PM _{2.5}	1
78	Panipat	Moderate	103	PM ₁₀	1
79	Patiala	Good	43	PM ₁₀	1
80	Patna	Satisfactory	64	PM _{2.5} , NO ₂ , PM ₁₀	5
81	Pithampur	Good	41	PM ₁₀	1
82	Pune	Good	46	CO	1
83	Rajamahendravaram	Good	40	O ₃	1
84	Ratlam	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Good	34	PM _{2.5}	1
86	Rupnagar	Satisfactory	61	PM ₁₀	1
87	Sagar	Good	23	CO	1
88	Satna	Satisfactory	53	PM ₁₀	1
89	Shillong	Good	19	PM _{2.5}	1
90	Singrauli	Satisfactory	59	PM ₁₀	1
91	Sirsa	Satisfactory	59	PM ₁₀	1
92	Solapur	Good	36	O ₃	1
93	Sonipat	Satisfactory	87	PM ₁₀	1
94	Talcher	Satisfactory	91	PM ₁₀	1
95	Thiruvananthapuram	Good	33	PM ₁₀	1
96	Tirupati	Good	35	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Good	35	CO	1
98	Ujjain	Satisfactory	64	O ₃	1
99	Varanasi	Satisfactory	62	PM _{2.5}	1
100	Vatva	Good	47	PM ₁₀	1
101	Vijayapura	Satisfactory	78	O ₃	1
102	Visakhapatnam	Satisfactory	52	PM ₁₀	1
103	Yamunanagar	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Bahadurgarh, Bathinda, Brajrajnagar, Ernakulam, Fatehabad, Kalaburgi, Kollam, Mandi Gobindgarh, Mandikhera, Manesar, Moradabad, Mysuru, Nandesari, Narnaul, Nashik, Palwal, Ramanagara, Siliguri, Thane, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.