Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	96	SO_2, $PM_{2.5}$	2
2	Agra	Moderate	140	PM_{10}, $PM_{2.5}$	5
3	Ahmedabad	Moderate	165	PM_{10}, $PM_{2.5}$	8
4	Aizawl	Satisfactory	55	PM_{10}	1
5	Ajmer	Moderate	127	$PM_{2.5}$	1
6	Alwar	Satisfactory	96	PM_{10}	1
7	Amaravati	Good	50	PM_{10}	1
8	Ambala	Moderate	143	$PM_{2.5}$	1
9	Amritsar	Moderate	109	PM_{10}	1
10	Ankleshwar	Moderate	144	$PM_{2.5}$	1
11	Araria	Moderate	160	$PM_{2.5}$	1
12	Arrah	Poor	244	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	247	O_3	1
14	Baddi	Moderate	142	PM_{10}	1
15	Bagalkot	Satisfactory	51	PM_{10}	1
16	Baghpat	Poor	278	PM_{10}	1
17	Bahadurgarh	Very Poor	311	PM_{10}	1
18	Ballabgarh	Moderate	153	PM_{10}	1
19	Bathinda	Satisfactory	95	PM_{10}	1
20	Bengaluru	Moderate	109	PM_{10}, CO	7
21	Bettiah	Very Poor	307	$PM_{2.5}$	1
22	Bhagalpur	Poor	272	$PM_{2.5}$, PM_{10}	2
23	Bhiwadi	Poor	288	PM_{10}	1
24	Bhiwani	Poor	225	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	151	PM_{10}	1
26	Bilaspur	Satisfactory	72	CO	1
27	Brajrajnagar	Poor	277	O_3	1
28	Bulandshahr	Poor	243	PM_{10}	1
29	Chamarajanagar	Good	46	PM_{10}	1
30	Chandigarh	Moderate	137	O_3, PM_{10}	3
31	Chandrapur	Moderate	171	O_3, $PM_{2.5}$	2
32	Charkhi Dadri	Moderate	188	$PM_{2.5}$	1
33	Chennai	Good	47	CO, PM_{10}	8
34	Chikkaballapur	Satisfactory	89	PM_{10}	1
35	Chikkamagaluru	Good	47	PM_{10}	1
36	Damoh	Moderate	115	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Poor	277	PM_{10}	1
38	Delhi	Poor	251	PM_{10}	34
39	Dewas	Moderate	162	PM_{10}	1
40	Dharuhera	Poor	279	PM_{10}	1
41	Durgapur	Very Poor	343	PM_{10}	1
42	Faridabad	Very Poor	304	PM_{10}, $PM_{2.5}$	3
43	Fatehabad	Moderate	162	O_3	1
44	Firozabad	Moderate	176	$PM_{2.5}$	1
45	Gadag	Satisfactory	89	$PM_{2.5}$	1
46	Gandhinagar	Moderate	164	$PM_{2.5}$, PM_{10}	3
47	Gaya	Moderate	163	PM_{10}, $PM_{2.5}$	3
48	Ghaziabad	Very Poor	334	PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Satisfactory	97	$PM_{2.5}$	1
50	Greater Noida	Poor	264	PM_{10}	2
51	Gummidipoondi	Good	29	PM_{10}	1
52	Gurugram	Poor	232	PM_{10}, $PM_{2.5}$	3
53	Guwahati	Moderate	110	$PM_{2.5}$	2
54	Gwalior	Moderate	146	$PM_{2.5}$	1
55	Haldia	Satisfactory	59	$PM_{2.5}$	1
56	Hapur	Moderate	192	$PM_{2.5}$	1
57	Hassan	Satisfactory	94	PM_{10}	1
58	Hisar	Poor	238	$PM_{2.5}$	1
59	Howrah	Satisfactory	92	$PM_{2.5}$, PM_{10}	2
60	Hubballi	Moderate	102	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Moderate	124	$PM_{2.5}$, PM_{10}	6
62	Indore	Moderate	167	PM_{10}	1
63	Jabalpur	Poor	201	PM_{10}	1
64	Jaipur	Moderate	152	$PM_{2.5}$	2
65	Jalandhar	Moderate	141	PM_{10}	1
66	Jhansi	Moderate	172	PM_{10}	1
67	Jind	Moderate	175	$PM_{2.5}$	1
68	Jodhpur	Moderate	185	$PM_{2.5}$	1
69	Kaithal	Moderate	178	$PM_{2.5}$	1
70	Kalaburgi	Moderate	177	PM_{10}	1
71	Kalyan	Moderate	172	$PM_{2.5}$	1
72	Kannur	Satisfactory	55	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	160	$PM_{2.5}$, PM_{10}	3
74	Karnal	Moderate	122	PM_{10}	1
75	Katni	Poor	282	PM_{10}	1
76	Khanna	Moderate	116	PM_{10}	1
77	Kishanganj	Moderate	193	$PM_{2.5}$	1
78	Kochi	Satisfactory	72	$PM_{2.5}$	1
79	Kolar	Satisfactory	82	$PM_{2.5}$	1
80	Kolkata	Moderate	108	O_3, PM_{10}	7
81	Kollam	Satisfactory	81	PM_{10}	1
82	Kota	Moderate	115	$PM_{2.5}$	1
83	Kozhikode	Good	50	PM_{10}	1
84	Kurukshetra	Moderate	184	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Lucknow	Moderate	166	$PM_{2.5}$, PM_{10}	6
86	Ludhiana	Moderate	170	$PM_{2.5}$	1
87	Madikeri	Satisfactory	67	PM_{10}	1
88	Mandi Gobindgarh	Satisfactory	66	PM_{10}	1
89	Mandideep	Poor	207	PM_{10}	1
90	Mandikhera	Satisfactory	99	PM_{10}	1
91	Manesar	Very Poor	302	$PM_{2.5}$	1
92	Manglore	Good	48	CO	1
93	Manguraha	Moderate	159	PM_{10}	1
94	Meerut	Poor	287	PM_{10}, $PM_{2.5}$	3
95	Moradabad	Moderate	182	O_3, $PM_{2.5}$, PM_{10}	4
96	Mumbai	Moderate	113	PM_{10}	14

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Very Poor	331	PM_{10}	1
98	Muzaffarnagar	Poor	255	$PM_{2.5}$	1
99	Muzaffarpur	Poor	263	PM_{10}, $PM_{2.5}$	2
100	Mysuru	Satisfactory	54	PM_{10}	1
101	Nagpur	Satisfactory	87	PM_{10}	1
102	Naharlagun	Moderate	102	PM_{10}	1
103	Narnaul	Moderate	177	$PM_{2.5}$	1
104	Nashik	Satisfactory	79	PM_{10}	1
105	Navi Mumbai	Moderate	161	O_3, PM_{10}	2
106	Noida	Poor	238	PM_{10}	1
107	Pali	Moderate	148	$PM_{2.5}$	1
108	Palwal	Poor	226	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Moderate	150	$PM_{2.5}$	1
110	Patiala	Moderate	125	PM_{10}	1
111	Patna	Poor	283	$PM_{2.5}$, PM_{10}	5
112	Pithampur	Satisfactory	78	PM_{10}	1
113	Prayagraj	Moderate	125	PM_{10}	3
114	Pune	Moderate	125	$PM_{2.5}$, PM_{10}	4
115	Rajamahendravaram	Good	50	PM_{10}	1
116	Rajgir	Moderate	155	PM_{10}	1
117	Ramanagara	Moderate	135	PM_{10}	1
118	Ratlam	Moderate	152	PM_{10}	1
119	Rohtak	Poor	255	$PM_{2.5}$	1
120	Rupnagar	Moderate	172	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sagar	Moderate	113	$PM_{2.5}$	1
122	Samastipur	Very Poor	363	$PM_{2.5}$	1
123	Sasaram	Poor	207	$PM_{2.5}$	1
124	Satna	Satisfactory	62	PM_{10}	1
125	Shillong	Satisfactory	51	$PM_{2.5}$	1
126	Shivamogga	Satisfactory	60	PM_{10}	1
127	Siliguri	Moderate	128	$PM_{2.5}$	1
128	Singrauli	Severe	411	PM_{10}	1
129	Sirsa	Satisfactory	87	O_3	1
130	Siwan	Very Poor	332	PM_{10}	1
131	Solapur	Moderate	116	PM_{10}	1
132	Sonipat	Poor	257	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Satisfactory	56	PM_{10}	1
134	Talcher	Satisfactory	77	PM_{10}	1
135	Thane	Poor	217	O_3	1
136	Thiruvananthapuram	Good	44	PM_{10}, $PM_{2.5}$	2
137	Thoothukudi	Satisfactory	76	PM_{10}	1
138	Udaipur	Moderate	123	PM_{10}	1
139	Ujjain	Moderate	154	PM_{10}	1
140	Varanasi	Moderate	102	PM_{10}	4
141	Vatva	Moderate	145	PM_{10}	1
142	Vijayapura	Good	50	PM_{10}	1
143	Visakhapatnam	Moderate	110	PM_{10}	1
144	Vrindavan	Moderate	171	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Satisfactory	90	PM_{10}	1
146	Yamunanagar	Moderate	190	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Bihar Sharif, Buxar, Chhapra, Coimbatore, Davanagere, Eloor, Ernakulam, Hajipur, Jorapokhar, Katihar, Kohima, Koppal, Maihar, Motihari, Nandesari, Panipat, Puducherry, Purnia, Raichur, Saharsa, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.