



## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	274	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	120	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	167	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	90	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	59	PM <sub>2.5</sub>	1
6	Ambala	Poor	207	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	126	PM <sub>2.5</sub>	1
8	Asanol	Moderate	103	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	90	PM <sub>10</sub>	1
10	Baghpat	Very Poor	328	PM <sub>2.5</sub>	1
11	Bahadurgarh	Moderate	165	PM <sub>2.5</sub>	1
12	Bathinda	Satisfactory	94	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	120	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	9
14	Bhiwadi	Poor	288	PM <sub>2.5</sub>	1
15	Bhiwani	Poor	282	PM <sub>2.5</sub>	1
16	Bhopal	Moderate	181	PM <sub>2.5</sub>	1
17	Brajrajnagar	Moderate	144	PM <sub>2.5</sub>	1
18	Bulandshahr	Very Poor	320	PM <sub>2.5</sub>	1
19	Chandigarh	Moderate	106	PM <sub>10</sub>	1
20	Chandrapur	Satisfactory	95	PM <sub>2.5</sub> , PM <sub>10</sub>	2
21	Chennai	Satisfactory	60	CO, PM <sub>2.5</sub> , O <sub>3</sub>	4
22	Coimbatore	Satisfactory	62	NO <sub>2</sub>	1
23	Damoh	Satisfactory	89	PM <sub>2.5</sub>	1
24	Delhi	Very Poor	330	PM <sub>2.5</sub>	33

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	96	PM <sub>2.5</sub>	1
26	Dharuhera	Moderate	170	PM <sub>10</sub>	1
27	Eloor	Moderate	102	PM <sub>10</sub>	1
28	Faridabad	Very Poor	313	PM <sub>2.5</sub>	1
29	GandhiNagar	Satisfactory	87	PM <sub>10</sub>	1
30	Gaya	Satisfactory	100	PM <sub>2.5</sub>	1
31	Ghaziabad	Very Poor	360	PM <sub>2.5</sub>	4
32	Greater_Noida	Very Poor	340	PM <sub>2.5</sub>	2
33	Gurugram	Poor	297	PM <sub>2.5</sub>	1
34	Guwahati	Poor	223	PM <sub>2.5</sub>	1
35	Hapur	Moderate	192	PM <sub>10</sub>	1
36	Hisar	Poor	298	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Poor	256	PM <sub>2.5</sub>	3
38	Hubballi	Moderate	108	PM <sub>10</sub>	1
39	Hyderabad	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	6
40	Indore	Moderate	114	PM <sub>2.5</sub>	1
41	Jabalpur	Moderate	155	PM <sub>2.5</sub>	1
42	Jaipur	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	2
43	Jalandhar	Moderate	131	PM <sub>2.5</sub>	1
44	Jind	Poor	296	PM <sub>2.5</sub>	1
45	Jodhpur	Poor	224	PM <sub>2.5</sub>	1
46	Jorapokhar	Moderate	115	PM <sub>10</sub>	1
47	Kaithal	Moderate	136	PM <sub>2.5</sub>	1
48	Kalyan	Moderate	198	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Poor	241	PM <sub>2.5</sub>	1
50	Karnal	Poor	262	PM <sub>2.5</sub>	1
51	Katni	Moderate	147	PM <sub>2.5</sub>	1
52	Kolkata	Moderate	178	PM <sub>2.5</sub>	7
53	Kota	Moderate	142	PM <sub>2.5</sub>	1
54	Kurukshetra	Poor	260	PM <sub>2.5</sub>	1
55	Lucknow	Moderate	186	PM <sub>2.5</sub> , NO <sub>2</sub>	4
56	Ludhiana	Satisfactory	94	PM <sub>10</sub>	1
57	Mandi Gobindgarh	Very Poor	321	PM <sub>2.5</sub>	1
58	Mandideep	Moderate	120	PM <sub>10</sub>	1
59	Mandikhera	Poor	223	PM <sub>2.5</sub>	1
60	Meerut	Poor	274	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Moradabad	Very Poor	350	PM <sub>2.5</sub>	1
62	Mumbai	Poor	211	PM <sub>2.5</sub>	9
63	Muzaffarpur	Poor	264	PM <sub>2.5</sub>	1
64	Mysuru	Satisfactory	57	O <sub>3</sub>	1
65	Nagpur	Satisfactory	87	PM <sub>2.5</sub>	1
66	Narnaul	Poor	238	PM <sub>2.5</sub>	1
67	Nashik	Moderate	101	PM <sub>2.5</sub>	1
68	Navi Mumbai	Moderate	170	PM <sub>2.5</sub> , CO	2
69	Noida	Very Poor	342	PM <sub>2.5</sub>	4
70	Pali	Moderate	121	PM <sub>2.5</sub>	1
71	Panchkula	Moderate	105	PM <sub>2.5</sub>	1
72	Patiala	Moderate	124	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patna	Moderate	140	PM <sub>2.5</sub> , CO	3
74	Pithampur	Moderate	143	PM <sub>2.5</sub>	1
75	Pune	Moderate	198	PM <sub>2.5</sub>	1
76	Rajamahendravaram	Satisfactory	58	O <sub>3</sub>	1
77	Ramanagara	Satisfactory	82	PM <sub>10</sub>	1
78	Ratlam	Moderate	105	PM <sub>10</sub>	1
79	Rohtak	Poor	275	PM <sub>2.5</sub>	1
80	Rupnagar	Moderate	147	PM <sub>2.5</sub>	1
81	Satna	Satisfactory	74	PM <sub>10</sub>	1
82	Siliguri	Moderate	180	PM <sub>2.5</sub>	1
83	Singrauli	Moderate	179	PM <sub>2.5</sub>	1
84	Sirsa	Moderate	128	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Solapur	Moderate	104	PM <sub>10</sub>	1
86	Sonipat	Poor	228	PM <sub>10</sub>	1
87	Talcher	Moderate	157	PM <sub>2.5</sub>	1
88	Thane	Satisfactory	82	PM <sub>10</sub>	1
89	Thiruvananthapuram	Satisfactory	52	O <sub>3</sub>	1
90	Tirupati	Good	42	PM <sub>10</sub>	1
91	Udaipur	Moderate	118	PM <sub>2.5</sub>	1
92	Ujjain	Moderate	151	PM <sub>2.5</sub>	1
93	Vapi	Poor	283	PM <sub>2.5</sub>	1
94	Varanasi	Moderate	152	PM <sub>2.5</sub>	1
95	Vatva	Moderate	160	PM <sub>10</sub>	1
96	Visakhapatnam	Satisfactory	56	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Jan 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Yadgir	Satisfactory	97	PM <sub>2.5</sub>	1
98	Yamunanagar	Poor	282	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Chikkaballapur, Fatehabad, Haldia, Kalaburagi, Khanna, Maihar, Manesar, Muzaffarnagar, Palwal, Panipat, Shillong, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.