

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	238	PM <sub>2.5</sub>	1
2	Agra	Good	50	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	123	PM <sub>10</sub>	8
4	Aizawl	Good	39	PM <sub>10</sub>	1
5	Ajmer	Moderate	154	03	1
6	Alwar	Satisfactory	81	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	59	со	1
8	Ambala	Satisfactory	65	PM <sub>10</sub>	1
9	Amritsar	Moderate	124	PM <sub>2.5</sub>	1
10	Anantapur	Good	42	PM <sub>2.5</sub>	1
11	Ankleshwar	Moderate	121	со	1
12	Araria	Moderate	123	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	33	NO <sub>2</sub>	1
14	Arrah	Satisfactory	98	PM <sub>2.5</sub>	1
15	Asansol	Satisfactory	96	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	98	PM <sub>10</sub>	1
17	Baddi	Poor	268	O <sub>3</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Bahadurgarh	Moderate	113	PM <sub>10</sub>	1
20	Ballabgarh	Satisfactory	66	со	1
21	Banswara	Moderate	192	03	1
22	Bareilly	Satisfactory	63	PM <sub>10</sub>	1
23	Baripada	Satisfactory	58	03	1
24	Barmer	Moderate	161	03	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	128	PM <sub>10</sub>	1
26	Begusarai	Moderate	187	PM <sub>2.5</sub>	1
27	Belgaum	Good	48	СО	1
28	Bengaluru	Satisfactory	63	PM <sub>10</sub> , O <sub>3</sub>	12
29	Bhagalpur	Moderate	106	PM <sub>10</sub>	2
30	Bharatpur	Moderate	160	03	1
31	Bhilai	Good	35	PM <sub>10</sub> , O <sub>3</sub>	3
32	Bhiwadi	Moderate	126	PM <sub>10</sub>	1
33	Bhiwani	Moderate	102	PM <sub>10</sub>	1
34	Bhopal	Moderate	123	O <sub>3</sub> , CO	3
35	Bihar Sharif	Satisfactory	96	PM <sub>10</sub>	1
36	Bileipada	Moderate	118	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Satisfactory	90	СО	1
38	Bulandshahr	Moderate	120	O <sub>3</sub>	1
39	Byrnihat	Poor	225	PM <sub>10</sub>	1
40	Chamarajanagar	Good	43	PM <sub>10</sub>	1
41	Chandigarh	Moderate	156	O <sub>3</sub> , PM <sub>10</sub>	3
42	Chandrapur	Satisfactory	89	PM <sub>10</sub>	1
43	Charkhi Dadri	Moderate	178	PM <sub>2.5</sub>	1
44	Chennai	Satisfactory	51	со	6
45	Chhapra	Moderate	181	PM <sub>10</sub>	1
46	Chikkaballapur	Good	36	PM <sub>2.5</sub>	1
47	Chikkamagaluru	Good	34	O <sub>3</sub>	1
48	Chittorgarh	Moderate	184	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Coimbatore	Satisfactory	71	PM <sub>2.5</sub>	1
50	Damoh	Good	20	PM <sub>2.5</sub>	1
51	Dausa	Moderate	114	PM <sub>10</sub>	1
52	Davanagere	Satisfactory	61	PM <sub>10</sub>	1
53	Dehradun	Moderate	123	со	1
54	Delhi	Moderate	156	O <sub>3</sub>	39
55	Dewas	Satisfactory	99	PM <sub>10</sub>	1
56	Dhanbad	Moderate	147	PM <sub>2.5</sub>	1
57	Dharuhera	Moderate	119	PM <sub>10</sub>	1
58	Dharwad	Satisfactory	72	PM <sub>10</sub>	1
59	Dholpur	Moderate	186	O <sub>3</sub>	1
60	Dindigul	Good	45	SO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Satisfactory	94	PM <sub>10</sub>	1
62	Eloor	Satisfactory	80	PM <sub>10</sub>	1
63	Faridabad	Moderate	128	PM <sub>2.5</sub>	3
64	Fatehabad	Moderate	153	PM <sub>10</sub>	1
65	Firozabad	Satisfactory	100	03	2
66	Gadag	Good	45	SO <sub>2</sub>	1
67	Gandhinagar	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	3
68	Gangtok	Good	50	03	1
69	Gaya	Moderate	104	со	3
70	Ghaziabad	Moderate	141	03	4
71	Gorakhpur	Satisfactory	71	PM <sub>2.5</sub>	1
72	Greater Noida	Moderate	200	03	2

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Satisfactory	67	PM <sub>10</sub>	1
74	Gurugram	Moderate	185	PM <sub>2.5</sub>	4
75	Guwahati	Moderate	103	PM <sub>10</sub>	4
76	Gwalior	Moderate	177	O <sub>3</sub> , PM <sub>2.5</sub>	4
77	Hajipur	Satisfactory	94	PM <sub>10</sub>	1
78	Haldia	Satisfactory	53	PM <sub>10</sub>	1
79	Hanumangarh	Moderate	148	PM <sub>10</sub>	1
80	Hapur	Satisfactory	100	03	1
81	Hassan	Satisfactory	72	PM <sub>10</sub>	1
82	Haveri	Good	48	PM <sub>10</sub>	1
83	Hisar	Moderate	140	PM <sub>2.5</sub>	1
84	Howrah	Satisfactory	68	PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Satisfactory	85	PM <sub>10</sub>	2
86	Hyderabad	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub>	12
87	Imphal	Satisfactory	93	SO <sub>2</sub>	1
88	Indore	Satisfactory	70	NO <sub>2</sub>	2
89	Jabalpur	Satisfactory	88	03	1
90	Jaipur	Moderate	110	O <sub>3</sub> , PM <sub>10</sub>	5
91	Jalandhar	Moderate	106	PM <sub>10</sub>	1
92	Jhalawar	Moderate	102	03	1
93	Jhansi	Moderate	104	PM <sub>10</sub>	1
94	Jhunjhunu	Very Poor	308	03	1
95	Jind	Satisfactory	90	PM <sub>10</sub>	1
96	Jodhpur	Moderate	156	03	3

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jorapokhar	Moderate	112	PM <sub>10</sub>	1
98	Kaithal	Moderate	149	PM <sub>10</sub>	1
99	Kalaburgi	Satisfactory	63	PM <sub>10</sub>	2
100	Kalyan	Moderate	119	PM <sub>10</sub>	1
101	Kanchipuram	Good	34	PM <sub>10</sub>	1
102	Kanpur	Satisfactory	62	03	4
103	Karauli	Good	22	NO <sub>2</sub>	1
104	Karnal	Satisfactory	87	PM <sub>10</sub>	1
105	Katihar	Satisfactory	94	PM <sub>10</sub>	1
106	Katni	Satisfactory	85	03	1
107	Keonjhar	Satisfactory	59	PM <sub>10</sub>	1
108	Khanna	Moderate	119	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Satisfactory	64	SO <sub>2</sub>	1
110	Kishanganj	Moderate	113	PM <sub>10</sub>	1
111	Kochi	Satisfactory	62	SO <sub>2</sub>	1
112	Kohima	Satisfactory	55	PM <sub>10</sub>	1
113	Kolhapur	Satisfactory	92	03	2
114	Kolkata	Satisfactory	75	PM <sub>10</sub>	7
115	Koppal	Satisfactory	53	03	1
116	Korba	Good	46	CO, PM <sub>10</sub>	2
117	Kota	Moderate	168	O <sub>3</sub> , PM <sub>2.5</sub>	3
118	Kurukshetra	Moderate	137	PM <sub>10</sub>	1
119	Lucknow	Satisfactory	66	PM <sub>10</sub>	6
120	Ludhiana	Moderate	118	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Madikeri	Good	30	SO <sub>2</sub>	1
122	Maihar	Satisfactory	64	со	1
123	Mandi Gobindgarh	Moderate	121	PM <sub>2.5</sub>	1
124	Mandideep	Satisfactory	52	03	1
125	Mandikhera	Satisfactory	97	PM <sub>10</sub>	1
126	Manesar	Moderate	119	PM <sub>2.5</sub>	1
127	Mangalore	Satisfactory	55	PM <sub>10</sub>	1
128	Meerut	Moderate	153	O <sub>3</sub> , PM <sub>10</sub>	3
129	Milupara	Good	38	03	1
130	Moradabad	Moderate	138	PM <sub>2.5</sub>	6
131	Motihari	Satisfactory	99	NO <sub>2</sub>	1
132	Mumbai	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	19

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Moderate	136	PM <sub>10</sub>	1
134	Muzaffarnagar	Moderate	157	PM <sub>10</sub>	1
135	Muzaffarpur	Moderate	166	PM <sub>2.5</sub>	3
136	Mysuru	Good	46	03	1
137	Nagaon	Satisfactory	91	PM <sub>10</sub>	1
138	Nagpur	Satisfactory	66	PM <sub>10</sub>	1
139	Nalbari	Moderate	116	PM <sub>10</sub>	1
140	Narnaul	Moderate	142	PM <sub>10</sub>	1
141	Nashik	Satisfactory	75	03	1
142	Navi Mumbai	Moderate	118	PM <sub>10</sub>	2
143	Nayagarh	Satisfactory	96	PM <sub>10</sub>	1
144	Noida	Moderate	166	O <sub>3</sub> , NO <sub>2</sub>	4

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ooty	Satisfactory	55	PM <sub>10</sub>	1
146	Pali	Moderate	113	03	1
147	Palwal	Satisfactory	70	PM <sub>10</sub>	1
148	Panchkula	Moderate	116	PM <sub>2.5</sub>	1
149	Panipat	Moderate	133	PM <sub>10</sub>	1
150	Patiala	Moderate	122	PM <sub>10</sub>	1
151	Patna	Moderate	156	PM <sub>2.5</sub>	6
152	Pratapgarh	Moderate	105	03	1
153	Prayagraj	Moderate	114	O <sub>3</sub> , PM <sub>10</sub>	3
154	Puducherry	Good	24	со	1
155	Pune	Satisfactory	76	PM <sub>2.5</sub> , CO	2
156	Raipur	Satisfactory	54	NO <sub>2</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajamahendravaram	Good	34	PM <sub>10</sub>	1
158	Rajsamand	Moderate	127	O <sub>3</sub>	1
159	Ramanagara	Satisfactory	59	03	1
160	Ratlam	Moderate	109	PM <sub>10</sub>	1
161	Rishikesh	Satisfactory	66	PM <sub>10</sub>	1
162	Rohtak	Moderate	153	PM <sub>2.5</sub>	1
163	Rourkela	Satisfactory	82	PM <sub>2.5</sub> , PM <sub>10</sub>	2
164	Rupnagar	Moderate	125	PM <sub>10</sub>	1
165	Sagar	Moderate	183	O <sub>3</sub>	1
166	Saharsa	Moderate	200	PM <sub>2.5</sub>	1
167	Samastipur	Moderate	170	PM <sub>10</sub>	1
168	Sasaram	Very Poor	309	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Good	42	PM <sub>2.5</sub>	1
170	Sawai Madhopur	Satisfactory	98	O <sub>3</sub>	1
171	Shillong	Good	50	PM <sub>10</sub>	1
172	Shivamogga	Good	39	03	1
173	Sikar	Moderate	162	O <sub>3</sub>	1
174	Silchar	Good	37	со	1
175	Siliguri	Satisfactory	67	PM <sub>10</sub>	1
176	Singrauli	Satisfactory	99	со	1
177	Sirsa	Moderate	135	PM <sub>10</sub>	1
178	Sivasagar	Good	34	PM <sub>2.5</sub>	1
179	Siwan	Moderate	179	PM <sub>2.5</sub>	1
180	Solapur	Moderate	115	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sonipat	Moderate	179	PM <sub>10</sub>	1
182	Sri Ganganagar	Poor	264	PM <sub>10</sub>	1
183	Suakati	Satisfactory	59	PM <sub>10</sub>	1
184	Talcher	Good	44	PM <sub>10</sub>	1
185	Thiruvananthapuram	Good	44	PM <sub>10</sub>	2
186	Thoothukudi	Satisfactory	56	PM <sub>10</sub>	1
187	Thrissur	Satisfactory	90	PM <sub>10</sub>	1
188	Tirupati	Satisfactory	58	PM <sub>10</sub> , NO <sub>2</sub>	2
189	Tirupur	Good	30	PM <sub>10</sub>	1
190	Tonk	Satisfactory	100	03	1
191	Tumakuru	Satisfactory	58	со	1
192	Udaipur	Satisfactory	79	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udupi	Satisfactory	73	03	1
194	Ujjain	Moderate	170	03	1
195	Vapi	Moderate	147	PM <sub>2.5</sub>	1
196	Varanasi	Satisfactory	64	со	4
197	Vatva	Moderate	118	PM <sub>10</sub>	1
198	Vijayapura	Good	46	PM <sub>10</sub>	1
199	Visakhapatnam	Satisfactory	61	PM <sub>10</sub>	1
200	Vrindavan	Moderate	103	PM <sub>10</sub>	1
201	Yadgir	Satisfactory	60	PM <sub>10</sub>	1
202	Yamunanagar	Moderate	141	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.