

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	28	PM ₁₀	1
2	Agra	Satisfactory	67	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Good	36	PM ₁₀ , CO	8
4	Aizawl	Good	24	PM ₁₀	1
5	Ajmer	Satisfactory	74	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Good	23	PM ₁₀	1
8	Ambala	Satisfactory	76	PM _{2.5}	1
9	Amritsar	Good	46	PM ₁₀	1
10	Baghpat	Satisfactory	61	со	1
11	Bahadurgarh	Satisfactory	60	PM _{2.5}	1
12	Ballabgarh	Satisfactory	52	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	27	СО	1
14	Bengaluru	Good	50	CO, O ₃ , PM ₁₀	8
15	Bettiah	Satisfactory	73	PM ₁₀	1
16	Bhiwadi	Satisfactory	82	PM ₁₀	1
17	Bhiwani	Satisfactory	82	PM ₁₀	1
18	Bhopal	Good	33	SO ₂	1
19	Bihar Sharif	Satisfactory	71	NO ₂	1
20	Brajrajnagar	Good	50	со	1
21	Bulandshahr	Good	49	PM ₁₀	1
22	Chamarajanagar	Good	42	PM ₁₀	1
23	Chandigarh	Good	39	NH ₃	1
24	Chandrapur	Good	32	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	66	PM _{2.5}	1
26	Chennai	Satisfactory	53	CO, O ₃ , PM ₁₀	7
27	Chikkaballapur	Good	43	PM ₁₀	1
28	Chikkamagaluru	Good	26	PM ₁₀	1
29	Damoh	Good	18	NO ₂	1
30	Darbhanga	Moderate	143	PM ₁₀	1
31	Davanagere	Good	25	PM ₁₀	1
32	Delhi	Satisfactory	86	PM _{2.5} , O ₃ , NO ₂	34
33	Dewas	Good	20	O ₃	1
34	Dharuhera	Satisfactory	79	СО	1
35	Durgapur	Moderate	104	PM ₁₀	1
36	Ernakulam	Good	41	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Satisfactory	92	PM ₁₀ , O ₃	3
38	Fatehabad	Moderate	107	03	1
39	Firozabad	Good	40	PM _{2.5}	1
40	Gadag	Good	28	SO ₂	1
41	Gandhinagar	Good	35	CO, PM _{2.5}	3
42	Gaya	Satisfactory	57	со	1
43	Ghaziabad	Moderate	118	PM ₁₀	4
44	Gorakhpur	Good	45	PM _{2.5}	1
45	Greater Noida	Satisfactory	80	PM ₁₀	2
46	Gurugram	Satisfactory	78	PM _{2.5} , PM ₁₀	3
47	Guwahati	Good	35	SO ₂	1
48	Gwalior	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	77	O ₃	1
50	Haldia	Satisfactory	65	PM ₁₀	1
51	Hapur	Satisfactory	53	PM ₁₀	1
52	Hassan	Good	46	PM ₁₀	1
53	Hisar	Satisfactory	75	PM ₁₀	1
54	Howrah	Satisfactory	83	PM ₁₀	2
55	Hubballi	Good	39	PM ₁₀	1
56	Hyderabad	Good	33	NO ₂ , PM _{2.5} , PM ₁₀	5
57	Indore	Good	42	со	1
58	Jabalpur	Good	40	со	1
59	Jaipur	Satisfactory	72	PM ₁₀	2
60	Jalandhar	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Satisfactory	60	PM _{2.5}	1
62	Jodhpur	Moderate	112	PM _{2.5}	1
63	Kaithal	Satisfactory	53	PM ₁₀	1
64	Kannur	Good	37	NO ₂	1
65	Kanpur	Good	50	PM ₁₀ , PM _{2.5}	3
66	Karnal	Satisfactory	82	SO ₂	1
67	Katni	Good	29	PM ₁₀	1
68	Khanna	Satisfactory	71	PM ₁₀	1
69	Kochi	Good	46	со	1
70	Kohima	Good	33	SO ₂	1
71	Kolar	Satisfactory	94	со	1
72	Kolkata	Satisfactory	65	PM ₁₀ , O ₃	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	84	СО	1
74	Koppal	Good	28	03	1
75	Kota	Good	44	PM ₁₀	1
76	Kozhikode	Satisfactory	56	со	1
77	Kurukshetra	Good	47	PM _{2.5}	1
78	Lucknow	Satisfactory	66	PM ₁₀ , PM _{2.5}	6
79	Ludhiana	Satisfactory	69	PM ₁₀	1
80	Mandi Gobindgarh	Good	35	PM _{2.5}	1
81	Mandideep	Good	24	со	1
82	Manesar	Satisfactory	62	PM ₁₀	1
83	Medikeri	Good	21	SO ₂	1
84	Meerut	Satisfactory	51	PM ₁₀ , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Motihari	Satisfactory	58	PM _{2.5}	1
86	Mumbai	Satisfactory	63	PM ₁₀ , CO	14
87	Muzaffarnagar	Satisfactory	98	со	1
88	Muzaffarpur	Satisfactory	64	PM _{2.5} , PM ₁₀	2
89	Mysuru	Good	30	O ₃	1
90	Nagpur	Satisfactory	83	O ₃	1
91	Narnaul	Satisfactory	97	PM ₁₀	1
92	Nashik	Good	30	PM _{2.5}	1
93	Navi Mumbai	Good	40	PM ₁₀	3
94	Noida	Satisfactory	75	PM ₁₀	3
95	Pali	Satisfactory	73	PM ₁₀	1
96	Palwal	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	54	СО	1
98	Panipat	Satisfactory	67	PM ₁₀	1
99	Patiala	Good	43	PM ₁₀	1
100	Patna	Satisfactory	67	O ₃ , PM ₁₀ , PM _{2.5}	5
101	Pithampur	Good	46	PM ₁₀	1
102	Prayagraj	Good	44	PM ₁₀	2
103	Puducherry	Good	36	O ₃	1
104	Pune	Satisfactory	61	CO, PM _{2.5}	4
105	Rajamahendravaram	Good	35	PM ₁₀	1
106	Ramanagara	Good	29	O ₃	1
107	Rohtak	Moderate	103	PM _{2.5}	1
108	Rupnagar	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	52	со	1
110	Satna	Satisfactory	97	PM ₁₀	1
111	Shillong	Good	13	SO ₂	1
112	Shivamogga	Good	39	PM ₁₀	1
113	Siliguri	Good	43	PM ₁₀	1
114	Singrauli	Good	32	NO ₂	1
115	Sirsa	Satisfactory	51	PM ₁₀	1
116	Solapur	Good	37	03	1
117	Srinagar	Satisfactory	66	PM ₁₀	1
118	Talcher	Satisfactory	81	со	1
119	Thiruvananthapuram	Satisfactory	55	со	2
120	Thoothukudi	Good	32	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Good	46	03	1
122	Tirupati	Good	32	со	1
123	Udaipur	Good	50	PM ₁₀	1
124	Udupi	Satisfactory	92	со	1
125	Ujjain	Good	50	PM ₁₀	1
126	Vapi	Satisfactory	53	O ₃	1
127	Varanasi	Satisfactory	51	PM ₁₀	3
128	Vatva	Satisfactory	93	NO ₂	1
129	Yadgir	Good	26	PM ₁₀	1
130	Yamunanagar	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Mandikhera, Manglore, Moradabad, Naharlagun, Nandesari, Raichur, Ratlam, Sonipat, Thane, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.