



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	58	PM ₁₀	2
2	Agra	Moderate	154	PM ₁₀ , PM _{2.5} , SO ₂	6
3	Ahmedabad	Satisfactory	91	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	60	PM ₁₀	1
5	Ajmer	Satisfactory	69	PM ₁₀	1
6	Alwar	Satisfactory	91	PM ₁₀	1
7	Amaravati	Good	44	O ₃	1
8	Ambala	Moderate	179	PM ₁₀	1
9	Amritsar	Moderate	197	PM ₁₀	1
10	Ankleshwar	Satisfactory	84	PM ₁₀	1
11	Araria	Satisfactory	72	O ₃	1
12	Arrah	Moderate	193	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	112	PM ₁₀	1
14	Aurangabad	Poor	299	PM ₁₀	1
15	Aurangabad	Moderate	106	PM ₁₀	1
16	Baddi	Moderate	158	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Baghpat	Poor	220	PM _{2.5}	1
19	Bahadurgarh	Very Poor	330	PM ₁₀	1
20	Ballabgarh	Poor	292	PM ₁₀	1
21	Bathinda	Moderate	184	PM ₁₀	1
22	Bengaluru	Satisfactory	73	PM ₁₀ , PM _{2.5} , NO ₂	6
23	Bettiah	Moderate	126	PM ₁₀	1
24	Bhagalpur	Moderate	158	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Very Poor	374	PM _{2.5}	1
26	Bhiwani	Very Poor	318	PM _{2.5}	1
27	Bhopal	Moderate	147	PM ₁₀	1
28	Bidar	Satisfactory	92	PM ₁₀	1
29	Bilaspur	Satisfactory	56	PM ₁₀	1
30	Brajrajnagar	Poor	260	O ₃	1
31	Bulandshahr	Very Poor	348	PM ₁₀	1
32	Buxar	Poor	271	PM ₁₀	1
33	Chamarajanagar	Good	38	PM ₁₀	1
34	Chandigarh	Moderate	148	PM ₁₀	3
35	Chandrapur	Moderate	158	PM ₁₀	2
36	Charkhi Dadri	Poor	264	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Good	45	SO ₂ , PM ₁₀ , CO	7
38	Chhapra	Moderate	163	PM ₁₀	1
39	Chikkaballapur	Satisfactory	77	PM _{2.5}	1
40	Chikkamagaluru	Good	32	PM _{2.5}	1
41	Coimbatore	Good	39	PM _{2.5}	1
42	Damoh	Satisfactory	52	PM ₁₀	1
43	Darbhanga	Moderate	168	PM ₁₀	1
44	Delhi	Very Poor	317	PM ₁₀	35
45	Dewas	Moderate	150	PM _{2.5}	1
46	Durgapur	Moderate	170	PM _{2.5}	1
47	Eloor	Satisfactory	74	PM ₁₀	1
48	Ernakulam	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Very Poor	390	PM _{2.5} , PM ₁₀	3
50	Fatehabad	Poor	290	PM _{2.5}	1
51	Firozabad	Moderate	168	O ₃	1
52	Gandhinagar	Moderate	135	PM _{2.5} , PM ₁₀	3
53	Gaya	Moderate	151	PM ₁₀ , PM _{2.5}	3
54	Ghaziabad	Very Poor	344	PM ₁₀	3
55	Gorakhpur	Satisfactory	56	PM ₁₀	1
56	Greater Noida	Very Poor	388	PM ₁₀	2
57	Gurugram	Poor	279	PM ₁₀	3
58	Guwahati	Satisfactory	52	O ₃ , PM ₁₀	2
59	Hajipur	Moderate	115	PM _{2.5}	1
60	Haldia	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Very Poor	352	PM ₁₀	1
62	Hassan	Good	49	NO ₂	1
63	Haveri	Satisfactory	80	CO	1
64	Hisar	Very Poor	306	PM ₁₀	1
65	Howrah	Satisfactory	63	PM ₁₀	3
66	Hubballi	Satisfactory	67	PM ₁₀	1
67	Hyderabad	Moderate	115	PM ₁₀ , PM _{2.5} , O ₃	5
68	Imphal	Satisfactory	71	SO ₂	1
69	Indore	Moderate	143	PM ₁₀	1
70	Jabalpur	Moderate	176	PM ₁₀	1
71	Jaipur	Moderate	163	PM _{2.5} , PM ₁₀	3
72	Jalandhar	Poor	221	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Poor	203	PM ₁₀	1
74	Jind	Poor	223	PM _{2.5}	1
75	Jodhpur	Moderate	143	PM _{2.5}	1
76	Kaithal	Poor	223	PM ₁₀	1
77	Kalyan	Moderate	129	PM ₁₀	1
78	Kannur	Satisfactory	53	PM _{2.5}	1
79	Kanpur	Moderate	144	PM _{2.5} , PM ₁₀	3
80	Karnal	Poor	212	PM _{2.5}	1
81	Katihar	Moderate	139	PM ₁₀	1
82	Katni	Poor	259	PM ₁₀	1
83	Khanna	Moderate	149	PM ₁₀	1
84	Kishanganj	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Satisfactory	57	PM _{2.5}	1
86	Kolkata	Satisfactory	63	PM ₁₀ , O ₃ , NO ₂	6
87	Kollam	Satisfactory	83	CO	1
88	Koppal	Satisfactory	62	PM ₁₀	1
89	Kota	Moderate	122	PM _{2.5}	1
90	Kozhikode	Satisfactory	59	PM ₁₀	1
91	Kurukshetra	Poor	249	PM _{2.5}	1
92	Lucknow	Poor	236	PM _{2.5} , PM ₁₀ , O ₃	6
93	Ludhiana	Moderate	154	PM ₁₀	1
94	Madikeri	Satisfactory	52	O ₃	1
95	Mandi Gobindgarh	Poor	202	PM _{2.5}	1
96	Mandideep	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	98	PM ₁₀	1
98	Manglore	Satisfactory	64	CO	1
99	Meerut	Poor	219	PM ₁₀	2
100	Moradabad	Moderate	143	PM ₁₀ , PM _{2.5}	4
101	Motihari	Moderate	151	O ₃	1
102	Mumbai	Satisfactory	80	PM ₁₀ , CO	20
103	Munger	Moderate	187	PM ₁₀	1
104	Muzaffarpur	Moderate	130	PM ₁₀ , PM _{2.5}	3
105	Mysuru	Satisfactory	61	O ₃	1
106	Nagpur	Moderate	162	PM _{2.5}	1
107	Nandesari	Satisfactory	65	PM _{2.5}	1
108	Narnaul	Moderate	141	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	68	PM ₁₀	1
110	Navi Mumbai	Moderate	112	PM ₁₀ , CO	3
111	Noida	Very Poor	370	PM ₁₀	3
112	Pali	Satisfactory	94	PM _{2.5}	1
113	Palwal	Poor	239	PM ₁₀	1
114	Panchkula	Moderate	147	PM _{2.5}	1
115	Panipat	Poor	269	PM ₁₀	1
116	Patiala	Moderate	147	PM ₁₀	1
117	Patna	Moderate	189	PM ₁₀ , PM _{2.5}	6
118	Pithampur	Moderate	129	PM ₁₀	1
119	Prayagraj	Moderate	121	PM ₁₀ , PM _{2.5}	2
120	Puducherry	Satisfactory	90	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Moderate	117	PM _{2.5} , PM ₁₀	5
122	Purnia	Satisfactory	89	NO ₂	1
123	Rajamahendravaram	Satisfactory	73	PM ₁₀	1
124	Ramanagara	Good	44	PM ₁₀	1
125	Ratlam	Moderate	115	PM ₁₀	1
126	Rohtak	Poor	275	PM _{2.5}	1
127	Rupnagar	Moderate	142	PM ₁₀	1
128	Sagar	Satisfactory	89	PM _{2.5}	1
129	Saharsa	Moderate	138	PM ₁₀	1
130	Samastipur	Poor	265	PM ₁₀	1
131	Sasaram	Poor	201	PM _{2.5}	1
132	Satna	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Satisfactory	68	PM _{2.5}	1
134	Shivamogga	Satisfactory	59	PM ₁₀	1
135	Siliguri	Satisfactory	59	PM ₁₀	1
136	Singrauli	Very Poor	361	PM ₁₀	1
137	Sirsa	Poor	283	PM ₁₀	1
138	Solapur	Satisfactory	81	PM ₁₀	1
139	Srinagar	Good	45	NH ₃	1
140	Talcher	Satisfactory	68	O ₃	1
141	Thane	Moderate	165	O ₃	1
142	Thiruvananthapuram	Satisfactory	52	CO, PM ₁₀	2
143	Thoothukudi	Good	40	PM ₁₀	1
144	Tirupati	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	108	PM ₁₀	1
146	Udupi	Good	49	CO	1
147	Ujjain	Moderate	131	PM ₁₀	1
148	Varanasi	Moderate	115	PM ₁₀ , PM _{2.5}	4
149	Vatva	Satisfactory	90	PM ₁₀	1
150	Vijayapura	Good	46	PM ₁₀	1
151	Visakhapatnam	Satisfactory	92	PM ₁₀	1
152	Vrindavan	Moderate	189	PM ₁₀	1
153	Yadgir	Satisfactory	67	PM ₁₀	1
154	Yamunanagar	Moderate	187	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bihar Sharif, Davanagere, Dharuhera, Gadag, Gangtok, Gummidipoondi, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Raichur, Rajgir, Siwan, Sonapat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.