

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	180	PM <sub>2.5</sub>	1
2	Ahmedabad	Satisfactory	53	PM <sub>10</sub>	1
3	Ajmer	Satisfactory	63	PM <sub>10</sub>	1
4	Alwar	Satisfactory	78	O <sub>3</sub>	1
5	Amaravati	Good	27	O <sub>3</sub>	1
6	Ambala	Poor	256	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	71	PM <sub>10</sub>	1
8	Asansol	Good	35	PM <sub>10</sub>	1
9	Baghpat	Moderate	141	PM <sub>2.5</sub>	1
10	Ballabgarh	Poor	205	PM <sub>2.5</sub>	1
11	Bathinda	Good	37	PM <sub>10</sub>	1
12	Bengaluru	Satisfactory	66	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	7

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motors calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Poor	248	PM <sub>2.5</sub>	1
14	Bhopal	Satisfactory	77	O <sub>3</sub>	1
15	Bulandshahr	Moderate	163	PM <sub>2.5</sub>	1
16	Chandigarh	Satisfactory	92	PM <sub>10</sub>	1
17	Chandrapur	Satisfactory	70	PM <sub>10</sub>	1
18	Chennai	Satisfactory	52	O <sub>3</sub> , CO, PM <sub>2.5</sub>	4
19	Chikkaballapur	Good	35	со	1
20	Chikkamagaluru	Good	29	PM <sub>10</sub>	1
21	Damoh	Satisfactory	60	PM <sub>10</sub>	1
22	Delhi	Moderate	142	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	33
23	Dewas	Satisfactory	75	O <sub>3</sub>	1
24	Dharuhera	Moderate	125	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motores calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Eloor	Good	16	со	1
26	Faridabad	Moderate	198	PM <sub>2.5</sub>	3
27	Fatehabad	Satisfactory	90	PM <sub>10</sub>	1
28	Gandhinagar	Good	35	03	1
29	Gaya	Moderate	132	03	1
30	Ghaziabad	Moderate	142	PM <sub>10</sub>	4
31	Greater Noida	Poor	202	PM <sub>10</sub> , PM <sub>2.5</sub>	2
32	Gurugram	Moderate	142	PM <sub>10</sub> , PM <sub>2.5</sub>	4
33	Guwahati	Good	38	PM <sub>10</sub>	1
34	Gwalior	Satisfactory	99	PM <sub>10</sub>	1
35	Hajipur	Moderate	104	PM <sub>2.5</sub>	1
36	Hapur	Moderate	137	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motors calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Moderate	140	PM <sub>10</sub>	1
38	Howrah	Good	36	PM <sub>10</sub>	2
39	Hubballi	Good	25	NO <sub>2</sub>	1
40	Hyderabad	Good	38	O <sub>3</sub> , NO <sub>2</sub>	6
41	Indore	Satisfactory	82	O <sub>3</sub>	1
42	Jabalpur	Good	50	PM <sub>10</sub>	1
43	Jaipur	Satisfactory	88	PM <sub>10</sub>	2
44	Jalandhar	Satisfactory	73	PM <sub>10</sub>	1
45	Jind	Moderate	149	PM <sub>2.5</sub>	1
46	Jodhpur	Moderate	108	PM <sub>10</sub>	1
47	Kaithal	Satisfactory	92	PM <sub>10</sub>	1
48	Kalaburgi	Good	6	NO <sub>2</sub>	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motors calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Good	20	PM <sub>10</sub>	1
50	Kannur	Good	15	NO <sub>2</sub>	1
51	Kanpur	Moderate	106	PM <sub>2.5</sub>	1
52	Karnal	Satisfactory	85	PM <sub>2.5</sub>	1
53	Katni	Satisfactory	67	PM <sub>2.5</sub>	1
54	Khanna	Satisfactory	90	PM <sub>10</sub>	1
55	Kochi	Satisfactory	51	СО	1
56	Kohima	Satisfactory	61	PM <sub>10</sub>	1
57	Kolkata	Good	36	CO, PM <sub>10</sub> , O <sub>3</sub>	5
58	Kollam	Satisfactory	79	СО	1
59	Kota	Moderate	101	PM <sub>2.5</sub>	1
60	Kozhikode	Good	12	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motors calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kurukshetra	Moderate	102	PM <sub>10</sub>	1
62	Lucknow	Moderate	120	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	4
63	Ludhiana	Satisfactory	70	PM <sub>10</sub>	1
64	Mandi Gobindgarh	Moderate	142	PM <sub>2.5</sub>	1
65	Mandideep	Good	42	03	1
66	Mandikhera	Satisfactory	83	PM <sub>10</sub>	1
67	Manesar	Moderate	175	PM <sub>2.5</sub>	1
68	Meerut	Moderate	173	PM <sub>2.5</sub> , PM <sub>10</sub>	3
69	Moradabad	Moderate	148	PM <sub>2.5</sub>	1
70	Mumbai	Good	39	PM <sub>10</sub> , CO, NH <sub>3</sub>	9
71	Muzaffarnagar	Moderate	144	PM <sub>2.5</sub>	1
72	Muzaffarpur	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motors calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mysuru	Good	20	PM <sub>10</sub>	1
74	Nagpur	Satisfactory	70	O <sub>3</sub>	1
75	Nandesari	Moderate	166	PM <sub>2.5</sub>	1
76	Narnaul	Moderate	155	PM <sub>10</sub>	1
77	Nashik	Good	26	O <sub>3</sub>	1
78	Noida	Moderate	150	PM <sub>10</sub>	4
79	Pali	Moderate	111	PM <sub>2.5</sub>	1
80	Palwal	Moderate	120	PM <sub>10</sub>	1
81	Panchkula	Satisfactory	99	PM <sub>2.5</sub>	1
82	Panipat	Moderate	134	PM <sub>10</sub>	1
83	Patiala	Satisfactory	88	PM <sub>10</sub>	1
84	Patna	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motors calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pithampur	Satisfactory	78	PM <sub>10</sub>	1
86	Pune	Good	45	СО	1
87	Rajamahendravaram	Good	35	O <sub>3</sub>	1
88	Ramanagara	Good	30	SO <sub>2</sub>	1
89	Ratlam	Satisfactory	70	SO <sub>2</sub>	1
90	Rohtak	Satisfactory	61	СО	1
91	Sagar	Satisfactory	53	PM <sub>2.5</sub>	1
92	Satna	Satisfactory	60	PM <sub>10</sub>	1
93	Shillong	Good	11	O <sub>3</sub>	1
94	Siliguri	Good	41	PM <sub>2.5</sub>	1
95	Singrauli	Moderate	103	PM <sub>2.5</sub>	1
96	Sirsa	Satisfactory	74	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motores calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sonipat	Moderate	136	PM <sub>10</sub>	1
98	Talcher	Satisfactory	80	PM <sub>10</sub>	1
99	Thiruvananthapuram	Good	40	CO, PM <sub>10</sub>	2
100	Tirupati	Satisfactory	60	O <sub>3</sub>	1
101	Udaipur	Satisfactory	67	PM <sub>10</sub>	1
102	Ujjain	Satisfactory	61	PM <sub>10</sub>	1
103	Vapi	Good	27	PM <sub>10</sub>	1
104	Varanasi	Moderate	113	PM <sub>10</sub>	1
105	Vatva	Satisfactory	51	PM <sub>10</sub>	1
106	Visakhapatnam	Good	38	O <sub>3</sub>	1
107	Yamunanagar	Moderate	151	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motors calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Bagalkot, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Ernakulam, Jorapokhar, Maihar, Navi Mumbai, Rupnagar, Solapur, Thane, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.