

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	82	со	1
2	Ahmedabad	Satisfactory	56	PM ₁₀	1
3	Aizawl	Satisfactory	75	PM _{2.5}	1
4	Alwar	Satisfactory	80	PM ₁₀	1
5	Amaravati	Good	48	PM ₁₀	1
6	Ambala	Satisfactory	60	PM ₁₀	1
7	Amritsar	Satisfactory	70	PM ₁₀	1
8	Aurangabad	Good	45	PM _{2.5}	1
9	Bagalkot	Moderate	104	СО	1
10	Bahadurgarh	Good	44	PM _{2.5}	1
11	Bengaluru	Satisfactory	54	CO, PM ₁₀ , PM _{2.5}	6
12	Bhiwadi	Good	28	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achiters t calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwani	Satisfactory	63	SO ₂	1
14	Bhopal	Good	48	PM ₁₀	1
15	Brajrajnagar	Moderate	172	PM ₁₀	1
16	Bulandshahr	Satisfactory	73	PM ₁₀	1
17	Chandigarh	Good	40	PM ₁₀	1
18	Chandrapur	Satisfactory	90	03	1
19	Chennai	Good	48	PM _{2.5}	3
20	Chikkamagaluru	Satisfactory	68	PM ₁₀	1
21	Damoh	Satisfactory	55	PM ₁₀	1
22	Delhi	Satisfactory	69	O ₃ , PM _{2.5}	32
23	Dewas	Good	37	PM ₁₀	1
24	Dharuhera	Satisfactory	60	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Eloor	Satisfactory	78	PM ₁₀	1
26	Ernakulam	Satisfactory	59	со	1
27	Faridabad	Satisfactory	75	PM ₁₀ , O ₃	3
28	Fatehabad	Good	44	PM _{2.5}	1
29	Gandhinagar	Good	46	PM ₁₀	1
30	Gaya	Satisfactory	81	O ₃ , PM _{2.5}	2
31	Ghaziabad	Satisfactory	72	PM ₁₀	2
32	Greater Noida	Satisfactory	93	CO, PM ₁₀	2
33	Gurugram	Good	42	PM ₁₀ , CO, PM _{2.5}	3
34	Guwahati	Poor	247	PM _{2.5}	1
35	Gwalior	Satisfactory	81	PM ₁₀ , O ₃	2
36	Hapur	Moderate	114	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athites t calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Good	44	PM ₁₀	1
38	Howrah	Satisfactory	100	PM ₁₀ , O ₃	3
39	Hyderabad	Satisfactory	67	PM ₁₀	3
40	Indore	Satisfactory	55	NO ₂	1
41	Jabalpur	Satisfactory	60	PM ₁₀	1
42	Jaipur	Good	45	O ₃	2
43	Jalandhar	Satisfactory	52	PM ₁₀	1
44	Jind	Satisfactory	56	PM _{2.5}	1
45	Jodhpur	Good	44	PM ₁₀	1
46	Kaithal	Good	46	PM ₁₀	1
47	Kalyan	Satisfactory	97	O ₃	1
48	Kannur	Satisfactory	68	PM _{2.5}	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achiters t calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Satisfactory	73	PM _{2.5}	1
50	Katni	Satisfactory	71	PM ₁₀	1
51	Khanna	Good	38	PM ₁₀	1
52	Kochi	Satisfactory	58	PM _{2.5}	1
53	Kolkata	Moderate	116	O ₃ , PM _{2.5}	7
54	Kollam	Satisfactory	87	PM _{2.5}	1
55	Kota	Good	30	PM ₁₀	1
56	Kozhikode	Good	49	PM ₁₀	1
57	Kurukshetra	Good	48	PM _{2.5}	1
58	Lucknow	Satisfactory	84	PM _{2.5}	4
59	Ludhiana	Satisfactory	56	PM ₁₀	1
60	Maihar	Satisfactory	78	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Satisfactory	55	PM _{2.5}	1
62	Mandideep	Good	26	PM _{2.5}	1
63	Mandikhera	Satisfactory	55	03	1
64	Manesar	Good	40	SO ₂	1
65	Meerut	Satisfactory	75	PM ₁₀	1
66	Mumbai	Satisfactory	66	PM ₁₀ , O ₃	8
67	Muzaffarnagar	Satisfactory	73	PM ₁₀	1
68	Muzaffarpur	Poor	256	03	1
69	Nagpur	Satisfactory	59	03	1
70	Nandesari	Moderate	127	со	1
71	Narnaul	Good	19	PM ₁₀	1
72	Nashik	Satisfactory	67	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	103	CO, PM ₁₀	3
74	Noida	Satisfactory	60	CO, PM ₁₀	4
75	Pali	Good	40	O ₃	1
76	Palwal	Satisfactory	63	PM ₁₀	1
77	Panchkula	Satisfactory	83	со	1
78	Panipat	Satisfactory	82	PM ₁₀	1
79	Patiala	Good	44	PM ₁₀	1
80	Patna	Moderate	119	CO, PM ₁₀	3
81	Pithampur	Good	49	со	1
82	Pune	Satisfactory	59	СО	1
83	Rajamahendravaram	Satisfactory	54	O ₃	1
84	Ramanagara	Good	39	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Atheres t calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Good	43	PM _{2.5}	1
86	Rupnagar	Good	38	PM _{2.5}	1
87	Sagar	Good	34	СО	1
88	Satna	Satisfactory	52	PM ₁₀	1
89	Shillong	Moderate	103	PM _{2.5}	1
90	Singrauli	Poor	263	PM ₁₀	1
91	Sirsa	Satisfactory	92	SO ₂	1
92	Sonipat	Satisfactory	97	СО	1
93	Talcher	Moderate	128	PM ₁₀	1
94	Thane	Good	42	PM ₁₀	1
95	Thiruvananthapuram	Satisfactory	69	O ₃	1
96	Tirupati	Satisfactory	79	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Atheres t calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Satisfactory	53	СО	1
98	Ujjain	Satisfactory	58	O ₃	1
99	Vapi	Satisfactory	72	СО	1
100	Varanasi	Moderate	156	PM _{2.5}	1
101	Vatva	Good	47	PM ₁₀	1
102	Yadgir	Satisfactory	58	PM ₁₀	1
103	Yamunanagar	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* Achiters t calculated for today's bulletin for Ajmer, Ankleshwar, Asanol, Ballabgarh, Bathinda, Chikkaballapur, Coimbatore, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Karnal, Moradabad, Mysuru, Ratlam, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.