Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	90	$PM_{2.5}$	1
2	Agra	Very Poor	330	$PM_{2.5}$	1
3	Ahmedabad	Moderate	190	$PM_{2.5}$	1
4	Aizawl	Good	14	PM_{10}	1
5	Ajmer	Poor	236	$PM_{2.5}$	1
6	Alwar	Moderate	127	$PM_{2.5}$	1
7	Amaravati	Satisfactory	96	PM_{10}	1
8	Ambala	Poor	274	$PM_{2.5}$	1
9	Amritsar	Very Poor	302	$PM_{2.5}$	1
10	Ankleshwar	Poor	246	$PM_{2.5}$	1
11	Asansol	Moderate	101	PM_{10}	1
12	Aurangabad	Satisfactory	86	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	98	CO	1
14	Baghpat	Very Poor	326	$PM_{2.5}$	1
15	Bahadurgarh	Severe	417	$PM_{2.5}$	1
16	Ballabgarh	Poor	229	$PM_{2.5}$	1
17	Bathinda	Poor	261	$PM_{2.5}$	1
18	Bengaluru	Satisfactory	87	PM_{10}, $PM_{2.5}$, O_3	8
19	Bhiwadi	Very Poor	365	PM_{10}	1
20	Bhiwani	Very Poor	308	PM_{10}	1
21	Bhopal	Very Poor	343	$PM_{2.5}$	1
22	Brajrajnagar	Moderate	117	$PM_{2.5}$	1
23	Bulandshahr	Poor	298	$PM_{2.5}$	1
24	Chandigarh	Moderate	121	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	153	$PM_{2.5}$, PM_{10}	2
26	Charkhi Dadri	Very Poor	326	$PM_{2.5}$	1
27	Chennai	Moderate	103	$PM_{2.5}$, O_3	6
28	Chikkaballapur	Moderate	116	$PM_{2.5}$	1
29	Chikkamagaluru	Moderate	106	O_3	1
30	Damoh	Poor	233	$PM_{2.5}$	1
31	Delhi	Very Poor	344	$PM_{2.5}$, PM_{10}	34
32	Dewas	Poor	271	$PM_{2.5}$	1
33	Dharuhera	Very Poor	365	PM_{10}	1
34	Eloor	Satisfactory	64	O_3	1
35	Ernakulam	Moderate	111	$PM_{2.5}$	1
36	Faridabad	Very Poor	327	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Very Poor	394	$PM_{2.5}$	1
38	Gandhinagar	Moderate	107	PM_{10}	1
39	Gaya	Moderate	118	$PM_{2.5}$, O_3	2
40	Ghaziabad	Very Poor	360	PM_{10}, $PM_{2.5}$	4
41	Greater Noida	Very Poor	340	PM_{10}, $PM_{2.5}$	2
42	Gurugram	Poor	288	$PM_{2.5}$	4
43	Guwahati	Moderate	116	PM_{10}	1
44	Gwalior	Very Poor	374	$PM_{2.5}$	1
45	Hajipur	Satisfactory	63	PM_{10}	1
46	Hapur	Poor	246	PM_{10}	1
47	Hisar	Very Poor	361	$PM_{2.5}$	1
48	Howrah	Moderate	110	PM_{10}, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Moderate	111	PM_{10}	1
50	Hyderabad	Moderate	151	$PM_{2.5}$	6
51	Indore	Poor	266	$PM_{2.5}$	1
52	Jabalpur	Poor	267	$PM_{2.5}$	1
53	Jaipur	Poor	274	$PM_{2.5}$	3
54	Jalandhar	Poor	218	$PM_{2.5}$	1
55	Jind	Very Poor	351	$PM_{2.5}$	1
56	Jodhpur	Very Poor	324	$PM_{2.5}$	1
57	Kaithal	Poor	272	$PM_{2.5}$	1
58	Kalaburgi	Moderate	121	PM_{10}	1
59	Kalyan	Moderate	191	$PM_{2.5}$	1
60	Kannur	Satisfactory	100	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Very Poor	349	$PM_{2.5}$	1
62	Karnal	Moderate	160	$PM_{2.5}$	1
63	Katni	Poor	290	$PM_{2.5}$	1
64	Khanna	Poor	212	$PM_{2.5}$	1
65	Kochi	Moderate	154	$PM_{2.5}$	1
66	Kolkata	Satisfactory	100	$PM_{2.5}$, O_3, PM_{10}	7
67	Kollam	Moderate	200	$PM_{2.5}$	1
68	Kota	Very Poor	302	$PM_{2.5}$	1
69	Kozhikode	Satisfactory	100	PM_{10}	1
70	Kurukshetra	Poor	261	$PM_{2.5}$	1
71	Lucknow	Poor	278	$PM_{2.5}$, PM_{10}	4
72	Ludhiana	Poor	255	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	189	PM_{10}	1
74	Mandideep	Poor	238	$PM_{2.5}$	1
75	Mandikhera	Poor	279	$PM_{2.5}$	1
76	Manesar	Poor	233	PM_{10}	1
77	Medikeri	Satisfactory	74	O_3	1
78	Meerut	Poor	252	$PM_{2.5}$	2
79	Moradabad	Very Poor	370	$PM_{2.5}$	1
80	Mumbai	Moderate	177	$PM_{2.5}$, PM_{10}	9
81	Muzaffarnagar	Poor	253	$PM_{2.5}$	1
82	Muzaffarpur	Moderate	172	O_3, PM_{10}	2
83	Mysuru	Satisfactory	90	PM_{10}	1
84	Nandesari	Moderate	150	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Very Poor	314	$PM_{2.5}$	1
86	Nashik	Moderate	132	$PM_{2.5}$	1
87	Navi Mumbai	Poor	221	$PM_{2.5}$	2
88	Noida	Very Poor	309	$PM_{2.5}$, PM_{10}	3
89	Pali	Moderate	197	$PM_{2.5}$	1
90	Palwal	Moderate	178	PM_{10}	1
91	Panchkula	Moderate	174	$PM_{2.5}$	1
92	Panipat	Moderate	149	PM_{10}	1
93	Patiala	Moderate	154	PM_{10}	1
94	Patna	Moderate	129	$PM_{2.5}$, PM_{10}, NO_2	6
95	Pithampur	Poor	268	$PM_{2.5}$	1
96	Pune	Satisfactory	78	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Satisfactory	73	PM_{10}	1
98	Ramanagara	Satisfactory	98	$PM_{2.5}$	1
99	Ratlam	Very Poor	302	PM_{10}	1
100	Rohtak	Very Poor	382	$PM_{2.5}$	1
101	Rupnagar	Very Poor	301	$PM_{2.5}$	1
102	Sagar	Poor	238	$PM_{2.5}$	1
103	Satna	Satisfactory	63	PM_{10}	1
104	Singrauli	Poor	223	$PM_{2.5}$	1
105	Sirsa	Very Poor	345	PM_{10}	1
106	Solapur	Moderate	135	PM_{10}	1
107	Sonipat	Poor	274	PM_{10}	1
108	Talcher	Satisfactory	81	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Poor	263	PM_{10}	1
110	Thiruvananthapuram	Satisfactory	86	PM_{10}	2
111	Thoothukudi	Satisfactory	82	O_3	1
112	Thrissur	Moderate	122	O_3	1
113	Tirupati	Satisfactory	81	$PM_{2.5}$	1
114	Udaipur	Moderate	164	$PM_{2.5}$	1
115	Ujjain	Poor	288	$PM_{2.5}$	1
116	Varanasi	Moderate	133	PM_{10}	1
117	Vatva	Poor	288	$PM_{2.5}$	1
118	Vijayapura	Moderate	151	O_3	1
119	Visakhapatnam	Good	44	PM_{10}	1
120	Yamunanagar	Very Poor	357	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Kohima, Maihar, Nagpur, Shillong, Shivamogga, Siliguri, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.